

NEW JERSEY HEALTH STATISTICS

1973

Joanne E. Finley, M. D., M. P. H.
State Commissioner of health

Martin Goldfield, M.D.
Assistant Commissioner
Division of Laboratories and Epidemiology

Ronald Altman, M.D.
State Epidemiologist

Public Health Statistics Program Staff

Alfred W. Iaci, Principal Statistician
Phyllis P. Spych, Principal Statistical Clerk
Lorraine B. Szul, Principal Clerk
Frances P. Conte, Senior Clerk Typist

Graphic Arts Program

John E. Crutchfield, Graphic Artist





State of New Jersey

DEPARTMENT OF HEALTH

JOHN FITCH PLAZA

P.O. BOX 1540, TRENTON, N.J. 08625

JOANNE E. FINLEY, M.D., M.P.H.
COMMISSIONER

December, 1974

This twelfth annual report of New Jersey Health Statistics provides tabulations of births, marriages, deaths, and reportable diseases for 1973, and relevant data on health facilities in New Jersey.

Analyses of such data can be the foundation for progress in science and medicine and serve an indispensable role in the formulation of policy by business, industry, and government.

In the area of public health and safety, statistical analysis helps us forecast population trends, trace epidemics, gauge the success of immunization and treatment programs, and alert us to growing threats to our health, such as radiation and air pollution. Statistical data have already warned us of the increased risks we take by smoking, driving on holiday weekends, or failing to make our homes as accident-proof as possible.

Wisely interpreted, the data collected here can thus be invaluable to public health officials in planning effectively to meet the future health needs of our citizens. I commend the contents to your careful study and analysis.

A handwritten signature in cursive script that reads "Joanne E. Finley, M.D." with a flourish at the end.

Joanne E. Finley, M.D., M.P.H.
State Commissioner of Health

TABLE OF CONTENTS

<u>Table No.</u>	<u>Page No.</u>
Report of the Public Health Statistics Program, Calendar Year, 1973	1
VITAL EVENTS HISTORICAL DATA	
1. Population Estimates, Resident Births, Marriages (by Occurrence) and Resident Deaths, Numbers and Rates per 1,000 Population: 1949-1973	18
2. Infant, Fetal, Perinatal, Neonatal and Maternal Resident Deaths, Numbers and Rates: 1949-1973.	19
3. Cancer, Diabetes, Heart Disease and Cerebrovascular Disease Deaths, Numbers and Rates per 100,000 Estimated Population: 1949-1973	20
4. Tuberculosis Cases and Deaths, Numbers and Rates per 100,000 Estimated Population: 1949-1973	21
5. Cases of Syphilis by Stage, and Gonorrhea, Numbers and Rates per 100,000 Estimated Population (Civilian Cases Only): 1949-1973.	22
6. Accident, Homicide and Suicide Deaths, Numbers and Rates per 100,000 Estimated Population: 1949-1973	23
VITAL EVENTS DATA — TOTAL NEW JERSEY: 1973	
7. Estimated Population by Age, by Race, by Sex	24
8. Resident Births by Age of Mother, by Weight Group	25
9. Resident Births by Age of Mother, by Race, by Sex	26
10. Resident Births by Age of Mother, by Legitimacy, by Race	27
11. Resident Births by Weight Group, by Race	28
12. Marriages in New Jersey by Age of Husband, by Age of Wife	29
13. Resident Infant Deaths by Cause, by Age	30
14. Resident Maternal Deaths; Cause by Age, Cause by Race	32
15. Resident Deaths by 3-Digit Cause by Sex and Age Groups	33
16. Resident Deaths by Cause Group by Age, by Sex, by Race	51
17. Principal Causes of Resident Death by Age, Numbers and Age-Specific Rates	60
18. Motor Vehicle Deaths in New Jersey by Cause Group, by Age	62
19. Accidental Resident Deaths by Cause Group, by Age, Numbers, and Age-Specific Rates per 100,000 Estimated Population	63

20.	Resident Deaths Due to Diseases of the Circulatory System by Age and Sex, Numbers, Age-Specific Rates, Sex-Specific Rates per 100,000 Estimated Population	64
21.	Resident Deaths Due to Neoplasms by Cause Group, by Age and Sex, Numbers, Age-Specific Rates, Sex-Specific Rates per 100,000 Estimated Population	65
22.	Serum and Infectious Hepatitis Resident Cases by Age, by Sex, Numbers and Age-Sex-Specific Rates per 100,000 Estimated Population	66
23.	Resident Cases of Syphilis by Stage, and Gonorrhea (Including Military), by Age and Sex, Numbers, Age-Specific Rates and Sex-Specific Rates per 100,000 Estimated Population	67
24.	Resident Tuberculosis Morbidity and Mortality by Age, by Sex, Numbers and Age-Sex-Specific Rates per 100,000 Estimated Population	68
VITAL EVENTS DATA — COUNTIES AND SELECTED PLACES: 1973		
25.	Resident Births, Marriages (by Occurrence) and Resident Deaths, Numbers and Rates per 1,000 Estimated Population	69
26.	Resident Births by Sex, by Race	70
27.	Resident Births by Legitimacy, by Race	71
28.	Resident Births by Maturity	72
29.	Resident Births in 1973 by Month of Pregnancy Prenatal Care Began	73
30.	Resident Infant, Fetal, Neonatal, and Perinatal Deaths by Race, Numbers and Rates	74
31.	Resident Maternal Deaths by Race	77
32.	Resident Deaths by Age, by Race, by Sex	78
33.	Deaths from All Accidents, Cancer, Heart Diseases, Diabetes and Cerebrovascular Diseases, Numbers and Rates per 100,000 Estimated Population	87
34.	Accidental Resident Deaths by Selected Cause Groups, Numbers and Rates per 100,000 Estimated Population	88
35.	Resident Motor Vehicle Deaths by Cause Group	89
36.	Tuberculosis Morbidity and Mortality: 1971, 1972 and 1973	90
37.	Tuberculosis Morbidity and Mortality Rates per 100,000 Estimated Population: 1971, 1972 and 1973	91
38.	Resident Circulatory Disease Deaths by Cause Group, Numbers and Rates per 100,000 Estimated Population	92

<u>Table No.</u>	<u>Page No.</u>
39. Cases of Syphilis by Stage, and Gonorrhea, Numbers and Rates per 100,000 Estimated Population	93
40. Annual Summary of Notifiable Disease Cases by County of Residence	94
VITAL EVENTS DATA — MUNICIPALITIES: 1973	
41. Estimated Population, Births, Marriages (by Occurrence), Deaths, Infant Deaths, Fetal Deaths and Neonatal Deaths - Residents of New Jersey	95
NEW JERSEY HEALTH FACILITIES DATA: 1973	
42. Number of Beds Existing, Under Construction or Committed in General Acute Hospitals by Type and Total Number of Beds Conforming to Federal and State Standards by Service Area in New Jersey, January 1, 1973 to December 31, 1973 Inventory Period	109
43. Number of Beds Which are Existing, Under Construction or Committed in Long Term Facilities by Type, Each Service Area in New Jersey, January 1, 1973 to December 31, 1973 Inventory Period	110
APPENDIX A	
Glossary of Terms	111
APPENDIX B	
Selected Vital Events by Primary Service Area, 1973	113
APPENDIX C	
Death Rates for Specified Causes, by Age Groups Over 1 Year: United States, 1972 and 1973 (Based on 10-percent Sample of Deaths. Rates per 100,000 Population in Specified Group)	114

Report of the Public Health Statistics Program
Calendar Year, 1973

INTRODUCTION: This report, published as a separate document since 1962, presents basic data obtained from birth, marriage, death and fetal death certificates, required by law to be filed in the state in which the event occurred. Birth, death and fetal death tabulations include events occurring to residents of the state of New Jersey, except where otherwise stated, while marriage data includes all marriages occurring in the state, regardless of the residence of the bride or groom. In some instances, resident births, deaths, and fetal deaths occur outside the state boundaries and are filed with other state registrars. In such instances, copies of the original certificates are made and transmitted, by reciprocal agreement, to the New Jersey State Registrar, for the purpose of completing tabulations. Thus tabulations of resident births, deaths, and fetal deaths should include all events occurring to residents of New Jersey regardless of the place of the occurrence. This year, as in recent years, New York City had difficulty in meeting its obligation to transmit copies of birth certificates. The tabulations of resident births for 1973 therefore, as in 1972, do not include any resident births occurring in New York City. Receipt of copies of death and fetal death certificates from New York City was complete as was receipt of all certificates from New York State, Pennsylvania, Delaware, all other states, and Canada.

Also included in this report are a number of tables containing tuberculosis and venereal disease morbidity data, cases of reportable diseases, population estimates, and health facilities data for general acute and long-term care facilities. The Tuberculosis Services Program collects the required case reports, the Venereal Disease Control Program is responsible for the collection of the confidential reports of syphilis and gonorrhea, and the Communicable Disease Control Program receives reports of all other reportable diseases. Population estimates by place, are provided by the Office of Business Economics, Department of Labor and Industry. Rough estimates of age, sex, and race distributions have been computed by the Public Health Statistics Program based on the total population figures provided by the Office of Business Economics, and census data. Health Facilities data are provided by the Division of Health Facilities.

The population data for 1973 is provisional, and the rates computed, using this data, should be considered provisional. Population Estimates for 1970, 1971, and 1972 have been somewhat revised. Mortality, Natality and Morbidity rates for these years have been recomputed to reflect these final estimates, and may differ slightly from rates appearing in earlier publications of this manuscript.

Included in an appendix to this report is a table presenting provisional mortality rates for 1972 and 1973 for the United States by selected cause groups by age. This table was prepared by the Department of Health, Education, and Welfare, Public Health Service, Health Resources Administration, National Center for Health Statistics, and appears, as is, in the Monthly Vital Statistics Report, Annual Summary for 1973, prepared by this same group. Their cooperation in allowing us to reproduce this table is graciously appreciated.

The joint efforts of personnel of the above mentioned programs and those of the Public Health Statistics Program, Data Processing, and Graphic Art Services made this report possible.

POPULATION: New Jersey's population estimated at 7,396,330, as of July 1, 1973, shows an increase of 66,290, or 0.90 percent above the estimate of 7,330,040 persons living in New Jersey in mid-1972. The 1973 figure represents a provisional population estimate while the population estimates for 1970, 1971 and 1972, shown below, represent final population estimates.

<u>Year</u>	<u>Population</u>	<u>Net Change</u>	<u>Natural Increase</u>	<u>Net Migration</u>
1973	7,396,330	66,290	25,419	40,871
1972	7,330,040	68,600	30,185	38,415
1971	7,261,440	68,635	43,696	24,939
1970	7,192,805			

The population of New Jersey has been increasing steadily, but at a decreasing rate of increase. The net change of 68,600 for 1972 represented an increase of 0.94 percent, while the net change of 68,635 in 1971 represented an increase of 0.95 percent. In fact, the rate of increase is the lowest since 1945, when New Jersey's population increased by 0.79 percent. The decrease in the rate of population growth can be attributed to the decrease in the birth rate, as evidenced by the decrease in the rate of natural increase (excess of births over deaths). This factor has been somewhat balanced by the estimated increase in net migration (excess of in-migration over out-migration).

The provisional population estimate for the United States as of July 1, 1973 was 209,851,000, representing an increase of 0.77 percent over the estimated population of 208,230,000 for July 1, 1972. The United States as a whole, has experienced the same decrease in the rate of population increase, due to a striking decrease in the birth rate nationwide.

VITAL EVENTS IN NEW JERSEY: The following table represents events occurring in New Jersey and includes events to nonresidents as well as residents. Births continued to dramatically decrease in 1973 with 92,798 such events occurring, as compared to 97,776 births recorded in New Jersey in 1972, and 109,577 births occurring in 1971. The decrease from 1972 to 1973 amounted to 5.1 percent, while the decrease from 1971 to 1972 was 10.8 percent. During 1973 there were 92,555 deliveries in a hospital, of which 31 were performed by a registered nurse. In addition there were 243 deliveries outside a hospital. Of this total 129 were delivered at home by a physician while seven were delivered by a midwife.

<u>Month</u>	<u>Births</u>	<u>Deaths</u>	<u>Month</u>	<u>Births</u>	<u>Deaths</u>
Total	92,798	67,413	July	8,159	5,632
January	7,838	6,563	August	8,305	5,407
February	7,076	5,208	September	7,718	5,419
March	8,074	5,659	October	7,739	5,612
April	7,267	5,453	November	7,531	5,495
May	7,761	5,476	December	7,505	5,957
June	7,825	5,532			

A total of 67,413 persons died in New Jersey in 1973, as compared to 67,919 deaths in 1972, a decrease of 0.75 percent.

RESIDENT BIRTHS: The number of births to New Jersey residents continued to decrease markedly. In 1972 there were 99,050 births to residents producing a birth rate of 13.5 per 1,000 population based on the final population estimate. In 1973 there were only 94,024 births, a decrease of 5.1 percent. The number of births was the lowest since 1945, while the birth rate of 12.7 represents the lowest rate ever recorded (birth statistics were first recorded in New Jersey in 1879). There were 93,618 births to women aged 15-44 producing a fertility rate of 61.6. The fertility rate has dramatically decreased each year since 1960 when the rate was 106.1. In 1970, 1971 and 1972 the rates were 81.2, 74.0, and 65.1 respectively.

The birth rate throughout the United States has similarly seen a dramatic decrease since 1970. In 1970 and 1971 the birth rates were 18.4 and 17.2 respectively. The provisional birth rate for 1972 was 15.6. An estimated 3,141,000 births occurred in the United States in 1973 resulting in a provisional rate of 15.0. The National Center for Health Statistics estimates a 4 percent increase in the number of women of childbearing age by 1975, and a 7 percent increase between 1973 and 1975 in the number of women aged 20-29. This increase should result in an increase in births in future years, unless the age-specific birth rates decline sharply.

During 1973 there were 74,108 white births, 19,190 nonwhite births and 726 births for which race was not given. The decline in white births amounted to 6.2 percent while the decline in nonwhite births was 4.1 percent. The white birth rate is estimated to be 11.3 per 1,000 population while the nonwhite birth rate for 1973 is estimated to be 22.7, or twice that of the white population, based on the data for which race was known.

Several explanations may be given to explain the decrease in the number of births to New Jersey residents. As was the experience in 1971, and 1972, the tabulations of births do not include births occurring in New York City to residents of New Jersey. If an estimated 1,500 births occurring in New York City were to be included in the tabulations, the overall birth rate for the state would be somewhat higher, and particularly, the birth rates in Bergen, Essex and Hudson counties would change, although not appreciably. Although somewhat higher, the birth rate would still represent an all time low. A complete report of births occurring in New York City to New Jersey residents in 1974 is expected, and future tabulations will reflect this data.

The legalization of abortions may account for part of the decrease in births, although it is difficult to measure its extent at this time. Data on the number of New Jersey residents receiving abortions is not available at this time, and no reliable estimates are available as to the number of abortions which were performed prior to the Supreme Court ruling making abortions legal.

The wider knowledge and use of contraceptive devices is given as an additional factor in reducing the birth rate, along with the entrance of more women in the labor market.

RESIDENT BIRTHS BY LEGITIMACY: In New Jersey, an illegitimate birth is defined as a birth to a woman who is not married, or a birth to a married woman whose husband did not father the child. An item on the New Jersey birth certificate requires an answer to the following: "Legitimate Yes No ". Tabulations are based on the answer given. The terms legitimate and illegitimate are used in this report in accordance with the above definition for lack of more convenient terminology.

During 1973 there were 13,526 births classified as illegitimate or 14.4 percent of all births, as compared to 12,805 such births (12.9 percent of all births) in 1972. The percentage of illegitimate births has, in fact, increased in each of the last three years. In 1970, 10.9 percent of all births were illegitimate while in 1971 the percentage was 11.6. Of the total illegitimate births 9,224 were classified as nonwhite (68.2 percent of all illegitimate births) while 3,616 were classified as white. Of the total of 19,190 births classified as nonwhite, 48.1 percent were illegitimate. In 1972, 45.3 percent of nonwhite births were so classified. The 3,616 white illegitimate births in 1973 represented 4.9 percent of all white births. In 1972, this percentage was 4.7. It can thus be seen that the percentage of illegitimate births is increasing for both the white, as well as the nonwhite population. Of further interest is the fact that of the births for which race was unknown, 94.5 percent were illegitimate.

As would be expected, a large number of illegitimate births occur to women below the age of 20. In fact 46.7 percent of all illegitimate births were to teenage mothers, while only 8.6 percent of legitimate births were to young mothers.

RESIDENT BIRTHS BY BIRTH WEIGHT: Birth weight was recorded on all but 132 birth certificates in 1973. There were 7,362 births of babies 2500 grams in weight or less, or 7.8 percent of all births for which weight was known. In 1972, there were 7,969 births in this weight classification or 8.1 percent of all births. Of the 13,228 births to mothers below the age of 20 for which weight was known, 11.6 percent (1,538) were immature. Similarly, of the 1,146 births to women 40 years of age or older, 109 (9.5 percent) were immature. Of the total of 13,507 illegitimate births for which weight was recorded, 1,952 (14.5 percent), were classified as immature. There were 4,707 white births of 2500 grams or less (6.4 percent of all white births with weight known) and 2,570 nonwhite births in this category (13.4 percent). One must bear in mind that legitimacy and race are interrelated factors, as are legitimacy and age. It is therefore difficult to attribute low birth weight to any one factor, based on the available data. It is possible if not probable, that legitimacy, race and age each bear a contribution to low birth weight, either directly or indirectly. One must also take into consideration the fact that while the percentage of illegitimate births has increased, the percent of births of low birth weight has decreased.

MARRIAGES: There were 59,723 marriages performed in New Jersey in 1973 as compared with 58,476 in 1972. The number of marriages has increased continually since 1958 when 38,398 marriages were performed and the marriage rate of 8.1 per 1,000 population represents the highest rate since 1951 when there were 8.9 marriages per 1,000 persons in the population. Nationwide, the experience over the last few years has been for a continual increase

in the number of marriages performed, at a decreasing rate. In 1968 the number of marriages performed represented a steep 7 percent increase from the previous year. The increase from 1972 to 1973 was only 2 percent. There were an estimated 2,277,000 marriages performed in the United States in 1973 as compared to 2,269,000 marriages in 1972. The national rate in 1973 was 10.9 per 1,000 population, the same as in 1972, and still somewhat higher than the New Jersey rate. One should be cautioned that the figures for New Jersey, although expressed as rates per 1,000 population, represent marriages occurring in New Jersey, do not necessarily reflect the experiences of New Jersey residents.

As has been the experience in previous years, the months of June, August, and September were the most popular months of marriage while January, February, and March remained the three least popular months. In June there were 7,949 marriages while in January only 3,269 marriages took place reflected in annual rates of 13.1 and 5.2 respectively. Similarly, more marriages were estimated to have taken place in June, throughout the United States (266,000) and the fewest occurred in January (130,000) producing rates of 15.4 and 7.3.

Marriages and Marriage Rates, by Month, New Jersey, 1972 and 1973
(Rates on an Annual basis per 1,000 Population)

Month	Number		Annual Rate	
	1973	1972	1973	1972
Total	59,723	58,476	8.1	7.9
January	3,269	3,211	5.2	5.1
February	3,332	3,197	5.9	5.6
March	3,933	3,330	6.3	5.3
April	4,301	4,785	7.1	7.9
May	5,387	5,056	8.6	8.1
June	7,949	7,102	13.1	11.7
July	5,153	5,670	8.2	9.0
August	6,280	6,080	10.0	9.7
September	6,333	6,036	10.4	9.9
October	4,995	5,081	8.0	8.1
November	4,527	4,586	7.4	7.6
December	4,264	4,342	6.8	6.9

Of the 119,446 persons married, 94,558 (79.2 percent) were never married before, 5,542 (4.6 percent) were widowed persons, and 19,346 (16.2 percent) were divorced persons. The increase in marriages in New Jersey is largely due to an increase in the number of marriages between divorced persons. There were 4,641 marriages between divorced persons (7.8 percent of all marriages) in 1973, as compared to 4,120 such marriages in 1972 (7.0 percent) and 3,358 such marriages in 1971 (5.9 percent). The number of marriages between previously unmarried persons actually decreased. In 1973 the total of 42,556 marriages between previously unmarried persons represented 71.3 percent of all marriages, while in 1972, 42,687 such marriages

were recorded representing 73.0 percent of all marriages. The number of marriages between widows and widowers remained unchanged from the 1972 figure of 1,418.

Previous Marital Status of Husband and Wife: 1973

Wife's Marital Status	Number of Wives	Husband's Marital Status		
		Single	Widowed	Divorced
Total	59,723	46,691	2,755	10,277
Single	47,867	42,556	540	4,771
Widowed	2,787	504	1,418	865
Divorced	9,069	3,631	797	4,641

Since 1968 the average age at marriage has increased slightly both for grooms as well as brides, although the figures for 1972 and 1973 were the same. In 1973 the average groom married at the age of 28.3 while the average bride was 25.8 years of age. This difference in age is further illustrated by the fact that 15,635 grooms (26.2 percent of all grooms) were over 30 years of age while only 11,437 brides (19.2 percent of all brides) were as old. At the other end of the spectrum, there were 5,083 teenage grooms as compared to 13,290 teenage brides, 60 of whom were below the age of 15. A total of 4,198 marriages were performed where both the bride and groom were teenagers. In addition, there were 9,092 marriages between a teenage bride and a groom 20 years of age or older and 885 marriages between a teenage groom and an older bride. Thus a total of 14,175 marriages were performed (23.7 percent of all marriages) involving at least one teenager. This figure is somewhat higher than the 1972 figure of 13,505 such marriages (23.1 percent) performed.

Average Age at Marriage

Year	Total	Groom	Bride	Year	Total	Groom	Bride
1973	27.0	28.3	25.8	1968	26.3	27.6	25.0
1972	27.0	28.3	25.8	1967	26.6	27.9	25.3
1971	26.6	27.9	25.4	1966	26.7	28.1	25.3
1970	26.4	27.6	25.1	1965	26.7	28.0	25.3
1969	26.4	27.6	25.2	1964	26.7	28.0	25.3

RESIDENT DEATHS: In 1973 there were 68,605 resident deaths, a decrease of only 0.4 percent from the reported figure of 68,865 resident deaths in 1972. The mortality rate in 1948 was 10.2 deaths per 1,000 estimated population. Since then, the rate has gradually declined reaching a low of 9.3 in 1971. The mortality rates for 1972 and 1973 remained unchanged from the 1971 figure.

The estimated mortality rate for males was 10.3, based on a reported 37,024 deaths, while the female mortality rate was estimated to be 8.3 based on 31,581 deaths. White mortality rates were higher than nonwhite mortality

rates, both for males as well as females. There were 33,122 white male deaths producing an estimated mortality rate of 10.4, while the 3,901 nonwhite male deaths produced an estimated mortality rate of 9.8. Similarly, there were 28,474 white female deaths and 3,107 nonwhite female deaths resulting in estimated mortality rates of 8.4 and 7.0 respectively.

Throughout the United States, the estimated mortality rate for 1973 of 9.4 deaths per 1,000 population, based on an estimated 1,977,000 deaths, represented no change from the 1972 figure. The New Jersey sex-specific mortality rates reflected the experience in other states as well. There were 1,097,830 male deaths and 879,090 female deaths resulting in sex-specific mortality rates of 10.7 and 8.2 respectively. The white male mortality rate of 10.7 was somewhat lower than the nonwhite male mortality rate of 10.9, and was contrary to the experience in New Jersey. The mortality rate for white females was 8.3 as compared to a mortality rate of 7.6 for nonwhite females. These rates compared favorably to New Jersey's experience.

RESIDENT INFANT AND FETAL DEATHS: In 1973 there were 1,618 infant deaths, a decrease of 10.6 percent from 1972 figure of 1,809 infant deaths. There were 17.2 infant deaths per 1,000 live births in 1973, as compared to infant mortality rates of 18.8 and 18.3 in 1971 and 1972 respectively. The infant mortality rate represents the lowest rate ever recorded in New Jersey. Throughout the United States there were an estimated 55,300 infant deaths also resulting in the lowest recorded infant mortality rate (17.6).

Neonatal deaths are defined as deaths of infants less than 28 days old. During 1973 there were 1,223 neonatal deaths in New Jersey as compared to 1,612 in 1971 and 1,394 in 1972. The sharp reduction in neonatal deaths is reflected in infant death rates of 14.5, 14.1 and 13.0 for 1971, 1972 and 1973 respectively. This decline is further dramatized by the fact that in 1963 there were 2,516 neonatal deaths or 19.0 such deaths per 1,000 live births. While the infant mortality rate for the nation was slightly higher than that in New Jersey, the neonatal mortality rate of 12.9 was slightly lower.

The deaths of fetuses completing the 20th week of gestation as determined by a physician are required to be reported. Fetal death tabulations are based on information provided on the fetal death certificates. While the number of fetal deaths decreased from 1,232 reported in 1972 to 1,183 reported in 1973, the fetal death rate increased from 12.4 to 12.6. Although fetal death rates have fluctuated from year to year, the general trend has been in a downward direction. No comparison is made here with respect to a nationwide fetal death statistic, as requirements for reporting of fetal deaths vary from state to state.

Perinatal deaths are defined as deaths of infants under seven days of age, plus fetal deaths. To determine a perinatal mortality rate, this figure is then divided by the number of live births, plus fetal deaths occurring during that same year. During 1973 there were 1,080 deaths of infants not completing the seventh day of life, or a total of 2,263 perinatal deaths, resulting in a perinatal mortality rate of 23.8. In 1971 and 1972 there

were 2,934 and 2,496 perinatal deaths, respectively, producing rates of 26.0 and 24.9. As has been the experience with regard to infant, fetal and neonatal mortality, the general trend has been downward.

Race was stated on all death certificates involving infant mortality, and on all, but five fetal death certificates. Based on the data available, the estimated infant, fetal, neonatal and perinatal mortality rates were higher among nonwhites than whites. There were 1,084 white infant deaths reported as compared to 534 nonwhite infant deaths resulting in mortality rates of 14.6 and 27.8 respectively. The neonatal mortality rate for whites was 11.4 based on 844 deaths, while the 379 nonwhite neonatal deaths resulted in a rate of 19.7. There were 830 white fetal deaths and 348 nonwhite fetal deaths producing rates of 11.2 and 18.1 respectively. And finally, there were 1,575 white perinatal deaths as compared to 683 nonwhite perinatal deaths producing rates of 21.0 and 35.0 respectively. The denominators used to compute these rates are composed entirely, or in the case of perinatal mortality, in part, of births. One must therefore bear in mind that there were 726 births of unknown race, not included in the denominators which would, in fact, affect the rates, although not appreciably.

The fetal death rate for mothers below the age of 20 was 14.6, while that for mothers over 20 years of age was 12.2. As would be expected, the fetal death rate for mothers aged 20-24 is lowest (10.1) and gradually increases with the mothers age. There were 41.0 fetal deaths to mothers 40 years of age and older per 1,000 live births to mothers in this age group.

Weight was not stated on 145 fetal death certificates. Of those for which weight information was given, 707 (68.1 percent) weighed 2500 grams or less, while 331 (31.9 percent) weighed over 2500 grams.

Using the term "legitimate", in the same context as was defined earlier, there were 897 "legitimate" fetal deaths as compared to 278 "illegitimate" fetal deaths, with 8 fetal death certificates lacking this information. Although not generally done, one could compute a "legitimate fetal death rate" versus an "illegitimate fetal death rate". There were, in fact, 11.1 legitimate fetal deaths per 1,000 legitimate live births, and 20.6 illegitimate fetal deaths per 1,000 illegitimate live births. One must bear in mind that these figures do not include legal abortions, since fetal deaths include only deaths of fetuses reaching the 20th week of gestation, and at the time of this report, there was no legal requirement in New Jersey for the reporting of an abortion.

PRINCIPAL CAUSES OF INFANT MORTALITY: Infant mortality might be attributed to three major cause groups, congenital anomalies, certain causes of death in early infancy, and all other causes. During 1973 there were 260 infant deaths due to congenital anomalies as compared to 249 such deaths in 1972. There were 2.8 deaths due to this cause per 1,000 live births in 1973 as compared to a rate of 2.5 in 1972. Within this broad category, over one third (102) were attributed to congenital anomalies of the heart.

Certain causes of mortality in early infancy accounted for 935 infant deaths, or 9.9 per 1,000 live births. All but 11 of these deaths occurred within the first month of life. Within this broad category there were 474 deaths due to Anoxic and Hypoxic Conditions not Elsewhere Classifiable, 166 deaths attributed to Immaturity, Unqualified, and 40 deaths listed as birth injury without mention of cause.

Among the causes of death not included in one of the two aforementioned categories are pneumonia, which resulted in 115 deaths, accidents, which accounted for 43 deaths, septicemia (24 deaths), and diarrheal disease which caused 20 deaths. A brief summary of principal causes of infant and neonatal deaths is shown below and a complete tabulation of causes of infant death is given in Table 13.

Selected Principal Causes of Death of Infants Under One Year
And Under 28 days of Age, Number and Rate per 1,000 Live Births

Cause of Death	Under 1 Year		Under 28 Days	
	Number	Rate	Number	Rate
Anoxic and Hypoxic Conditions not Elsewhere Classifiable (776)	474	5.0	467	5.0
Congenital Anomalies (740-759)	260	2.8	189	2.0
Immaturity, Unqualified (777)	166	1.8	166	1.8
Pneumonia (480-486)	115	1.2	25	0.3
Accidents (E900-E949)	43	0.5	6	0.1
Birth Injury Without Mention of Cause (772)	40	0.4	40	0.4
Conditions of the Placenta (770)	34	0.4	33	0.4

MATERNAL MORTALITY: During 1973 there was a drastic decrease in the number of maternal deaths and the maternal mortality rate. There were 16 maternal deaths in 1973 as compared to 23 such deaths in 1972 and 25 such deaths in 1971. The maternal mortality rate, expressed per 10,000 live births, was 1.7 in 1973 as compared to 2.3 in 1972 and 2.2 in 1971. Of the 16 deaths, 10 were white and 6 were nonwhite resulting in race specific rates of 1.3 and 3.1 respectively. Throughout the United States there were an estimated 470 maternal deaths, or 1.5 deaths per 10,000 live births, somewhat lower than the experience in New Jersey. Despite fluctuations in the mortality rates from year to year, the overall trend has been in a downward direction.

PRINCIPAL CAUSES OF DEATH: The five leading causes of death accounted for 79.6 percent of all deaths in New Jersey. The overall mortality rate of 927.6 deaths per 100,000 estimated population based on 68,605 deaths represented a slight decrease over the 1972 figure of 939.5 based on 68,865 deaths. Diseases of the heart remained the number one killer of New Jersey residents with 29,167 such deaths in 1973. The mortality rate of 394.3 represented a slight decrease from the rate of 402.6 reported in 1972 due to a 1.9 percent reduction in the total number of deaths attributed to this disease category. Malignant neoplasms were given as the cause of 14,077 deaths in 1973, an increase of 3.4 percent over the 1972 figure of 13,616.

The result of this increase was an increase in the mortality rate from 185.8 to 190.3 deaths per 100,000 estimated population. Cerebrovascular disease, the third leading cause of death, accounted for 6,499 deaths resulting in a rate of 87.9, an increase over the 1972 rate of 87.7 based on 6,432 deaths. Accidents took the lives of 2,994 New Jerseyans while influenza and pneumonia took a total of 1,898 lives. The mortality rates for these two causes were 40.5 and 25.7 respectively.

The mortality rate for children aged 1-4 declined from 69.6 in 1972 to 64.2 in 1973. Over one-third of the total of 314 deaths in this age group were attributed to accidents, although the accidental death rate in this group decreased from 24.4 in 1972 to 23.5 in 1973.

There were 455 deaths of children aged 5-14 as compared to 483 such deaths in 1972. The resulting mortality rates were 33.4 and 31.4 in 1972 and 1973 respectively. Accidents remained the principal cause of death in this age group, while malignant neoplasms and congenital anomalies remained the second and third leading causes of death, respectively. Homicides resulted in the deaths of 15 children in this age group and were the fifth leading cause of death.

An increase of 9 percent in the number of deaths to persons aged 15-24 from 1,189 deaths in 1972 to 1,296 deaths in 1973 resulted in an increase in the age-specific mortality rate. In 1972 there were 102.9 deaths in this age group per 100,000 persons in this age group, while in 1973 the rate increased to 112.0. The increase can be attributed to a dramatic increase of 18.4 percent in the number of deaths due to accidents and an even more dramatic increase of 27.8 percent in deaths due to homicide and legal intervention. There were 676 accidental deaths and 147 deaths attributed to homicide, the first and second leading causes of death in this age group. An additional 81 deaths were reported as suicides, a decrease from the 1972 figure of 98. Thus there were 904 deaths due to unnatural (non-disease) causes; nearly 70 percent of all deaths in this age group.

Mortality rates in the age groups 25-44 and 45-64 declined slightly while the mortality rate for those 65 years of age and older increased slightly. There was little, if any, change in the disease-age-specific mortality rates. There were 3,464 deaths of persons aged 25-44 resulting in an age-specific mortality rate of 192.3. The principal causes of death in this age group were malignant neoplasms (678), diseases of the heart (625) and accidents (609). A total of 17,413 persons aged 45-64 died in 1973 resulting in an age-specific rate of 1,046.8. The two leading causes of death were diseases of the heart (6,755) and malignant neoplasms (5,301). The mortality rate for persons aged 65 and older rose from 6,103.6 in 1972 to 6,128.7 in 1973, despite a slight decrease in the number of deaths due to diseases of the heart, the number one cause of death of the elderly. Deaths due to malignant neoplasms increased 4.5 percent from 7,551 in 1972 to 7,890 in 1973.

Mortality rates due to specific causes differ not only with age, but also with race and sex. An examination of each of the principal causes of death reveal some interesting differences not only in the mortality rates, but in the ranking of importance of the specific causes of death within each sex and race.

Principal Causes of Death - All Races, Both Sexes

<u>Cause of Death</u>	<u>Number</u>	<u>Percent</u>
All Causes	68,605	100.0
Diseases of the Heart	29,167	42.5
Malignant Neoplasms	14,077	20.5
Cerebrovascular Diseases	6,499	9.5
Accidents	2,994	4.4
Influenza and Pneumonia	1,898	2.8
All other causes	13,970	20.4

MAJOR CARDIOVASCULAR DISEASES: There were 37,549 deaths attributed to major cardiovascular diseases resulting in a mortality rate of 507.7 deaths per 100,000 estimated population. The comparable rate in 1972 was 519.2 based on 38,061 such deaths. These figures were somewhat higher than the nationwide rates of 493.9 and 494.4 in 1972 and 1973 respectively. Cardiovascular disease can be subdivided into five major disease groupings, diseases of the heart, hypertension, cerebrovascular disease, arteriosclerosis, and other diseases of the arteries, arterioles, and capillaries.

Diseases of the heart remain the principal cause of death of residents of New Jersey, regardless of race or sex. There were 29,167 deaths due to diseases of the heart in 1973, of which 15,754 were males and 13,413 were females. The overall mortality rate was 394.3, the male-specific mortality rate was 440.4, while the female-specific rate was 351.2. The mortality rate due to diseases of the heart was higher among whites (411.9) than among nonwhites (257.6). The white-male mortality rate due to diseases of the heart was 460.4 as compared to the nonwhite male mortality rate of 280.4. The white-female mortality rate was 366.3 as compared to the nonwhite-female mortality rate of 237.1. Diseases of the heart was the leading cause of death of persons 45 years of age and older, and the second leading cause of death among persons aged 25-44. The mortality rate due to this disease condition was somewhat higher than the nationwide estimated mortality rate of 359.5.

Cerebrovascular disease was the third leading cause of death in New Jersey, claiming the lives of 6,499. The mortality rate of 87.9 was considerably lower than the estimated rate of 102.3 nationwide, but slightly higher than the reported figure in New Jersey of 87.7 in 1972. This disease condition was the third leading cause of death among persons 45 years of age and older. Mortality rates were higher among whites than nonwhites and among females as opposed to males. The white mortality rate was 89.6 while that for nonwhites were 74.2. Males exhibited a rate of 79.4 based on 2,840 deaths, while females exhibited a rate of 95.8 based on 3,659 deaths. The white male mortality rate was 80.8 as compared to a rate of 68.1 for nonwhite males. The white and nonwhite female mortality rates were 97.9 and 79.6 respectively.

Arteriosclerosis claimed the lives of 795 persons in 1973, of which 314 were males and 481 were females. The corresponding rates were 10.8,

8.8 and 12.6 respectively. In addition to being a cause of death which is more predominant among females, 95 percent of the deaths occurred to persons 65 years of age and older. The mortality rate for the white population was 11.4 while for nonwhites was only 5.3, thus making this cause of death twice as predominant among whites than nonwhites. The overall mortality rate due to arteriosclerosis in the United States was estimated to be 15.9, considerably higher than the experience in New Jersey.

Hypertension, although not one of the principal causes of death in New Jersey, did claim the lives of 217 persons. Although not a disease strictly affecting the elderly, 162 deaths were of persons 65 years of age and older. The mortality rate of persons of white extraction was 2.7 while that of nonwhite persons was 4.7. There appeared to be no appreciable differences in mortality rates with respect to sex.

There were 871 deaths due to diseases of the arteries, arterioles and capillaries resulting in a mortality rate of 11.8 per 100,000 estimated population. Like each of the other major cardiovascular diseases, the predominance of deaths due to this disease category occurred in persons 45 years of age and older, with 642 (73.7 percent) occurring in persons 65 years of age and older. Unlike arteriosclerosis, this cause of death results in higher sex-specific mortality rates among men. The male-specific mortality rate in 1973 was 15.1, while the female-specific rate was 8.7.

CANCER: During 1973 there were 14,077 deaths due to malignant neoplasms including neoplasms of the lymphatic and hematopoietic tissues, and an additional 168 deaths attributed to benign neoplasms and neoplasms of unspecified nature. The resulting mortality rate due to malignant neoplasms was 190.3, slightly higher than the rate of 185.8 in 1972. Malignant neoplasms were the second leading cause of death among persons of all ages, among persons 5-14 years of age, and among persons 45 years of age and older. In addition, malignant neoplasms were the third leading cause of death among those aged 15-24, and the leading cause of death of those aged 25-44. Mortality rates for males was considerably higher than those for females, and for whites as compared to nonwhites. There were 7,484 male deaths attributed to this cause as compared to 6,593 female deaths, with mortality rates of 209.2 and 172.6 respectively. Malignant neoplasms resulted in the deaths of 12,844 white persons and 1,233 nonwhite persons, producing rates of 196.0 and 146.1 respectively. The white male mortality rate was 213.9 as compared to a rate of 171.5 for nonwhite males, while the white female mortality rate was 179.2 compared to the nonwhite female rate of 123.3. Irregardless of the wide variation of mortality rates malignant neoplasms were the second leading cause of death in each and every race-sex specific group.

Deaths Due to Malignant Neoplasms by Primary Site
Rate per 100,000 Population: 1971-1973

8th Revision Intern'l List #	Primary Site	1973	1972	1971
140-209	All Anatomical Sites	190.3	185.8	179.2
140-149	Buccal Cavity and pharynx	4.9	3.8	3.9
150-159	Digestive organs and peritoneum	57.6	57.7	56.3
160-163	Respiratory system	42.0	40.3	38.3
170-174	Bone, connective tissue, skin and breast	24.3	23.4	21.3
180-189	Genitourinary organs	30.8	29.7	29.7
190-199	Other and unspecified sites	14.8	15.0	14.4
200-209	Lymphatic and hematopoietic tissue	15.9	15.9	15.3

ACCIDENTS: Accidents, the fourth leading cause of death of residents of New Jersey, caused the death of 2,994 persons in 1973 as compared to 2,878 in 1972. The result was an increase in the mortality rate from 39.3 in 1972 to 40.5 in 1973. As has been the experience in prior years, accidents are the leading cause of death of persons under 25 years of age. However, this should not be confused with the fact that persons over 65 years of age, exhibited the highest age-specific mortality rate (107.6) and are therefore the most accident vulnerable. The total of 773 accidental deaths involving elderly persons accounted for 25.8 percent of all accidental deaths.

Motor vehicle accidents resulted in the death of 1,300 residents in 1973. Of this total 405 (31.2 percent) were between the ages of 15 and 24, 322 (24.8 percent) were between the ages of 25 and 44, and 244 (18.8 percent) were 45 to 64 years of age. Falls accounted for 594 deaths of which 424 (71.4 percent) were persons over 65 years of age. In fact falls accounted for 54.9 percent of all accidental deaths of persons over 65 years of age.

The mortality rate due to accidents was higher for males than females and higher among nonwhites. There were 2,005 male deaths due to accidents as compared to 989 female deaths resulting in rates of 56.0 and 25.9 respectively. The 2,480 white deaths resulted in a mortality rate of 37.8, while the 514 nonwhite accidental deaths produced a rate of 60.9. Nearly one out of every one thousand nonwhite males in New Jersey died in 1973 as the result of an accident.

The provisional accident mortality rate for the United States in 1973 was 54.8, appreciably higher than the figure for New Jersey.

INFLUENZA AND PNEUMONIA: During 1973 there were 1,837 deaths attributed to pneumonia with an additional 61 attributed to influenza. The combined total

of 1,898 deaths represented a decline from the reported 2,018 such deaths in 1972, and resulted in a mortality rate of 25.7 in 1973. Of the total deaths attributed to these two causes 1,301 (68.1 percent) were of persons 65 years of age and older. As was the experience in 1972, male mortality rates were slightly higher than female rates, and mortality of nonwhites was slightly higher than that of whites. The white male mortality rate was 26.3 while the white female rate was 23.9. The nonwhite male mortality rate was 39.1, considerably higher than the nonwhite female mortality rate of 22.3.

DIABETES MELLITUS: The sixth leading cause of death, diabetes mellitus resulted in the deaths of 1,535 residents of New Jersey; 642 men and 893 women. The overall mortality rate was 20.8. The male mortality rate was 17.9, while the female mortality rate was 23.4. A total of 1,121 (73.0 percent) of these deaths, were persons 65 years of age or older. Over the last 20 years the mortality rate due to this disease has remained relatively unchanged. The United States provisional mortality rate was 17.4 a decrease from the 1972 rate of 18.8.

HOMICIDE: Homicide was among the five leading causes of death among persons aged 5-44, and was the second leading cause of death among persons aged 15-24. In 1973 there were 523 homicide deaths, an increase of 8.1 percent over the 1972 figure of 484. The overall rate for 1973 was 7.1, slightly higher than the 1972 reported figure of 6.8, but lower than the United States figure of 9.4. There were 147 such deaths of persons aged 15-24, 216 deaths for those aged 25-44, and an additional 15 deaths of those aged 5-14.

There were overwhelming differences with respect to race as well as sex. The white male mortality rate was 5.9 based on 187 deaths, while 204 nonwhite male deaths resulted in a mortality rate of 51.1, nearly nine times that of white males. There were 71 deaths of white females resulting in a rate of 2.1, while the nonwhite female rate was 13.7 based on 61 such deaths. Even more tragic is the fact that nearly one out of every 1,000 nonwhite males between the ages of 15 and 44 died in 1973 as the result of homicide or legal intervention.

SUICIDE: There were 609 suicides in New Jersey in 1973 as compared to 617 in 1972. The 1973 mortality rate of 8.2 represented a slight but insignificant decrease from the reported figure of 8.4 deaths per 100,000 population in 1972.

Suicide was found to be higher among men than women, and among white as opposed to nonwhites. There were 397 suicides of white males, and 32 suicides of nonwhite males resulting in mortality rates of 12.5 and 8.0 respectively. A total of 175 white females committed suicide while only 5 nonwhite females did so, resulting in mortality rates of 5.2 and 1.1 respectively.

The age-specific mortality rates were found to increase with age. The age-specific mortality rate of persons 15-24 was 7.0; for those 25-44 it was 9.9; for persons aged 45-64 it was 12.4, and for persons 65 and older it was 18.9. Suicide was the fourth leading cause of death

of persons aged 15-24, and the sixth leading cause of death of those aged 25-44.

The nationwide mortality rate was 11.6, still somewhat higher than New Jersey's rate.

OTHER SELECTED CAUSES OF DEATH: Cirrhosis of the liver resulted in the death of 1,400 residents in 1973 and a mortality rate of 18.9. In 1972 there were 1,384 resident deaths, with a mortality rate of 18.9 per 100,000 estimated population. The reported mortality rate for the United States was 16.0. The male mortality rate was 25.2, almost twice the female rate of 13.1, based on 900 and 500 deaths respectively. Mortality due to this disease was higher among nonwhites with 225 deaths producing a rate of 26.7. The comparable figures for the white population were 1,175 deaths and a mortality rate of 17.9.

There were 186 deaths due to bronchitis, 609 due to emphysema, and 49 due to asthma. The total number of deaths due to these three disease groups was 844, and resulted in a rate of 11.4. The mortality rate for males was more than three times that of females (18.2 as compared to 5.0). The mortality rate for the white population was nearly twice that for the nonwhite (12.0 as compared to 6.9).

NOTIFIABLE DISEASE MORBIDITY: Since 1971 the number of active as well as total cases of tuberculosis have declined resulting in a reduction in the tuberculosis morbidity rates. In 1971 there were 1,426 active cases of tuberculosis with an active case rate of 19.6 per 100,000 estimated population. In 1973 the number of active cases totalled 1,075 producing a rate of 14.5. Similarly, in 1971 the total number of cases was 2,118, while in 1973 there were only 1,531 total cases of tuberculosis with total case rates of 29.2 and 20.7 respectively. Incidence of tuberculosis was more common among men than among women as evidenced by the sex-specific active case rates of 27.5 and 14.4 respectively. For men, incidence was highest among those 65 years of age and older (56.7 cases per 100,000 estimated population) while for women the age group 25-44 exhibited the highest age-specific morbidity rate of 20.6). Tuberculosis morbidity has declined dramatically since 1953 when the active case rate was estimated to be 79.9 based on a reported 4,189 cases.

Syphilis and gonorrhoea continue to be two of the leading health problems in New Jersey. There were a total of 2,895 cases of syphilis reported among the civilian population resulting in a rate of 39.1. In 1972, there were 2,636 such cases producing a rate of 36.0. An additional 37 cases were reported by the military resulting in an overall rate of 39.6. Among the total of 2,932 cases reported from all sources there were 1,026 cases of primary and secondary syphilis, 687 cases of early latent syphilis and 1,187 cases of late or late latent syphilis resulting in rates of 13.9, 9.3, and 16.0 respectively. In 1972 there were a total of 2,688 cases of syphilis reported (including military) of which 974 were classified as primary or secondary, 619 as early latent, 1,039 as late or late latent. The overall rate was 36.7, and the rates by stage were 13.3, 8.4, and 14.2 respectively. Thus it can be seen that the number of cases of syphilis rose

at each stage. In 1973 there were a reported 17,181 cases of gonorrhea as compared to the total of 17,882 cases reported in 1972, resulting in a slight decrease in the morbidity rates. The morbidity rate in 1972 was 244.0 while in 1973 it was 232.3. The age-specific morbidity rate for all stages of syphilis was highest among those aged 20-24. In this age group there were 639 total cases of syphilis or 121.5 per 100,000 persons of this age in the population. Similarly, there were 6,128 cases of gonorrhea among those aged 20-24 producing an age-specific rate of 1,165.1, highest among the age groups. The male specific rate for syphilis (all stages) was 46.2 based on 1,652 cases, while the female specific rate based on 1,280 cases was 33.5. There were nearly twice as many cases of gonorrhea among men as compared to women resulting in sex-specific rate of 302.3 and 166.7 respectively.

A sharp reduction in both serum and infectious hepatitis cases was evidenced in 1973. A total of 503 cases of serum hepatitis and 1,179 cases of infectious hepatitis were reported producing rates of 6.8 and 15.9 respectively. In 1972 there were 983 cases of serum hepatitis and 1,915 cases of infectious hepatitis giving rates of 13.4 and 26.1. With respect to the different age groups, the greatest reduction occurred among those 15-19 and 20-24 years of age. There were 321 cases of serum hepatitis and 420 cases of infectious hepatitis among those aged 15-19 in 1972 resulting in age-specific rates of 51.0 and 66.7. In 1973 there were 96 cases of serum hepatitis and 285 cases of infectious hepatitis in this same age group with age-specific rates of 15.2 and 45.2 respectively. Among those aged 20-24 there were 363 cases of serum hepatitis in 1972 and only 207 cases in 1973, producing comparative rates of 69.1 and 39.4 respectively. Within the same age group, 20-24, there were 537 cases of infectious hepatitis in 1972 and only 287 cases in 1973, resulting in comparative rates of 102.3 and 54.6 respectively. A sharp reduction occurred in the number of cases of both serum and infectious hepatitis reported among men. In 1972 a total of 695 men contracted serum hepatitis while in 1973 only 324 men were so stricken. The result was a drop in the male morbidity rate from 19.5 to 9.1. Similarly, there were a total of 1,156 cases of infectious hepatitis reported among the male population in 1972 as compared to 649 such cases in 1973. The comparative rates were 32.4 and 18.1 respectively. Among the total population there has been a decrease of 64 percent in the reported cases of serum hepatitis and 48 percent in reported cases of infectious hepatitis cases between 1971 and 1973.

The number of cases of rubella (German Measles), mumps, measles (rubeola), amebiasis, shigellosis, meningococcal infections, and typhoid fever increased from 1972 to 1973. In 1972 there were 1,227 cases of rubella while in 1973 a total of 3,029 cases occurred, a two and a half-fold increase. The comparable rates for the two years were 16.7 and 41.0 respectively. Measles (rubeola) cases increased 44.7 percent, with 535 cases reported in 1972 as compared to 774 cases in 1973. The morbidity rate jumped from 7.3 cases per 100,000 to 10.5 cases per 100,000. There were 1,103 cases of mumps in 1972 as compared to 1,684 cases in 1973, resulting in rates of 15.0 and 22.8, respectively. The increase in the number of cases amounted to 52.7 percent. Shigellosis (bacillary dysentery) cases increased from 333 reported in 1972 to 550 reported in 1973, with

comparative morbidity rates of 4.5 and 7.4 per 100,000 estimated population. Thirty-seven cases of meningococcal infection occurred in 1972 while 46 occurred in 1973. In 1972 only nine cases of typhoid fever occurred, while in 1973 a total of 42 persons contracted this disease. Thirty persons contracted amebiasis in 1972, while the comparative figure for 1973 was 55. On the positive side, the number of cases of aseptic meningitis decreased 30.5 percent as only 257 cases were reported in 1973, while 370 were reported in 1972. Only five cases of malaria were known to have occurred in 1973 as compared to 18 in 1972, and only six cases of trichinosis were reported in 1973, one-third the number reported in 1972.

HEALTH FACILITIES: The statistics reflected in the January 1, 1973 to December 31, 1973 inventory period were unanimously adopted by the Health Care Administration Board, in the State Department of Health, to achieve the objectives set forth in Chapters 136-138, Laws of New Jersey 1971, known as the Health Care Facilities Planning Act.

The State Health Planning Council, Comprehensive Area-Wide Planning Council are the recognized agencies carrying out the purpose of this Act.

The data shown in Tables 42 and 43, was extracted from the 1973 New Jersey State Plan For Hospitals and Related Health Care Services, published by the Division of Health Facilities. Table 42 contains data on the number of hospital beds by type of bed, in general acute hospitals, excluding long-term care beds, while Table 43 contains information on the number of beds, by type, in long-term care facilities. Both tables summarize data by primary service area, and within each primary service area, by county.

TABLE 1: POPULATION ESTIMATES, RESIDENT BIRTHS, MARRIAGES (by Occurrence) AND RESIDENT DEATHS, NUMBERS AND RATES PER 1,000 POPULATION: 1949-1973

YEAR	JULY 1 ESTIMATED POPULATION	RESIDENT BIRTHS		MARRIAGES BY OCCURRENCE		RESIDENT DEATHS	
		Number	Rate	Number	Rate	Number	Rate
1949	4,786,000	97,414	20.4	44,469	9.3	47,706	10.0
1950	4,832,000	97,734	20.2	46,291	9.6	48,837	10.1
1951	4,989,000	105,218	21.1	44,564	8.9	50,098	10.0
1952	5,112,000	110,215	21.6	41,125	8.0	51,430	10.1
1953	5,236,000	112,522	21.5	40,886	7.8	52,794	10.1
1954	5,359,000	118,252	22.1	39,744	7.4	51,203	9.6
1955	5,482,000	120,969	22.1	40,327	7.4	54,055	9.9
1956	5,605,000	124,580	22.2	41,152	7.3	54,418	9.7
1957	5,728,000	129,257	22.6	40,367	7.0	57,171	10.0
1958	5,851,000	129,730	22.2	38,398	6.6	57,552	9.8
1959	5,974,000	130,660	21.9	38,659	6.5	58,039	9.7
1960	6,070,780	132,594	21.8	39,820	6.6	59,330	9.8
1961	6,222,160	135,320	21.7	40,699	6.5	60,814	9.8
1962	6,370,650	131,603	20.7	41,462	6.5	61,967	9.7
1963	6,503,190	132,606	20.4	43,353	6.7	63,797	9.8
1964	6,614,560	131,593	19.9	45,632	6.9	63,963	9.7
1965	6,720,300	125,104	18.6	46,281	6.9	64,942	9.7
1966	6,821,050	120,116	17.6	46,966	6.9	65,656	9.6
1967	6,917,450	116,091	16.8	49,132	7.1	65,594	9.5
1968	7,012,750	114,101	16.3	53,857	7.7	68,574	9.8
1969	7,103,310	117,232	16.5	55,692	7.8	67,770	9.5
1970	7,192,805	120,168	16.7	56,625	7.9	67,976	9.5
1971	7,261,440	111,376	15.3	56,531	7.8	67,680	9.3
1972	7,330,040	99,050	13.5	58,476	8.0	68,865	9.4
1973	7,396,330	94,024	12.7	59,723	8.1	68,605 68,651	9.3 <i>orig</i>

Stat-524 For Book
100 to be reproduced

TABLE 2: INFANT, FETAL, PERINATAL, NEONATAL AND MATERNAL RESIDENT DEATHS, NUMBERS AND RATES: 1949-1973

YEAR	INFANT DEATHS		FETAL DEATHS		PERINATAL DEATHS		NEONATAL DEATHS		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1949	2,521	25.9	1,972	20.2	3,653	36.8	1,910	19.6	72	7.4
1950	2,445	25.0	1,845	18.9	3,484	35.0	1,875	19.2	70	7.2
1951	2,516	23.9	1,993	18.9	3,680	34.3	1,917	18.2	69	6.6
1952	2,633	23.9	2,002	18.2	3,739	33.3	1,963	17.8	70	6.4
1953	2,654	23.6	2,046	18.2	3,854	33.6	2,043	18.2	55	4.9
1954	2,789	23.6	1,933	16.3	3,767	31.3	2,078	17.6	59	5.0
1955	2,954	24.4	2,115	17.5	4,086	33.2	2,211	18.3	64	5.3
1956	3,050	24.5	2,110	16.9	4,151	32.8	2,324	18.7	39	3.1
1957	3,161	24.5	2,148	16.6	4,299	32.7	2,430	18.8	44	3.4
1958	3,160	24.4	2,185	16.8	4,354	33.0	2,434	18.8	54	4.2
1959	3,201	24.5	2,109	16.1	4,294	32.3	2,459	18.8	51	3.9
1960	3,248	24.5	2,201	16.6	4,411	32.7	2,458	18.5	44	3.3
1961	3,244	24.0	2,207	16.3	4,433	32.2	2,470	18.3	47	3.5
1962	3,149	23.9	2,137	16.2	4,356	32.6	2,432	18.5	43	3.3
1963	3,177	24.0	2,255	17.0	4,523	33.5	2,516	19.0	50	3.8
1964	3,118	23.7	2,136	16.2	4,317	32.3	2,396	18.2	48	3.6
1965	2,918	23.3	1,991	15.9	4,028	31.7	2,193	17.5	44	3.5
1966	2,688	22.4	1,865	15.5	3,743	30.7	2,047	17.0	41	3.4
1967	2,578	22.2	1,887	16.3	3,715	31.5	1,996	17.2	45	3.9
1968	2,469	21.6	1,584	13.9	3,330	28.8	1,915	16.8	32	2.8
1969	2,369	20.2	1,545	13.2	3,181	26.8	1,796	15.3	34	2.9
1970	2,406	20.0	1,698	14.1	3,445	28.3	1,915	15.9	38	3.2
1971	2,095	18.8	1,441	12.9	2,934	26.0	1,612	14.5	25	2.2
1972	1,809	18.3	1,232	12.4	2,496	24.9	1,394	14.1	23	2.3
1973	1,618	17.2	1,183	12.6	2,263	23.8	1,223	13.0	16	1.7
	1644	17.5	1204	13.8	2453	25.8	1349	13.3		

Note: Infant, fetal and neonatal death rates are expressed per 1,000 live births. The maternal death rate is expressed per 10,000 live births. The perinatal death rate represents the number of deaths under 7 days plus fetal deaths per 1,000 live births plus fetal deaths.

TABLE 3: CANCER, DIABETES, HEART DISEASE AND CEREBROVASCULAR DISEASE DEATHS
 NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION: 1949-1973

TABLE 3: CANCER, DIABETES, HEART DISEASE AND CEREBROVASCULAR DISEASE DEATHS
 NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION: 1949-1973

YEAR	CANCER		DIABETES		HEART DISEASE		CEREBROVASCULAR DISEASE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1949	8,321	173.9	1,002	20.9	19,349	404.3	4,374	91.4
1950	8,470	175.3	1,042	21.6	20,766	429.8	4,563	94.4
1951	8,775	175.9	1,120	22.4	21,243	425.8	4,824	96.7
1952	9,033	176.7	1,095	21.4	21,483	420.2	5,108	99.9
1953	9,350	178.6	1,077	20.6	22,710	433.7	5,219	99.7
1954	9,504	177.3	1,106	20.6	21,864	408.0	4,897	91.4
1955	9,806	178.9	1,139	20.8	23,476	428.2	5,022	91.6
1956	9,937	177.3	1,178	21.0	23,620	421.4	5,054	90.2
1957	10,423	182.0	1,200	20.9	24,623	429.9	5,230	91.3
1958	10,215	174.6	1,133	19.4	25,038	427.9	5,378	91.9
1959	10,635	178.0	1,181	19.8	25,315	423.8	5,289	88.5
1960	10,655	175.5	1,238	20.4	26,187	431.4	5,194	85.6
1961	11,194	179.9	1,360	21.9	26,499	425.9	5,503	88.4
1962	11,370	178.5	1,263	19.8	27,366	429.6	5,404	84.8
1963	11,624	178.7	1,351	20.8	27,987	430.4	5,733	88.2
1964	11,801	178.4	1,270	19.2	28,126	425.2	5,597	84.6
1965	12,063	179.5	1,304	19.4	28,414	422.8	5,678	84.5
1966	11,997	175.9	1,388	20.3	28,815	422.4	5,904	86.6
1967	12,189	176.2	1,360	19.7	28,829	416.8	5,979	86.4
1968	12,897	183.9	1,491	21.3	29,577	421.8	6,204	88.5
1969	12,941	182.2	1,499	21.1	29,709	418.2	5,942	83.7
1970	13,242	184.1	1,512	21.0	29,351	408.1	6,290	87.5
1971	13,085	180.2	1,524	21.0	29,345	404.1	6,262	86.2
1972	13,616	185.8	1,480	20.2	29,723	405.5	6,432	87.8
1973	14,077	190.3	1,535	20.8	29,167	394.3	6,499	87.9

stat - D86 For Book

TABLE 4: TUBERCULOSIS CASES AND DEATHS, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION: 1949-1973

YEAR	CASES		DEATHS	
	Number	Rate	Number	Rate
1949	3,629	75.7	1,298	27.1
1950	3,548	72.9	1,170	24.0
1951	3,246	65.1	1,022	20.5
1952	3,769	73.7	831	16.3
1953	4,189	79.9	693	13.2
1954	3,650	68.1	558	10.4
1955	3,665	66.9	570	10.4
1956	3,354	59.8	522	9.3
1957	3,543	61.9	519	9.1
1958	2,790	47.7	443	7.6
1959	2,909	48.7	433	7.2
1960	2,928	48.2	354	5.8
1961	3,120	50.1	389	6.3
1962	2,769	43.5	326	5.1
1963	2,867	44.1	364	5.6
1964	2,970	44.9	307	4.6
1965	2,705	40.3	293	4.4
1966	2,567	37.6	297	4.4
1967	2,493	35.0	261	3.8
1968	2,271	32.4	255	3.6
1969	2,015	28.4	214	3.0
1970	2,013	28.0	245	3.4
1971	2,118	29.2	217	3.0
1972	1,692	23.1	166	2.3
1973	1,531	20.7	184	2.5

Stat-D87.

Book

TABLE 5: CASES OF SYPHILIS BY STAGE, AND GONORRHEA, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION (Civilian Cases Only): 1949 - 1973

YEAR	SYPHILIS						GONORRHEA	
	TOTAL CASES		PRIMARY & SECONDARY		EARLY LATENT			
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1949	7,795	162.9	771	16.1	2,511	52.5	4,449	93.0
1950	5,838	120.8	360	7.5	1,768	36.6	3,933	81.4
1951	4,016	80.5	228	4.6	1,125	22.5	3,559	71.3
1952	3,846	75.2	180	3.5	1,029	20.1	3,596	70.3
1953	3,742	71.5	168	3.2	1,005	19.2	3,682	70.3
1954	5,285	98.6	184	3.4	1,175	21.9	3,761	70.2
1955	4,854	88.5	214	3.9	1,095	20.0	4,150	75.7
1956	4,263	76.1	92	1.6	578	10.3	3,828	68.3
1957	5,429	94.8	114	2.0	462	8.1	4,789	83.6
1958	6,055	103.5	170	2.9	638	10.9	5,493	93.9
1959	4,863	81.4	302	5.1	609	10.2	4,646	77.8
1960	5,265	86.7	665	11.0	752	12.4	4,778	78.7
1961	5,170	83.1	864	13.9	721	11.6	4,302	69.1
1962	6,291	98.7	1,191	18.7	864	13.6	3,557	55.8
1963	5,613	86.3	1,177	18.1	756	11.6	3,968	61.0
1964	4,958	75.0	1,140	17.2	930	14.1	3,744	56.6
1965	4,927	73.3	944	14.0	798	11.9	3,938	58.6
1966	3,731	54.7	704	10.3	522	7.7	4,327	63.4
1967	3,829	55.4	600	8.7	408	5.9	6,173	89.2
1968	2,935	41.9	457	6.5	291	4.1	8,098	115.5
1969	4,111	57.9	622	8.8	444	6.2	8,410	118.4
1970	5,078	70.6	891	12.4	568	7.9	9,751	135.6
1971	6,029	83.0	945	13.0	605	8.3	11,480	158.1
1972	2,636	36.0	942	12.9	608	8.3	16,658	227.3
1973	2,895	39.1	1,009	13.6	678	9.2	16,206	219.1

Note: Data for 1949 through 1956 include all New Jersey resident cases plus all nonresident cases diagnosed in New Jersey, but exclude military cases. Data for 1957 to date include New Jersey resident cases only. Included in 1966 through 1970 figures are cases occurring in the Job Corps Center. The sharp decrease in new cases of syphilis in 1972 reflects improved tabulation of data eliminating cases previously recorded in New Jersey or other states.

stat-051

Con Book

**TABLE 6: ACCIDENT, HOMICIDE AND SUICIDE DEATHS, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION: 1949-1973**

YEAR	ACCIDENT		HOMICIDE		SUICIDE	
	Number	Rate	Number	Rate	Number	Rate
1949	2,019	42.2	145	3.0	607	12.7
1950	1,950	40.4	116	2.4	605	12.5
1951	2,224	44.6	114	2.3	501	10.0
1952	2,363	46.2	121	2.4	464	9.1
1953	2,102	40.1	132	2.5	451	8.6
1954	2,096	39.1	115	2.1	470	8.8
1955	2,152	39.3	106	1.9	426	7.8
1956	2,184	39.0	107	1.9	430	7.7
1957	2,301	40.2	119	2.1	456	8.0
1958	2,158	36.9	133	2.3	513	8.8
1959	2,201	36.8	144	2.4	529	8.9
1960	2,217	36.5	158	2.6	486	8.0
1961	2,328	37.4	146	2.3	523	8.4
1962	2,390	37.5	183	2.9	571	9.0
1963	2,516	38.7	180	2.8	598	9.2
1964	2,731	41.3	186	2.8	516	7.8
1965	2,783	41.4	209	3.1	586	8.7
1966	2,910	42.7	240	3.5	548	8.0
1967	2,914	42.1	299	4.3	505	7.3
1968	2,933	41.8	369	5.3	538	7.7
1969	3,000	42.2	388	5.5	591	8.3
1970	2,982	41.5	418	5.8	487	6.8
1971	3,021	41.6	458	6.3	570	7.8
1972	2,878	39.3	499	6.8	617	8.4
1973	2,994	40.5	523	7.1	609	8.2

Stat DSS For Book

TABLE 7: ESTIMATED POPULATION BY AGE, BY RACE, BY SEX: 1973

TABLE 7: ESTIMATED POPULATION BY AGE, BY RACE, BY SEX: 1973

AGE GROUP	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
		3,577,605	60,358		3,818,725	3,178,203		3,374,206	399,402
ALL AGES	7,396,330			6,552,409			843,921		
Under 1	118,726			99,122			19,604		
1 - 4	489,239	249,579	239,660	411,163	210,398	200,765	78,076	39,181	38,895
5 - 9	714,512	365,457	349,055	610,005	312,736	297,269	104,507	52,721	51,786
10 - 14	732,776	373,186	359,590	633,967	323,540	310,427	98,809	49,646	49,163
15 - 19	631,134	319,937	311,197	551,248	280,636	270,612	79,886	39,301	40,585
20 - 24	525,973	249,811	276,162	457,852	219,296	238,556	68,121	30,515	37,606
25 - 29	478,182	228,740	249,442	414,787	200,862	213,925	63,395	27,878	35,517
30 - 34	416,592	200,959	215,633	359,331	175,437	183,894	57,261	25,522	31,739
35 - 39	427,011	206,711	220,300	374,064	182,747	191,317	52,947	23,964	28,983
40 - 44	480,006	232,725	247,281	431,089	210,079	221,010	48,917	22,646	26,271
45 - 49	493,331	237,121	256,210	450,566	217,071	233,495	42,765	20,050	22,715
50 - 54	453,123	217,554	235,569	418,797	201,498	217,299	34,326	16,056	18,270
55 - 59	393,015	188,813	204,202	365,027	176,072	188,955	27,988	12,741	15,247
60 - 64	324,040	152,331	171,709	301,328	142,066	159,262	22,712	10,265	12,447
65 - 69	253,605	112,035	141,570	235,184	103,927	131,257	18,421	8,108	10,313
70 - 74	200,283	82,382	117,901	188,241	77,230	111,011	12,042	5,152	6,890
75 and over	264,782	99,906	164,876	250,638	94,075	156,563	14,144	5,831	8,313

Note: Population estimates by age and sex based on application of percentages derived from 1970 Census.

For 1973

TABLE 8: RESIDENT BIRTHS BY AGE OF MOTHER, BY WEIGHT GROUP: 1973

TABLE 8: RESIDENT BIRTHS BY AGE OF MOTHER, BY WEIGHT GROUP: 1973

Birth Weight Group	Total All Ages	Age Group of Mother										Unk.
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49			
Total	94,024	328	12,919	28,396	32,089	14,398	4,745	1,068	78	3		
Over 11 lbs. (5001 or more grams)	145		7	38	46	28	17	9				
Over 9 lbs. 14 ozs. - 11 lbs. (4501-5000 grams)	1,165	2	71	270	432	250	106	32	2			
Over 8 lbs. 13 ozs. - 9 lbs. 14 ozs. (4001-4500 grams)	6,367	2	519	1,796	2,315	1,186	443	96	10			
Over 7 lbs. 11 ozs. - 8 lbs. 13 ozs. (3501-4000 grams)	24,359	54	2,618	7,072	8,929	4,070	1,289	302	23	2		
Over 6 lbs. 9 ozs. - 7 lbs. 11 ozs. (3001-3500 grams)	36,372	131	5,025	11,289	12,522	5,398	1,645	338	24			
Over 5 lbs. 8 ozs. - 6 lbs. 9 ozs. (2501-3000 grams)	18,122	89	3,172	5,662	5,737	2,453	808	190	11			
Over 4 lbs. 6 ozs. - 5 lbs. 8 ozs. (2001-2500 grams)	4,848	25	944	1,514	1,381	640	269	68	7			
Over 3 lbs. 4 ozs. - 4 lbs. 6 ozs. (1501-2000 grams)	1,395	14	291	396	379	201	95	19				
Over 2 lbs. 3 ozs. - 3 lbs. 4 ozs. (1001-1500 grams)	604	5	143	174	156	84	35	6	1			
2 lbs. 3 ozs. or less (1000 grams or less)	515	5	111	147	147	70	27	8				
Weight not stated	132	1	18	38	45	18	11					1

TABLE 9: RESIDENT BIRTHS BY AGE OF MOTHER, BY RACE, BY SEX: 1973

TABLE 9: RESIDENT BIRTHS BY AGE OF MOTHER, BY RACE, BY SEX: 1973

AGE OF MOTHER	TOTAL		WHITE		NONWHITE		UNKNOWN	
	Total	Female	Total	Female	Total	Female	Total	Female
	Male	Female	Male	Female	Male	Female	Male	Female
ALL AGES	94,024	45,819	74,108	35,988	19,190	9,479	726	352
Less than 15	328	161	71	33	245	122	12	6
15 - 19	12,919	6,375	7,179	3,524	5,428	2,693	312	158
20 - 24	28,396	13,683	21,914	10,538	6,263	3,039	219	106
25 - 29	32,089	15,640	27,831	13,542	4,156	2,059	102	39
30 - 34	14,398	7,141	12,286	6,074	2,069	1,043	43	24
35 - 39	4,745	2,275	3,879	1,839	838	414	28	12
40 - 44	1,068	508	880	409	180	93	8	6
45 - 49	78	35	66	28	11	6	1	1
50 or more								
Unknown	3	1	2	1			1	1

use Tab. to do this table

Sta - 671
For Birth + 100 in per cent

TABLE 10: RESIDENT BIRTHS BY AGE OF MOTHER, BY LEGITIMACY, BY RACE: 1973

TABLE 10: RESIDENT BIRTHS BY AGE OF MOTHER, BY LEGITIMACY, BY RACE: 1973

AGE OF MOTHER	TOTAL			LEGITIMATE			ILLEGITIMATE			UNKNOWN		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
ALL AGES	94,024	74,108	19,190	80,493	70,488	9,966	13,526	3,616	9,224	5	4	1
Less than 15	328	71	245	26	21	5	302	50	240			
15 - 19	12,919	7,179	5,428	6,906	5,769	1,136	6,013	1,410	4,292			
20 - 24	28,396	21,914	6,263	24,225	20,778	3,437	4,170	1,135	2,826	1	1	
25 - 29	32,089	27,831	4,156	30,242	27,229	2,998	1,844	599	1,158	3	3	
30 - 34	14,398	12,286	2,069	13,621	12,003	1,607	777	283	462			
35 - 39	4,745	3,879	838	4,415	3,779	635	330	100	203			
40 - 44	1,068	880	180	985	845	139	83	35	41			
45 - 49	78	66	11	72	63	9	6	3	2			
50 or more												
Unknown	3	2		1	1		1	1		1		1

For Book

Stat. D 72

TABLE 11: RESIDENT BIRTHS BY WEIGHT GROUP, BY RACE: 1973

Birth Weight Group	All Races	White	Nonwhite	Unknown
TOTAL	94,024	74,108	19,190	726
Over 11 lbs. (5001 or more grams)	145	122	23	
Over 9 lbs. 14 ozs. - 11 lbs. (4501-5000 grams)	1,165	1,036	121	8
Over 8 lbs. 13 ozs. - 9 lbs. 14 ozs. (4001-4500 grams)	6,367	5,664	677	26
Over 7 lbs. 11 ozs. - 8 lbs. 13 ozs. (3501-4000 grams)	24,359	20,783	3,428	148
Over 6 lbs. 9 ozs. - 7 lbs. 11 ozs. (3001-3500 grams)	36,372	28,744	7,346	282
Over 5 lbs. 8 ozs. - 6 lbs. 9 ozs. (2501-3000 grams)	18,122	12,959	4,995	168
Over 4 lbs. 6 ozs. - 5 lbs. 8 ozs. (2001-2500 grams)	4,848	3,155	1,643	50
Over 3 lbs. 4 ozs. - 4 lbs. 6 ozs. (1501-2000 grams)	1,395	879	497	19
Over 2 lbs. 3 ozs. - 3 lbs. 4 ozs. (1001-1500 grams)	604	352	241	11
2 lbs. 3 ozs. or less (1000 grams or less)	515	321	189	5
Weight not stated	132	93	30	9

Stat - D 96

For Book

TABLE 12: MARRIAGES IN NEW JERSEY BY AGE OF HUSBAND, BY AGE OF WIFE: 1973

TABLE 12: MARRIAGES IN NEW JERSEY BY AGE OF HUSBAND, BY AGE OF WIFE: 1973

Wife's Age Group	Husband's Age Group																
	All Ages	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69
All Ages	59,723	3	75	377	1,699	2,929	25,699	13,306	5,058	2,755	2,057	1,678	1,300	1,039	737	496	515
< 15	60	1	5	8	13	4	22	6			1						
15	276		18	32	59	56	90	16	4		1						
16	1,016	1	23	90	242	222	371	52	10	4	1						
17	1,843	1	16	105	336	385	862	113	20	5							
18	4,677		8	91	562	869	2,594	451	72	21	5	2	1				
19	5,418		2	33	267	749	3,676	555	96	24	14	1	1				
20-24	26,279		3	17	188	578	16,346	7,102	1,482	355	136	52	11	7	1		1
25-29	8,717			1	23	46	1,415	4,058	1,881	768	306	154	40	14	9	2	
30-34	3,561				5	10	227	665	983	798	452	254	110	38	13	3	3
35-39	2,097				3	9	63	184	352	465	485	299	145	62	18	7	5
40-44	1,680				1		22	74	104	200	388	406	267	157	37	16	8
45-49	1,361					1	8	28	42	81	191	323	324	211	103	34	15
50-54	1,027						3	1	12	24	63	133	261	250	164	67	49
55-59	748							1		9	11	42	107	210	206	112	50
60-64	486									1	2	9	24	70	148	132	100
65-69	311											3	8	15	35	97	153
70+	166										1		1	4	3	26	131

Use Tab. to do this Table

For Book + 100 for Reproductions

Stat-D1

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1973

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1973

Showing International List (8th Revision) Code Numbers	TOTAL	Under 1 Day	1-6 Days	7-27 Days	28 Days but Under 1 Year
ALL CAUSES (000-E999)	1,618	708	372	143	395
Diarrheal disease (009)	20		1	7	12
Whooping cough (003)	1				1
Meningococcal infection (036)	1				1
Tetanus (037)					
Septicemia (038)	24	2	8	11	3
Viral diseases (040-079)	6			1	5
Congenital syphilis (090)					
Other infective and parasitic diseases-Remainder of (000-136)	4		1		3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	1				1
Benign neoplasms and neoplasms of unspecified nature (210-239)	4		1		2
Diseases of thymus gland (254)	1	1			1
Cystic fibrosis (273.0)	1				1
Diseases of blood and blood-forming organs (280-289)	5		2	1	2
Meningitis (320)	12			3	9
Other diseases of nervous system and sense organs (321-389)	5				5
Acute upper respiratory infections (460-465)					
Bronchitis and bronchiolitis (466,490,491)	1			1	
Influenza and pneumonia (470-474,480-486)	115	3	6	16	90
Influenza (470-474)					
Pneumonia (480-486)	115	3	6	16	90
Other chronic interstitial pneumonia (517)					
All other diseases of respiratory system (492,493,500-516, 518,519)	10	2			8
Hernia and intestinal obstruction (550-553,560)	13	5	4		4
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin (535,561,563)	1			1	
Other diseases of digestive system (520-534,536,537,540-543, 562,564-577)	7		3		3
Congenital anomalies (740-759)	260	78	70	41	71
Anencephalus (740)	20	13	7		
Spina bifida (741)	14	2	3	2	7
Congenital hydrocephalus (742)	12	5		4	3
Other congenital anomalies of central nervous system and eye (743,744)	10	4	3	1	2
Congenital anomalies of heart (746)	102	11	35	20	36
Other congenital anomalies of circulatory system (747)	12	1	4	4	3
Congenital anomalies of respiratory system (748)	7	4	2	1	
Congenital anomalies of digestive system (749-751)	17	3	4	2	8
Congenital anomalies of genitourinary system (752,753)	9	4	2	1	2
Congenital anomalies of musculoskeletal system (754-756)	23	12	6	1	4
Down's disease (759.3)	2	1			1

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1973 (Continued)

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1973 (Continued)

Showing International List (8th Revision) Code Numbers	TOTAL	Under 1 Day	1-6 Days	7-27 Days	28 Days but Under 1 Year
Congenital anomalies (740-759) -Con't.					
Other congenital syndromes affecting multiple systems (759.0-759.2,759.4-759.9)	26	16	3	3	4
Other and unspecified congenital anomalies (745,757,758)	6	2	1	2	1
Certain causes of mortality in early infancy (760-769.2, 769.4-772,774-778)	935	609	271	44	11
Chronic circulatory and genitourinary diseases in mother (760)					
Other maternal conditions unrelated to pregnancy (761)	1				
Syphilis (761.0)	9	3	4	1	1
Diabetes mellitus (761.1)					
Rubella (761.3)	7	2	3	1	1
All other maternal conditions unrelated to pregnancy (761.2,761.4-761.7,761.9)					
Toxemia of pregnancy (762)	2	1	1		
Maternal ante- and intrapartum infection (763)	4	2	2		
Difficult labor (764-768)	8	6	1		
With mention of birth injury (.0-.3)	11	6	5	1	
Without mention of birth injury (.4-.9)	1	1			
All other complications of pregnancy and childbirth (769.0-769.2,769.4,769.5,769.9)	10	5	5		
Conditions of placenta (770)	99	81	15		
Conditions of umbilical cord (771)	34	27	5	2	1
Birth injury without mention of cause (772)	8	5	3	1	1
Hemolytic disease of newborn (774,775)	40	15	18	7	
Hyaline membrane disease (776.1)	16	10	5	1	
Respiratory distress syndrome (776.2)	106	50	52	2	2
Asphyxia of newborn, unspecified (776.9)	151	81	57	12	1
All other anoxic and hypoxic conditions not elsewhere classifiable (776.0,776.3,776.4)	199	140	47	9	3
Immaturity, unqualified (777)	18	6	11		
Postmaturity (778.1)	166	140	24	2	1
Hemorrhagic disease of newborn (778.2)	10				
All other conditions of newborn (778.0,778.3,778.9)	55	37	8	2	
Symptoms and ill-defined conditions (780-796)	119	2	14	4	
Accidents (E800-E949)	43	1	3	10	104
Inhalation and ingestion of food or other object causing obstruction or suffocation (E911,E912)	10		2	3	37
Accidental mechanical suffocation (E913)	4				
Other accidental causes (E800-E910,E914-E949)	29	1		1	9
Homicide (E960-E978)	1		2	2	4
All other causes - Residual	28	5		3	24

Stat - 10

TABLE 14: RESIDENT MATERNAL DEATHS; CAUSE BY AGE, CAUSE BY RACE: 1973

TABLE 14: RESIDENT MATERNAL DEATHS; CAUSE BY AGE, CAUSE BY RACE: 1973

CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	Total	RACE		AGE GROUP					
		White	Nonwhite	Under 20	20-24	25-29	30-34	35-39	40+
		TOTAL MATERNAL DEATHS (630-678)	16	10	6		3	6	4
Complications of Pregnancy (630-634)	5	3	2			3		2	
Infections of Genital Tract During Pregnancy (630)	4	2	2			3		1	
Ectopic Pregnancy (631)	1	1							
Hemorrhage of Pregnancy (632)	5	4	1		1	1	2	1	
Anemia of Pregnancy (633)									
Other Complications of Pregnancy (634)									
Urinary Infection and Toxemias of Pregnancy and the Puerperium (635-639)	5	4	1		1				
Urinary Infections Arising During Pregnancy and the Puerperium (635)									
Toxemias of Pregnancy and the Puerperium Except Abortion with Toxemia (636-639)	5	4	1		1	1	2	1	
Abortion (640-645)	2		2		2				
Abortion Induced For Legal Indications (640-641)	1		1		1				
Abortion Induced For Other Reasons (642)	1		1		1				
Spontaneous Abortion (643)									
Other and Unspecified Abortions (644-645)									
Delivery (650-662)	2	1	1			1	1		
Delivery Without Mention of Complication (650)									
Anesthetic Death In Uncomplicated Delivery (662)									
Delivery Complicated By Placenta Previa or Antepartum Hemorrhage (651)									
Delivery Complicated By Retained Placenta (652)									
Delivery Complicated By Other Postpartum Hemorrhage (653)	1		1				1		
All Other Complications of Delivery (654-661)	1	1							
Complications of the Puerperium (670-678)	2	2							
Sepsis of Childbirth and the Puerperium (670)	1	1							
Puerperal Phlebitis and Thrombosis (671)									
Puerperal Pulmonary Embolism (673)									
Cerebral Hemorrhage in the Puerperium (674)	1	1					1		
All Other Complications of Puerperium (Not Specified Above) (672, 675-678)	1	1							

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FFEMALE	A G E G R O U P						
					1-4	5-14	15-24	25-64	65-64	65&UP	
000-E999	ALL CAUSES	86,605	37,024	31,501	7,078	314	455	1,296	3,464	17,413	44,045
000	CHOLERA	08631	37039	31592	7044						
001	TYPHOID FEVER										
002	PARATYPHOID FEVER										
003	OTHER SALMONELLA INFECTIONS	9	4	5	1			1		1	6
004	BACILLARY DYSENTERY										
005	FOOD POISONING (BACTERIAL)										
006	AMEBIASIS	6	5	1				1	1	2	2
007	OTHER PROTOZOAL INTESTINAL DISEASES										
008	ENTERITIS DUE TO OTHER SPECIFIED ORGANISM	5	1	4	1	1	1			1	1
009	DIARRHEAL DISEASE	68	38	30	20	5					
010	SILICOTUBERCULOSIS	4	4						3	8	31
011	PULMONARY TUBERCULOSIS	131	88	43						2	2
012	OTHER RESPIRATORY TUBERCULOSIS	10	7	3				1	23	47	60
013	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	3	2	1					1	3	5
014	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	1		1					2	1	
015	TUBERCULOSIS OF BONES AND JOINTS										
016	TUBERCULOSIS OF GENITOURINARY SYSTEM										
017	TUBERCULOSIS OF OTHER ORGANS										
018	DISSEMINATED TUBERCULOSIS	5	2	3						1	3
019	LATE EFFECTS OF TUBERCULOSIS	30	21	9					1	14	19
020	PLAGUE										
021	TULAREMIA										
022	ANTHRAX										
023	BRUCELLOSIS										
024	GLANDERS										
025	MELIROIDOSIS										
026	RAT-BITE FEVER										
027	OTHER ZOOONOTIC BACTERIAL DISEASES										
030	LEPROSY										
031	OTHER DISEASES DUE TO MYCOBACTERIA										
032	DIPHTHERIA										
033	WHOOPING COUGH										
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER										
035	ERYSIPELAS										
036	MENINGOCOCCAL INFECTION	9	7	2	1	1	1	2	3	1	
037	TETANUS	2	1	1						1	
038	SEPTICEMIA	163	78	85	24	3		1	6	34	95
039	OTHER BACTERIAL DISEASES	14	4	10	1						
040	ACUTE PARALYTIC POLIOMYELITIS SPECIFIED AS BULBAR							1		4	8
041	ACUTE POLIOMYELITIS WITH OTHER PARALYSIS										
042	ACUTE NONPARALYTIC POLIOMYELITIS										
043	ACUTE POLIOMYELITIS, UNSPECIFIED										
044	LATE EFFECTS OF ACUTE POLIOMYELITIS	2		2					1	1	
045	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS	3	1	2						1	2
046	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM	1		1						1	
050	SMALLPOX										
051	COWPOX										
052	CHICKENPOX										
053	HERPES ZOSTER	2	1	1				5			
054	HERPES SIMPLEX	4	3	1						1	3
055	MEASLES	4	2	2		1			1	1	1
056	RUBEOLA										
057	OTHER VIRAL EXANTHEM										
060	YELLOW FEVER										
061	DENGUE										

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P						
					0-4	5-14	15-24	25-44	45-64	65+UP	
062	MOSQUITO-BORNE VIRAL ENCEPHALITIS	1		1					1		
063	TICK-BORNE VIRAL ENCEPHALITIS										
064	VIRAL ENCEPHALITIS TRANSMITTED BY OTHER ARTHROPODS										
065	VIRAL ENCEPHALITIS, UNSPECIFIED	11	4	7	2	1	2		4	2	
066	LATE EFFECTS OF VIRAL ENCEPHALITIS	1		1		1					
067	ARTHROPOD-BORNE HEMORRHAGIC FEVER										
068	OTHER ARTHROPOD-BORNE VIRAL DISEASES										
070	INFECTIOUS HEPATITIS	28	13	15				7	8	9	4
071	RABIES										
072	HUMPS										
073	PSITTACOSIS										
074	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS	1		1	1						
075	INFECTIOUS MONONUCLEOSIS	1	1					1			
076	TRACHOMA, ACTIVE										
077	LATE EFFECTS OF TRACHOMA										
078	OTHER VIRAL DISEASES OF THE CONJUNCTIVA										
079	OTHER VIRAL DISEASES	10	5	5	3	1	1		1	2	2
080	EPIDEMIC LOUSE-BORNE TYPHUS										
081	OTHER TYPHUS										
082	TICK-BORNE RICKETTSIOSIS										
083	OTHER RICKETTSIOSIS										
084	MALARIA	1		1							1
085	LEISHMANIASIS										
086	AMERICAN TRYPANOSOMIASIS										
087	OTHER TRYPANOSOMIASIS										
088	RELAPSING FEVER										
089	OTHER ARTHROPOD-BORNE DISEASES										
090	CONGENITAL SYPHILIS										
091	EARLY SYPHILIS, SYMPTOMATIC										
092	EARLY SYPHILIS, LATENT										
093	CARDIOVASCULAR SYPHILIS	1	1							1	
094	SYPHILIS OF CENTRAL NERVOUS SYSTEM										
095	OTHER FORMS OF LATE SYPHILIS, WITH SYMPTOMS										
096	LATE SYPHILIS, LATENT										
097	OTHER SYPHILIS AND NOT SPECIFIED	2	1	1						1	1
098	GONOCOCCAL INFECTIONS										
099	OTHER VENEREAL DISEASE										
100	LEPTOSPIROSIS										
101	VINCENT'S ANGINA										
102	YAWS										
103	PINTA										
104	OTHER SPIROCHETAL INFECTION										
110	DERMATOPHYTOSIS										
111	DERMATOMYCOSIS, OTHER AND UNSPECIFIED										
112	MONILIASIS	7	6	1	2					4	1
113	ACTINOMYCOSIS										
114	COCCIDIOIDOMYCOSIS										
115	HISTOPLASMOSIS	1	1								
116	BLASTOMYCOSIS	3	2	1			1		1		
117	OTHER SYSTEMIC MYCOSIS	3	1	2						1	2
120	SCHISTOSOMIASIS	2	1	1						1	1
121	OTHER TRMATODE INFESTATION								1		1
122	HYDATIDOSIS										
123	OTHER CESTODE INFESTATION										
124	TRICHINIASIS										
125	PILARIAL INFESTATION										
126	ANCYOSTOMIASIS										

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP							65+JP		
					0-4	5-14	15-24	25-44	45-64	65+JP				
127	OTHER INTESTINAL HELMINTHIASIS	1		1		1								
128	OTHER AND UNSPECIFIED HELMINTHIASIS													
129	INTESTINAL PARASITISM, UNSPECIFIED													
130	TOXOPLASMOSIS													
131	TRICHOMONIASIS UROGENITALIS	1		1				1						
132	PEDICULOSIS													
133	ACARIASIS													
134	OTHER INFESTATION													
135	SARCINOSIS	7	4	3					4	2	1			
136	OTHER AND UNSPECIFIED INFECTIVE AND PARASITIC DISEASES	3	1	2						1	2			
140	MALIGNANT NEOPLASM OF LIP	5	5							1	4			
141	MALIGNANT NEOPLASM OF TONGUE	95	68	27					2	42	51			
142	MALIGNANT NEOPLASM OF SALIVARY GLAND	27	15	12					1	11	15			
143	MALIGNANT NEOPLASM OF GUM	1	1							1				
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	24	19	5					2	13	9			
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	48	30	18					2	21	25			
146	MALIGNANT NEOPLASM OF OROPHARYNX	48	35	13					3	29	16			
147	MALIGNANT NEOPLASM OF NASOPHARYNX	28	18	10					2	13	8			
148	MALIGNANT NEOPLASM OF HYPOPHARYNX	18	17	1						8	10			
149	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	69	57	12					2	32	35			
150	MALIGNANT NEOPLASM OF ESOPHAGUS	277	201	76					2	135	140			
151	MALIGNANT NEOPLASM OF STOMACH	685	393	292					22	218	445			
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	25	16	9					1	5	19			
153	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM	1,726	809	917					1	48	517	1,160		
154	MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOID JUNCTION	505	273	232					2	17	156	330		
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	83	52	31						2	29	51		
156	MALIGNANT NEOPLASM OF GALLBLADDER AND BILE DUCTS	185	66	119						4	52	129		
157	MALIGNANT NEOPLASM OF PANCREAS	708	392	316						17	259	432		
158	MALIGNANT NEOPLASM OF PERITONEUM AND RETROPERITONEAL TISSUE	37	20	17						7	13	17		
159	MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS	30	8	22							8	22		
160	MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	20	12	8						1	8	11		
161	MALIGNANT NEOPLASM OF LARYNX	114	103	11						6	46	62		
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS, AND LUNG	2,939	2,293	646						105	1,315	1,516		
163	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS	37	25	12						1	4	19	13	
170	MALIGNANT NEOPLASM OF BONE	74	45	29							4	20	39	
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	45	24	21	1	1	2	1		5	21	14		
172	MALIGNANT MELANOMA OF SKIN	144	80	64						1	36	62	45	
173	OTHER MALIGNANT NEOPLASM OF SKIN	49	36	13								12	37	
174	MALIGNANT NEOPLASM OF BREAST	1,485	9	1,476							117	745	623	
180	MALIGNANT NEOPLASM OF CERVIX UTERI	187		187						3	22	87	75	
181	CHORIOEPITHELIOMA	1		1						1				
182	OTHER MALIGNANT NEOPLASM OF UTERUS	248		248							6	79	163	
183	MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	461		461						2	4	31	231	193
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	29		29								9	20	
185	MALIGNANT NEOPLASM OF PROSTATE	669	669								1	79	589	
186	MALIGNANT NEOPLASM OF TESTIS	21	21							2	12	4	3	
187	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS	8	8									1	7	
188	MALIGNANT NEOPLASM OF BLADDER	420	307	113							5	101	314	
189	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED URINARY ORGANS	235	132	103						1	1	8	94	131

TABLE 15 1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY -CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP							
					-1	1-4	5-14	15-24	25-44	45-64	65CUP	
190	MALIGNANT NEOPLASM OF EYE	9	4	5		2	5				4	1
191	MALIGNANT NEOPLASM OF BRAIN	247	131	116		4	18	7	33	119	66	
192	MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	80	43	37		10	3	5	9	34	19	
193	MALIGNANT NEOPLASM OF THYROID GLAND	42	13	29						2	18	22
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS	19	12	7				2	3	11	3	
195	MALIGNANT NEOPLASM OF ILL-DEFINED SITES	91	49	42				1	4	26	60	
196	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES	6	5	1						2	4	
197	SECONDARY MALIGNANT NEOPLASM OF RESPIRATORY AND DIGESTIVE SYSTEMS	243	133	110					4	69	170	
198	OTHER SECONDARY MALIGNANT NEOPLASM	58	29	29					3	17	38	
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	298	144	154					7	111	180	
200	LYMPHOSARCOMA AND RETICULUM-CELL SARCOMA	262	138	124		1	4	4	22	113	118	
201	HODGKINS DISEASE	111	65	46				15	36	37	23	
202	OTHER NEOPLASMS OF LYMPHOID TISSUE	114	66	48			3	1	4	47	59	
203	MULTIPLE MYELOMA	146	83	63					1	49	96	
204	LYMPHATIC LEUKEMIA	169	109	60		5	33	11	5	25	90	
205	MYELOID LEUKEMIA	206	109	97		2	1	14	27	77	85	
206	MONOCYtic LEUKEMIA	15	12	3				1	4	1	9	
207	OTHER AND UNSPECIFIED LEUKEMIA	107	54	53		5	7	6	11	29	49	
208	POLYCYTHEMIA VERA	15	12	3					2	4	9	
209	MYELOFIBROSIS	29	14	15					1	12	16	
210	BENIGN NEOPLASM OF BUCCAL CAVITY AND PHARYNX	1	1		1							
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM	8	4	4						3	5	
212	BENIGN NEOPLASM OF RESPIRATORY SYSTEM	3	2	1	1					1	1	
213	BENIGN NEOPLASM OF BONE AND CARTILAGE	1		1	1							
214	LIPOMA											
215	OTHER BENIGN NEOPLASM OF MUSCULAR AND CONNECTIVE TISSUE	2	1	1					1	1		
216	BENIGN NEOPLASM OF SKIN	1		1								1
217	BENIGN NEOPLASM OF BREAST											
218	UTERINE FIBROMA	8		8					1	4	3	
219	OTHER BENIGN NEOPLASM OF UTERUS	1		1					1			
220	BENIGN NEOPLASM OF OVARY	2		2				1	1			
221	BENIGN NEOPLASM OF OTHER FEMALE GENITAL ORGANS								1			
222	BENIGN NEOPLASM OF MALE GENITAL ORGANS											
223	BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS	2	2									2
224	BENIGN NEOPLASM OF EYE											
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	39	19	20				1	6	19	13	
226	BENIGN NEOPLASM OF ENDOCRINE GLANDS	9	4	5	1	1	5		1	4		
227	HEMANGIOMA AND LYMPHANGIOMA	1		1			1					
228	BENIGN NEOPLASM OF OTHER AND UNSPECIFIED ORGANS AND TISSUES	4	2	2						2	2	
230	NEOPLASM OF UNSPECIFIED NATURE OF DIGESTIVE ORGANS	11	8	3						4	7	
231	NEOPLASM OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS	10	6	4						1	9	
232	NEOPLASM OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM	3	2	1					1	2		
233	NEOPLASM OF UNSPECIFIED NATURE OF BREAST											
234	NEOPLASM OF UNSPECIFIED NATURE OF UTERUS											
235	NEOPLASM OF UNSPECIFIED NATURE OF OVARY	1		1								1
236	NEOPLASM OF UNSPECIFIED NATURE OF OTHER FEMALE GENITAL ORGANS											
237	NEOPLASM OF UNSPECIFIED NATURE OF OTHER GENITOURINARY ORGANS	3	1	2						1	2	
238	NEOPLASM OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	51	30	21		1		2	8	16	24	

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P							
					0-1	1-4	5-14	15-24	25-44	45-64	65&UP	
239	NEOPLASM OF UNSPECIFIED NATURE OF OTHER AND UNSPECIFIED ORGANS	7		7							1	6
240	SIMPLE GOITER											
241	NONTOXIC NODULAR GOITER	1		1								1
242	THYROTOXICOSIS WITH OR WITHOUT GOITER	8	3	5				1		1		6
243	CRETINISM OF CONGENITAL ORIGIN											
244	MYXEDEMA	12	2	10							1	11
245	THYROIDITIS	1	1									1
246	OTHER DISEASES OF THYROID GLAND											
250	DIABETES MELLITUS	1,535	642	893				2	6	53	353	1,121
251	DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS	6	4	2						1	2	3
252	DISEASES OF PARATHYROID GLAND	4	3	1						1		3
253	DISEASES OF PITUITARY GLAND	15	9	6						4	6	5
254	DISEASES OF THYMUS GLAND	2	1	1	1				1			
255	DISEASES OF ADRENAL GLANDS	10	2	8	1					2	5	2
256	OVARIAN DYSFUNCTION											
257	TESTICULAR DYSFUNCTION											
258	POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS	9	3	6							6	3
260	VITAMIN A DEFICIENCY											
261	THIAMINE DEFICIENCY											
262	NIACIN DEFICIENCY											
263	OTHER VITAMIN B DEFICIENCY	1	1								1	
264	ASCORBIC ACID DEFICIENCY											
265	VITAMIN D DEFICIENCY											
266	OTHER VITAMIN DEFICIENCY STATES	1	1									1
267	PROTEIN MALNUTRITION											
268	NUTRITIONAL MARASMUS	6	4	2							2	4
269	OTHER NUTRITIONAL DEFICIENCY	60	30	30	1					2	9	48
270	CONGENITAL DISORDERS OF AMINO-ACID METABOLISM											
271	CONGENITAL DISORDERS OF CARBOHYDRATE METABOLISM											
272	CONGENITAL DISORDERS OF LIPID METABOLISM	3	3							1		1
273	OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM	17	8	9	1	3	3	6		1	3	
274	GOUT	9	6	3							3	6
275	PLASMA PROTEIN ABNORMALITIES	9	3	6	1					1		7
276	AMYLOIDOSIS	8	4	4							2	6
277	OBESITY NOT SPECIFIED AS OF ENDOCRINE ORIGIN	27	10	17						6	16	5
278	OTHER HYPERALIMENTATION											
279	OTHER AND UNSPECIFIED METABOLIC DISEASES	17	8	9	1	2	2		1		6	5
280	IRON DEFICIENCY ANEMIAS	2		2								2
281	OTHER DEFICIENCY ANEMIAS	6	4	2							1	3
282	HEREDITARY HEMOLYTIC ANEMIAS	24	20	4		3	2	6	6	3		4
283	ACQUIRED HEMOLYTIC ANEMIAS	2	1	1	1							1
284	APLASTIC ANEMIA	31	22	9			2	1	2	12		14
285	OTHER AND UNSPECIFIED ANEMIAS	31	15	16		1			1	10		19
286	COAGULATION DEFECTS	13	8	5	2		1	1	3			6
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	14	8	6	1				1	5		7
288	AGRANULOCYTOSIS	6	3	3					1	3		2
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	15	8	7	1			1		7		6
290	SENILE AND PRESENILE DEMENTIA	18	10	8							4	14
291	ALCOHOLIC PSYCHOSIS	13	12	1					4	5		4
292	PSYCHOSIS ASSOCIATED WITH INTRACRANIAL INFECTION											
293	PSYCHOSIS ASSOCIATED WITH OTHER CEREBRAL CONDITION	1		1								1
294	PSYCHOSIS ASSOCIATED WITH OTHER PHYSICAL CONDITIONS											

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP								
					0-1	1-4	5-14	15-24	25-44	45-64	65+UP		
293	SCHIZOPHRENIA	3	1	2				1	2				
296	AFFECTIVE PSYCHOSES	1		1								1	
297	PARANOID STATES												
298	OTHER PSYCHOSES	1	1									1	
299	UNSPECIFIED PSYCHOSIS	1	1									1	
300	NEUROSES	2										1	
301	PERSONALITY DISORDERS			2								2	
302	SEXUAL DEVIATION												
303	ALCOHOLISM												
304	DRUG DEPENDENCE	90	72	18				4	22	52	12		
305	PHYSICAL DISORDERS OF PRESUMABLY PSYCHOGENIC ORIGIN	17	13	4				8	9				
306	SPECIAL SYMPTOMS NOT ELSEWHERE CLASSIFIED	7	5	2						1		6	
307	TRANSIENT SITUATIONAL DISTURBANCES												
308	BEHAVIOR DISORDERS OF CHILDHOOD												
309	MENTAL DISORDERS NOT SPECIFIED AS PSYCHOTIC ASSOCIATED WITH PHYSICAL CONDITIONS	10	5	5				1		1	1	7	
310	BORDERLINE MENTAL RETARDATION												
311	MILD MENTAL RETARDATION												
312	MODERATE MENTAL RETARDATION												
313	SEVERE MENTAL RETARDATION												
314	PROFOUND MENTAL RETARDATION	1	1					1					
315	UNSPECIFIED MENTAL RETARDATION												
320	MENINGITIS	2	1	1					2				
321	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	53	29	24	12	3	4	5	3	14	12		
322	INTRACRANIAL AND INTRASPINAL ABSCESS	8	3	5		1				2	3	2	
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	5	2	3						2	2	1	
324	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION												
330	HEREDITARY NEUROMUSCULAR DISORDERS	23	16	7	2	1	3	8	2	5	2		
331	HEREDITARY DISEASES OF THE STRIATOPALLIDAL SYSTEM	6	2	4					3	3			
332	HEREDITARY ATAXIA	3	3										
333	OTHER HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM	3	2	1		1		1				1	
340	MULTIPLE SCLEROSIS	76	34	42									
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM	6	2	4									
342	PARALYSIS AGITANS									1	11	99	
343	CEREBRAL SPASTIC INFANTILE PARALYSIS	19	9	10	2	3	4	5	1	3			
344	OTHER CEREBRAL PARALYSIS	6	3	3									
345	EPILEPSY	62	41	21					1	1	3	1	
346	MIGRAINE									13	23	20	5
347	OTHER DISEASES OF BRAIN	58	32	26	1	8	6	3	7	20	13		
348	MOTOR NEURONE DISEASE	63	34	29									
349	OTHER DISEASES OF SPINAL CORD	7	3	4						5	27	30	
350	FACEIAL PARALYSIS										3	4	
351	TRIGEMINAL NEURALGIA	1		1									
352	BRACHIAL NEURITIS											1	
353	SCIATICA												
354	POLYNEURITIS AND POLYRADICULITIS	11	9	2					2	2	5	2	
355	OTHER AND UNSPECIFIED FORMS OF NEURALGIA AND NEURITIS												
356	OTHER DISEASES OF CRANIAL NERVES												
357	OTHER DISEASES OF PERIPHERAL NERVES EXCEPT AUTONOMIC	2	1	1					1		1		
358	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM	1		1								1	
360	CONJUNCTIVITIS AND OPHTHALMIA												
361	BLEPHARITIS												
362	HORDEOLUM												
363	KERATITIS												

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP								
					-1	1-4	5-14	15-24	25-44	45-64	65+UP		
364	IRITIS												
365	CHOROIDITIS												
366	OTHER INFLAMMATION OF UVEAL TRACT												
367	INFLAMMATION OF OPTIC NERVE AND RETINA												
368	INFLAMMATION OF LACRIMAL GLANDS AND DUCTS												
369	OTHER INFLAMMATORY DISEASES OF EYE												
370	REFRACTIVE ERRORS												
371	CORNEAL OPACITY												
372	PTERYGIUM												
373	STRABISMUS												
374	CATARACT	1		1								1	
375	GLAUCOMA	1	1									1	
376	DETACHMENT OF RETINA												
377	OTHER DISEASES OF RETINA AND OPTIC NERVE												
378	OTHER DISEASES OF EYE												
379	BLINDNESS												
380	OTITIS EXTERNA												
381	OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS	6	1	3					1	1		2	
382	OTITIS MEDIA WITH MASTOIDITIS												
383	MASTOIDITIS WITHOUT MENTION OF OTITIS MEDIA												
384	OTHER INFLAMMATORY DISEASES OF EAR	1		1					1				
385	MENIERE'S DISEASE												
386	OTOSCLEROSIS												
387	OTHER DISEASES OF EAR AND MASTOID PROCESS												
388	DEAF MUTISM												
389	OTHER DEAFNESS												
390	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT	1		1							1		
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT	4	1	3					1	1	1	1	
392	CHOREA												
393	DISEASES OF PERICARDIUM	1	1										
394	DISEASES OF MITRAL VALVE	139	42	97						1			
395	DISEASES OF AORTIC VALVE	150	101	49						13	69	50	
396	DISEASES OF MITRAL AND AORTIC VALVES	52	22	30					2	13	69	66	
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	25	12	13					1	3	30	18	
398	OTHER HEART DISEASE, SPECIFIED AS RHEUMATIC	236	81	155					1	4	15	103	113
400	MALIGNANT HYPERTENSION	33	18	15									
401	ESSENTIAL BENIGN HYPERTENSION	26	9	17									
402	HYPERTENSIVE HEART DISEASE	218	82	136					1		6	19	
403	HYPERTENSIVE RENAL DISEASE	158	74	84						13	48	157	
404	HYPERTENSIVE HEART AND RENAL DISEASE	109	60	49						2	20	136	
410	ACUTE MYOCARDIAL INFARCTION	13,051	8,003	5,048	1		1	4	315	4,007	8,723		
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	138	82	56					5	37	96		
412	CHRONIC ISCHEMIC HEART DISEASE	16,086	6,771	7,315	1	1		2	180	2,137	11,765		
413	ANGINA PECTORIS	5	4	1							2	3	
414	ASYMPTOMATIC ISCHEMIC HEART DISEASE												
420	ACUTE PERICARDITIS, NONRHEUMATIC	1	1										1
421	ACUTE AND SUBACUTE ENDOCARDITIS	24	17	7				3			10	11	
422	ACUTE MYOCARDITIS	11	5	6	2	1	1	1	2	1	3		
423	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC	10	3	7						1	5	4	
424	CHRONIC DISEASE OF ENDOCARDIUM	20	14	6					1	1	6	12	
425	CARDIOMYOPATHY	70	49	21			1	1	2	22	27	17	
426	PULMONARY HEART DISEASE	24	9	15						2	8	13	
427	SYMPTOMATIC HEART DISEASE	699	349	350	3	1	1	8	25	143	518		

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65UP
42R	OTHER MYOCARDIAL INSUFFICIENCY	51	25	26	1		2	2	4	9	33
429	ILL-DEFINED HEART DISEASE	42	20	22					4	15	23
430	SUBARACHNOID HEMORRHAGE	365	162	203	2		3	13	89	161	97
431	CEREBRAL HEMORRHAGE	1,019	498	521	1		1	1	60	262	694
432	OCCCLUSION OF PRECEREBRAL ARTERIES	70	29	41					2	16	52
433	CEREBRAL THROMBOSIS	2,261	973	1,288					7	208	2,046
434	CEREBRAL EMBOLISM	33	16	17					2	12	19
435	TRANSIENT CEREBRAL ISCHEMIA										
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	1,532	700	832				1	11	213	1,307
437	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	1,148	433	715					1	60	1,087
438	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	71	29	42		2	1	5	3	14	46
440	ARTERIOSCLEROSIS	795	314	481						37	758
441	AORTIC ANEURYSM (NONSYPHILITIC)	521	387	134					8	122	391
442	OTHER ANEURYSM	17	9	8					2	8	7
443	OTHER PERIPHERAL VASCULAR DISEASE	32	11	21						3	29
444	ARTERIAL EMBOLISM AND THROMBOSIS	183	80	103	1				4	51	127
445	GANGRENE	82	36	46						7	75
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	19	10	9			1	1	4	6	7
447	OTHER DISEASES OF ARTERIES AND ARTERIOLES	15	6	9					3	7	5
448	DISEASES OF CAPILLARIES	2	1	1						1	1
450	PULMONARY EMBOLISM AND INFARCTION	390	178	212				2	16	94	278
451	PHLEBITIS AND THROMBOPHLEBITIS	88	43	45	1				7	24	56
452	PORTAL VEIN THROMBOSIS	2		2							2
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	45	24	21					6	14	25
454	VARICOSE VEINS OF LOWER EXTREMITIES	7	5	2						2	5
455	HEMORRHOIDS								3		4
456	VARICOSE VEINS OF OTHER SITES	7	3	4					1		
457	NONINFECTIVE DISEASE OF LYMPHATIC CHANNELS	1		1							
458	OTHER DISEASES OF CIRCULATORY SYSTEM	14	9	5						4	10
460	ACUTE NASOPHARYNGITIS										
461	ACUTE SINUSITIS										
462	ACUTE PHARYNGITIS	3	2	1		1	1				1
463	ACUTE TONSILLITIS	1		1					1		
464	ACUTE LARYNGITIS AND TRACHEITIS	4	3	1		1	1			1	1
465	ACUTE UPPER RESPIRATORY INFECTION OF MULTIPLE OR UNSPECIFIED SITES	3		3		1					2
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	30	22	8	1	4	1			9	15
470	INFLUENZA, UNQUALIFIED	25	6	19		1				5	19
471	INFLUENZA WITH PNEUMONIA	31	11	20						9	20
472	INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS	4	2	2				1	1	1	2
473	INFLUENZA WITH DIGESTIVE MANIFESTATIONS										
474	INFLUENZA WITH NERVOUS MANIFESTATIONS	1		1					1		
480	VIRAL PNEUMONIA	53	25	28	6	2	1	1	5	11	27
481	PNEUMOCOCCAL PNEUMONIA	160	97	63	7	2	1	2	12	38	98
482	OTHER BACTERIAL PNEUMONIA	50	31	19	1	1		2	2	15	29
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM	2	1	1							2
484	ACUTE INTERSTITIAL PNEUMONIA	7	5	2	3					2	2
485	BRONCHOPNEUMONIA, UNSPECIFIED	916	484	432	41	16	6	9	41	159	644
486	PNEUMONIA, UNSPECIFIED	649	329	320	57	5	8	11	20	90	458
490	BRONCHITIS, UNQUALIFIED	26	12	14				1	2	6	17
491	CHRONIC BRONCHITIS	160	126	34					2	39	119
492	EMPHYSEMA	609	497	112		1			3	167	438
493	ASTHMA	49	17	32		1	2		11	12	23
500	HYPERTROPHY OF TONSILS AND ADENOIDS	1	1				1				
501	PERITONSILLAR ABSCESS										

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P							
					-1	1-4	5-14	15-24	25-44	45-64	65+UP	
902	CHRONIC PHARYNGITIS AND NASOPHARYNGITIS											
903	CHRONIC SINUSITIS	3	2	1				1		1	1	
904	DEFLECTED NASAL SEPTUM											
905	NASAL POLYP											
906	CHRONIC LARYNGITIS	1	1									1
907	HAY FEVER											
908	OTHER DISEASES OF UPPER RESPIRATORY TRACT	8	4	4		2	3	1				2
910	EMPHYEMA	8	7	1	1					1	3	3
911	PLEURISY	8	4	4	2						1	5
912	SPONTANEOUS PNEUMOTHORAX	3	2	1								3
913	ABSCESS OF LUNG	23	18	5					2	9		12
914	PULMONARY CONGESTION AND HYPOSTASIS	24	13	11	5			4	7	2		6
915	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES	27	24	3					1	4		22
916	OTHER PNEUMOCONIOSES AND RELATED DISEASES	2	2								1	1
917	OTHER CHRONIC INTERSTITIAL PNEUMONIA	79-20	56-55	23	1			1	3	19		55
918	BRONCHIECTASIS	16	8	8			1			6		9
919	OTHER DISEASES OF RESPIRATORY SYSTEM	341	248	93	2	1		3	8	69		258
920	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION											
921	DISEASES OF HARD TISSUES OF TEETH											
922	DISEASES OF PULP AND PERIAPICAL TISSUES											
923	PERIODONTAL DISEASES											
924	DENTOFACIAL ANOMALIES INCLUDING MALOCCLUSION											
925	OTHER DISEASES AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES											
926	DISEASES OF THE JAWS											
927	DISEASES OF THE SALIVARY GLANDS	2	2									1
928	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE											
929	DISEASES OF THE TONGUE AND OTHER ORAL CONDITIONS											
930	DISEASES OF ESOPHAGUS	28	18	10		1			6	9		12
931	ULCER OF STOMACH	117	66	51	1				5	35		76
932	ULCER OF DUODENUM	134	92	42				1	8	45		80
933	PEPTIC ULCER, SITE UNSPECIFIED	32	21	11	1				1	15		15
934	GASTROJEJUNAL ULCER	34	19	15						8		26
935	GASTRITIS AND DUODENITIS	23	17	6				1	3	8		11
936	DISORDERS OF FUNCTION OF STOMACH	3	2	1								2
937	OTHER DISEASES OF STOMACH AND DUODENUM	9	7	2	1				1			6
940	ACUTE APPENDICITIS	29	17	12				1	4	7		17
941	APPENDICITIS, UNQUALIFIED	2		2								1
942	OTHER APPENDICITIS											
943	OTHER DISEASES OF APPENDIX											
950	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION	7	7									6
951	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION	40	17	23	7			1	1	9		22
952	INGUINAL HERNIA WITH OBSTRUCTION	15	12	3	1							12
953	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION	50	10	40	1				1	7		41
960	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	120	49	71	4	2	1		3	22		88
961	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN	1		1	1							
962	DIVERTICULA OF INTESTINE	140	62	78					4	23		113
963	CHRONIC ENTERITIS AND ULCERATIVE COLYTIS	36	15	21			1		6	15		14
964	FUNCTIONAL DISORDERS OF INTESTINES	2		2								2
965	ANAL FISSURE AND PISTULA											
966	ABSCESS OF ANAL AND RECTAL REGIONS	1		1								1
967	PERITONITIS	25	13	12					5	11		9

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P						
					0-1	1-4	5-14	15-24	25-44	45-64	65+UP
568	PERITONEAL ADHESIONS	3	1	2						1	2
569	OTHER DISEASES OF INTESTINES AND PERITONEUM	122	60	62	2			3	7	27	83
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	18	3	15			1	1	2	8	6
571	CIRRHOSIS OF LIVER	1,400	900	500	1			7	239	825	328
572	SUPPURATIVE HEPATITIS AND LIVER ABSCESS	5	3	2						2	3
573	OTHER DISEASES OF LIVER	68	45	23	1			2	8	38	19
574	CHOLELITHIASIS	80	38	42					4	24	52
575	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULUS	57	30	27					1	5	51
576	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS	19	7	12						2	17
577	DISEASES OF PANCREAS	94	55	39				2	29	33	30
580	ACUTE NEPHRITIS	39	23	16	1					12	26
581	NEPHROTIC SYNDROME	7	3	4				1	1	2	3
582	CHRONIC NEPHRITIS	176	100	76				1	2	15	103
583	NEPHRITIS, UNQUALIFIED	10	6	4					2	1	7
584	RENAL SCLEROSIS, UNQUALIFIED	9	6	3						3	6
590	INFECTIONS OF KIDNEY	165	64	101				1	6	21	137
591	HYDRONEPHROSIS	9	8	1	1					2	6
592	CALCULUS OF KIDNEY AND URETER	31	13	18					4	7	20
593	OTHER DISEASES OF KIDNEY AND URETER	147	86	61				2	12	36	97
594	CALCULUS OF OTHER PARTS OF URINARY SYSTEM	2	1	1							2
595	CYSTITIS	12	5	7				1		2	9
596	OTHER DISEASES OF BLADDER	9	5	4					1	3	5
597	URETHRITIS (NONVENEREAL)	1	1							1	
598	STRICTURE OF URETHRA	5	5							1	4
599	OTHER DISEASES OF URINARY TRACT	94	48	46	1	1	1		3	9	79
600	HYPERPLASIA OF PROSTATE	55	55							4	51
601	PROSTATITIS	2	2							1	1
602	OTHER DISEASES OF PROSTATE	4	4								4
603	HYDROCELE										
604	ORCHITIS AND EPIDIDYMITIS										
605	REDUNDANT PREPUCE AND PHIMOSIS										
606	STERILITY, MALE										
607	OTHER DISEASES OF MALE GENITAL ORGANS	6	6							2	4
610	CHRONIC CYSTIC DISEASE OF BREAST										
611	OTHER DISEASES OF BREAST	1		1							1
612	ACUTE SALPINGITIS AND OOPHORITIS										
613	CHRONIC SALPINGITIS AND OOPHORITIS										
614	SALPINGITIS AND OOPHORITIS, UNQUALIFIED	4		4				1	2	1	
615	OTHER DISEASES OF OVARY AND FALLOPIAN TUBE	2		2					1		1
616	DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE)	2		2							2
620	INFECTIVE DISEASES OF CERVIX UTERI										
621	OTHER DISEASES OF CERVIX										
622	INFECTIVE DISEASES OF UTERUS (EXCEPT CERVIX), VAGINA, AND VULVA										
623	UTEROVAGINAL PROLAPSE	2		2						1	1
624	MALPOSITION OF UTERUS										
625	OTHER DISEASES OF UTERUS	2		2						1	1
626	DISORDERS OF MENSTRUATION	1		1						1	
627	MENOPAUSAL SYMPTOMS										
628	STERILITY, FEMALE										
629	OTHER DISEASES OF FEMALE GENITAL ORGANS	5		5						1	4
630	INFECTIONS OF GENITAL TRACT DURING PREGNANCY										
631	ECTOPIC PREGNANCY	4		4						4	
632	HEMORRHAGE OF PREGNANCY										
633	ANEMIA OF PREGNANCY										

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P						
					1-4	5-14	15-24	25-44	45-64	65+JP	
634	OTHER COMPLICATIONS OF PREGNANCY	1		1							
635	URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM								1		
636	RENAL DISEASE ARISING DURING PREGNANCY AND THE PUERPERIUM										
637	PRE-ECLAMPSIA, ECLAMPSIA, AND TOXEMIA, UNSPECIFIED	5		5			1		4		
638	HYPEREMESIS GRAVIDARUM										
639	OTHER TOXEMIAS OF PREGNANCY AND THE PUERPERIUM										
640	ABORTION INDUCED FOR MEDICAL INDICATIONS	1		1				1			
641	ABORTION INDUCED FOR OTHER LEGAL INDICATIONS										
642	ABORTION INDUCED FOR OTHER REASONS	1		1							
643	SPONTANEOUS ABORTION							1			
644	ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS										
648	OTHER ABORTION										
650	DELIVERY WITHOUT MENTION OF COMPLICATION										
651	DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE										
652	DELIVERY COMPLICATED BY RETAINED PLACENTA										
653	DELIVERY COMPLICATED BY OTHER POSTPARTUM HEMORRHAGE	1		1					1		
654	DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS										
655	DELIVERY COMPLICATED BY FETOPELVIC DISPROPORTION										
656	DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS										
657	DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN										
658	DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION										
659	DELIVERY WITH RUPTURE OF UTERUS										
660	DELIVERY WITH OTHER OBSTETRICAL TRAUMA										
661	DELIVERY WITH OTHER COMPLICATIONS	1		1							
662	ANESTHETIC DEATH IN UNCOMPLICATED DELIVERY								1		
670	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM	1		1					1		
671	PUERPERAL PHLEBITIS AND THROMBOSIS										
672	PYREXIA OF UNKNOWN ORIGIN DURING THE PUERPERIUM										
673	PUERPERAL PULMONARY EMBOLISM										
674	CEREBRAL HEMORRHAGE IN THE PUERPERIUM	1		1					1		
675	PUERPERAL BLOOD DYSCRASIAS										
676	ANEMIA OF THE PUERPERIUM										
677	OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM										
678	MASTITIS AND OTHER DISORDERS OF LACTATION										
680	BOIL AND CARBUNCLE										
681	CELLULITIS OF FINGER AND TOE										
682	OTHER CELLULITIS AND ABSCESS	6	2	4							
683	ACUTE LYMPHADENITIS									3	3
684	IMPETIGO										
685	PILONIDAL CYST										
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	6	1	5	1					3	2
690	SEBORRHEIC DERMATITIS										
691	INFANTILE ECZEMA AND RELATED CONDITIONS										
692	OTHER ECZEMA AND DERMATITIS										
693	DERMATITIS HERPETIFORMIS										
694	PEMPHIGUS	6	1	5							6
695	ERYTHEMATOUS CONDITIONS	3	2	1					1		2

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P							
					-1	1-4	5-14	15-24	25-44	45-64	65&UP	
696	PSORIASIS AND SIMILAR DISORDERS											
697	LICHEN											
698	PRURITUS AND RELATED CONDITIONS											
700	CORNS AND CALLOSITIES											
701	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN											
702	OTHER DERMATOSES											
703	DISEASES OF NAIL											
704	DISEASES OF HAIR AND HAIR FOLLICLES											
705	DISEASES OF SWEAT GLANDS											
706	DISEASES OF SEBACEOUS GLANDS											
707	CHRONIC ULCER OF SKIN	69	21	48						2	6	61
708	URTICARIA											
709	OTHER DISEASES OF SKIN											
710	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS	1		1								1
711	ACUTE NONPYOGENIC ARTHRITIS											
712	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS	40	9	31						1	11	28
713	OSTEOARTHRITIS AND ALLIED CONDITIONS	11	1	10							3	8
714	OTHER SPECIFIED FORMS OF ARTHRITIS	1		1								1
715	ARTHRITIS, UNSPECIFIED	2	1	1								2
716	POLYMYOSITIS AND DERMATOMYOSITIS	5	2	3						1	1	2
717	OTHER NONARTICULAR RHEUMATISM											
718	RHEUMATISM, UNSPECIFIED	1	1									
720	OSTEOMYELITIS AND PERIOSTITIS	8	5	3							1	
721	OSTEITIS DEFORMANS	6	2	4							1	5
722	OSTEOCHONDROSIS											
723	OTHER DISEASES OF BONE	8	3	5							2	6
724	INTERNAL DERANGEMENT OF JOINT											
725	DISPLACEMENT OF INTERVERTEBRAL DISC											
726	AFFECTION OF SACROILIAC JOINT											
727	ANKYLOSIS OF JOINT											
728	VERTEBROGENIC PAIN SYNDROME											
729	OTHER DISEASES OF JOINT	4	4									4
730	RUNION											
731	SYNOVITIS, BURSTITIS, AND TENDOSYNOVITIS											
732	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA											
733	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA	5	2	3						1	1	3
734	DIFFUSE DISEASES OF CONNECTIVE TISSUE	63	14	49				1	7	20	25	10
735	CURVATURE OF SPINE	4	2	2							1	2
736	PLAT FOOT											
737	HALLUX VALGUS AND VARUS											
738	OTHER DEFORMITIES	1	1								1	
740	ANENCEPHALUS	20	9	11	20							
741	SPINA BIFIDA	18	8	10	14	3			1			
742	CONGENITAL HYDROCEPHALUS	30	17	13	12	12	5				1	
743	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	22	15	7	10	4			4	3	1	
744	CONGENITAL ANOMALIES OF EYE											
745	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK											
746	CONGENITAL ANOMALIES OF HEART	186	113	73	102	18	26	14	9	9	9	8
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	22	11	11	12	3		1	3	2		1
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	11	7	4	7	1				1		2
749	CLEFT PALATE AND CLEFT LIP	2		2	1	1						
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	7	4	3	7							
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	21	7	14	9	7				3		2

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P							
					-1	1-4	5-14	15-24	25-44	45-64	65-UP	
752	CONGENITAL ANOMALIES OF GENITAL ORGANS											
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	24	14	10	9			1			1	3
754	CLUBFOOT (CONGENITAL)											
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1	1		1							
756	OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	25	12	13	22					1	2	
757	CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS	2	1	1	1						1	
758	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	6	4	2	5						1	
759	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	37	15	22	28	2		1		2	3	
760	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	1	1		1							
761	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	9	5	4	9							
762	TOXEMIA OF PREGNANCY	4	3	1	4							
763	MATERNAL ANTE- AND INTRAPARTUM INFECTION	8	3	5	8							
764	DIFFICULT LABOR WITH ABNORMALITY OF BONES, ORGANS, OR TISSUES OF PELVIS											
765	DIFFICULT LABOR WITH DISPROPORTION, BUT NO MENTION OF ABNORMALITY OF PELVIS	1	1		1							
766	DIFFICULT LABOR WITH MALPOSITION OF FETUS	7	2	5	7							
767	DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF LABOR	1	1		1							
768	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS	2	1	1	2							
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	104	47	57	104							
770	CONDITIONS OF PLACENTA	34	19	15	34							
771	CONDITIONS OF UMBILICAL CORD	8	4	4	8							
772	BIRTH INJURY WITHOUT MENTION OF CAUSE	47	31	16	47							
773	TERMINATION OF PREGNANCY	6	3	3	6							
774	HEMOLYTIC DISEASE OF NEWBORN WITH KERNICTERUS											
775	HEMOLYTIC DISEASE OF NEWBORN WITHOUT MENTION OF KERNICTERUS	16	12	4	16							
776	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	481	306	175	481							
777	IMMATURETY, UNQUALIFIED	166	102	64	166							
778	OTHER CONDITIONS OF FETUS OR NEWBORN	68	40	28	68							
779	FETAL DEATH OF UNKNOWN CAUSE											
780	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	6	2	2		1					1	2
781	OTHER SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES											
782	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM	11	4	7	1						4	6
783	SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM	4	4							2		2
784	SYMPTOMS REFERABLE TO UPPER GASTROINTESTINAL TRACT											
785	SYMPTOMS REFERABLE TO ABDOMEN AND LOWER GASTROINTESTINAL TRACT	1		1								1
786	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM											
787	SYMPTOMS REFERABLE TO LIMBS AND JOINTS											
788	OTHER GENERAL SYMPTOMS	5	2	3	1						1	3
789	ABNORMAL URINARY CONSTITUENTS OF UNSPECIFIED CAUSE	1		1								1
790	NERVOUSNESS AND DEBILITY	1		1								1
791	HEADACHE											
792	UREMIA	3	3									
793	OBSERVATION, WITHOUT NEED FOR FURTHER MEDICAL CARE										1	2
794	SENILITY WITHOUT MENTION OF PSYCHOSIS	20	5	15								20
795	SUDDEN DEATH (CAUSE UNKNOWN)	113	72	41	107	4		1			1	

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					0-4	5-14	15-24	25-44	45-64	65+UP	
796	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	177	112	65	10	1	1	12	22	47	84
E800	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK										
E801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT										
E802	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION										
E803	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, BURNING										
E804	FALL IN, ON, OR FROM TRAIN										
E805	HIT BY ROLLING STOCK	23	18	5				4	4	2	10
E806	OTHER SPECIFIED RAILWAY ACCIDENT										
E807	RAILWAY ACCIDENT OF UNSPECIFIED NATURE										
E810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN	3	2	1						1	1
E811	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH STREET CAR										
E812	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	484	330	154	4	8	14	146	143	95	74
E813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE	32	24	8				17	11	3	1
E814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	314	199	115				14	58	40	49
E815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION	136	109	27	2			2	58	46	20
E816	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL	261	198	63	1	7	6	124	65	45	13
E817	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING	2	2						1		1
E818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT	14	8	6	1	3			7	3	
E819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	48	29	19	1	1	2	18	14	3	9
E820	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT	18	15	3		3	2	3	3	5	2
E821	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT	6	6						3	1	1
E822	MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING										
E823	MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE	7	7					2	2	1	2
E825	STREET CAR ACCIDENT										
E826	PEDAL CYCLE ACCIDENT	8	5	3				4	3		1
E827	OTHER NONMOTOR ROAD VEHICLE ACCIDENT	4	2	2				2	1	1	
E830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	15	15						10	1	4
E831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY	2		2					2		
E832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT	12	11	1					2	7	3
E833	FALL ON STAIRS OR LADDERS IN WATER TRANSPORT										
E834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT										
E835	OTHER AND UNSPECIFIED FALL IN WATER TRANSPORT										
E836	MACHINERY ACCIDENT IN WATER TRANSPORT	1	1						1		
E837	EXPLOSION, FIRE, BURNING, AND IN WATER TRANSPORT										
E838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT	1	1								1
E840	ACCIDENT TO POWERED AIRCRAFT AT TAKE-OFF OR LANDING	3	3						1	1	1
E841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	21	16	5					1	4	11
E842	ACCIDENT TO UNPOWERED AIRCRAFT										
E843	FALL IN, ON, OR FROM AIRCRAFT										
E844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS										
E845	ACCIDENT INVOLVING SPACECRAFT										

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P						
					1-4	5-14	15-24	25-44	45-64	65+UP	
E850	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES	1		1				1			
E851	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES										
E852	ACCIDENTAL POISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTS										
E855	ACCIDENTAL POISONING BY ANALGESICS AND ANTIPIRETTICS	62	32	10			1	44	15	1	1
E854	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS	47	34	13				1	24	16	3
E859	ACCIDENTAL POISONING BY AUTONOMIC NERVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS	8	7	1			1	1	4	1	1
E856	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS										
E857	ACCIDENTAL POISONING BY CAROTIDVASCULAR DRUGS										
E858	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS	1	1					1			
E859	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	35	25	10			1	1	14	14	6
E860	ACCIDENTAL POISONING BY ALCOHOL	7	2	5						2	4
E861	ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS										
E862	ACCIDENTAL POISONING BY DISINFECTANTS	1	1				1				
E863	ACCIDENTAL POISONING BY PAINTS AND VARNISHES										
E864	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS										
E865	ACCIDENTAL POISONING BY PESTICIDES, FERTILIZERS OR PLANT FOOD										
E866	ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES	1	1						1		
E867	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS, NOT ELSEWHERE CLASSIFIED	3	3					1			2
E868	ACCIDENTAL POISONING BY NOXIOUS FOODSTUFFS AND POISONOUS PLANTS										
E869	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	20	15	5				4	12	4	
E870	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE	3	2	1					2	1	
E871	ACCIDENTAL POISONING BY LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS										
E872	ACCIDENTAL POISONING BY OTHER UTILITY GAS										
E873	ACCIDENTAL POISONING BY MOTOR VEHICLE EXHAUST GAS	10	9	1				4	2	2	2
E874	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS										
E875	ACCIDENTAL POISONING BY OTHER CARBON MONOXIDE	8	7	1				2	4	2	
E876	ACCIDENTAL POISONING BY OTHER GASES AND VAPORS	5	5					1	1	2	1
E877	ACCIDENTAL POISONING BY UNSPECIFIED GASES AND VAPORS	1	1					1			
E880	FALL ON OR FROM STAIRS OR STEPS	56	27	29					5	19	32
E881	FALL ON OR FROM LADDERS OR SCAFFOLDING	14	13	1					3	6	5
E882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	39	27	12	3	4	2	1	12	9	8
E883	FALL INTO HOLE OR OTHER OPENING IN SURFACE	4	4					2	2		
E884	OTHER FALL FROM ONE LEVEL TO ANOTHER	71	36	35	3	3	2	5	6	8	44
E885	FALL ON SAME LEVEL FROM SLIPPING, STUMBLING OR TRIPPING	23	7	16						2	21
E886	FALL ON SAME LEVEL FROM COLLISION, PUSHING, OR SHOVING BY OR WITH OTHER PERSON										
E887	OTHER AND UNSPECIFIED FALL	377	164	213	3	2	3	3	14	48	304
E890	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING	148	94	54	5	27	24	10	19	34	29
E891	ACCIDENT CAUSED BY CONFLAGRATION IN OTHER BUILDING OR STRUCTURE	22	15	7			1		1	11	9
E892	ACCIDENT CAUSED BY CONFLAGRATION NOT IN BUILDING OR STRUCTURE	5	5					1	2	1	1

TABLE 15

1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P							
					-1	1-4	5-14	15-24	25-44	45-64	65&UP	
E893	ACCIDENT CAUSED BY IGNITION OF CLOTHING	7	3	4								7
E894	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL	3	3							1	2	
E895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING	7	4	3				1			3	3
E896	ACCIDENT CAUSED BY CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE											
E897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE											
E898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRES OR FLAMES	13	5	8					1		7	5
E899	ACCIDENT CAUSED BY UNSPECIFIED FIRE	6	4	2							3	3
E900	EXCESSIVE HEAT	6	5	1				1	1		3	1
E901	EXCESSIVE COLD	6	5	1				1	2		1	2
E902	HIGH AND LOW AIR PRESSURE	1		1						1		
E903	EFFECTS OF TRAVEL AND MOTION											
E904	HUNGER, THIRST, EXPOSURE, AND NEGLIGENCE	3	3					1	1		1	
E905	BITES AND STINGS OF VENOMOUS ANIMALS AND INSECTS											
E906	OTHER ACCIDENTS CAUSED BY ANIMALS	4	4					1		1	1	1
E907	LIGHTNING	2	2						1		1	
E908	CATAclysm	6	6						3	2	1	
E909	ACCIDENT DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS											
E910	ACCIDENTAL DROWNING AND SUBMERSION	184	152	32	5	24	36	51	33		21	14
E911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OR SUFFOCATION	70	38	32	8	2	6	8	11		10	25
E912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	11	6	5	2	3	1		3		1	1
E913	ACCIDENTAL MECHANICAL SUFFOCATION	26	18	8	4	4	4	5	6		2	1
E914	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADJEXA											
E915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE	1	1									1
E916	STRUCK ACCIDENTALLY BY FALLING OBJECT	24	23	1				4	9		10	1
E917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS	17	14	3		2	2	4	6		2	1
E918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS	8	8		1		1	2	2		2	
E919	OVEREXERTION AND STRENUOUS MOVEMENTS	1	1							1		
E920	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENTS											
E921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL	1	1						1			
E922	ACCIDENT CAUSED BY FIREARM MISSILES	24	22	2				6	12	3	2	1
E923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	33	31	2		1		8	12		12	
E924	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, AND STEAM	14	7	7		1	1	1	1		2	8
E925	ACCIDENT CAUSED BY ELECTRIC CURRENT	21	19	2				4	4		6	4
E926	ACCIDENT CAUSED BY RADIATION											
E927	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	2	2						1		1	
E928	MACHINERY ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	12	12						1		7	3
E929	OTHER AND UNSPECIFIED ACCIDENTS	49	30	19		1		7	9		19	13
E930	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES	14	4	10							5	9
E931	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES	8	4	4	1					1	1	5
E932	COMPLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURES	1		1							1	
E933	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTERIAL VACCINES	1		1							1	
E934	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES											
E935	COMPLICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES	2		2					1			1
E936	COMPLICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES											

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FFEMALE	A G E G R O U P						
					-1	1-4	5-14	15-24	25-44	45-64	65&UP
E940	LATE EFFECT OF MOTOR VEHICLE ACCIDENT	6	5	1			1		1	3	1
E941	LATE EFFECT OF OTHER TRANSPORT ACCIDENT										
E942	LATE EFFECT OF ACCIDENTAL POISONING										
E943	LATE EFFECT OF ACCIDENTAL FALL	10	2	8							10
E944	LATE EFFECT OF ACCIDENT CAUSED BY FIRE										
E945	LATE EFFECT OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS										
E946	LATE EFFECT OF OTHER ACCIDENTS	4	3	1						4	
E947	LATE EFFECT OF SURGICAL OPERATION										
E948	LATE EFFECT OF IRRADIATION										
E949	LATE EFFECT OF OTHER SURGICAL AND MEDICAL PROCEDURES										
E950	SUICIDE AND SELF-INFLICTED POISONING BY SOLID OR LIQUID SUBSTANCES	85	36	49				4	36	31	14
E951	SUICIDE AND SELF-INFLICTED POISONING BY GASES IN DOMESTIC USE										
E952	SUICIDE AND SELF-INFLICTED POISONING BY OTHER GASES	87	60	27				8	34	33	12
E953	SUICIDE AND SELF-INFLICTED INJURY BY HANGING, STRANGULATION, AND SUFFOCATION	179	136	43			6	29	39	60	45
E954	SUICIDE AND SELF-INFLICTED INJURY BY SUBMERSION (DROWNING)	9	4	5						3	6
E955	SUICIDE AND SELF-INFLICTED INJURY BY FIREARMS AND EXPLOSIVES	177	150	27			1	27	53	59	37
E956	SUICIDE AND SELF-INFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	19	14	5				3	2	6	8
E957	SUICIDE AND SELF-INFLICTED INJURY BY JUMPING FROM HIGH PLACE	38	20	18				9	8	9	12
E958	SUICIDE AND SELF-INFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS	15	9	6				1	6	6	2
E959	LATE EFFECT OF SELF-INFLICTED INJURY										
E960	FIGHT, BRAWL, OR RAPE	6	6					2	4		
E961	ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCES, EXCEPT POISONING										
E962	ASSAULT BY POISONING	2	1	1			1		1		
E963	ASSAULT BY HANGING AND STRANGULATION	23	4	19		1	7	6	10	3	1
E964	ASSAULT BY SUBMERSION (DROWNING)	1	1					1			
E965	ASSAULT BY FIREARMS AND EXPLOSIVES	257	209	48	1	1	2	81	114	50	8
E966	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS	147	112	35			7	43	63	28	11
E967	ASSAULT BY PUSHING FROM HIGH PLACE	1		1				1			
E968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	82	55	27		10	7	13	23	19	10
E969	LATE EFFECT OF INJURY PURPOSELY INFLICTED BY OTHER PERSON	1		1							1
E970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS	3	3					1	1	1	
E971	INJURY DUE TO LEGAL INTERVENTION BY EXPLOSIVES										
E972	INJURY DUE TO LEGAL INTERVENTION BY GAS										
E973	INJURY DUE TO LEGAL INTERVENTION BY ALIEN OBJECT										
E974	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENTS										
E975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS										
E976	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS										
E977	LATE EFFECT OF INJURIES DUE TO LEGAL INTERVENTION										
E978	LEGAL EXECUTION										
E980	POISONING BY SOLID OR LIQUID SUBSTANCES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	41	22	19		1		7	23	8	2
E981	POISONING BY GASES IN DOMESTIC USE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED										
E982	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	6	4	2				1		4	1

TABLE 15 1973 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY -CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	A G E G R O U P						
					-1	1-4	5-14	15-24	25-44	45-64	65-UP
E993	HANGING AND STRANGULATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	3	2	1		1			1		1
E984	SUBMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	12	8	4				3	2	5	2
E985	INJURY BY FIREARMS AND EXPLOSIVES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	10	6	4				6	1	3	
E986	INJURY BY CUTTING AND PIERCING INSTRUMENTS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	3	2	1				3			
E987	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	7	4	3				2	3	2	
E988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	59	42	17	3	4	3	9	14	16	10
E989	LATE EFFECT OF INJURY, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	1	1							1	
E990	INJURY DUE TO WAR OPERATIONS BY FIRES AND CONFLAGRATIONS										
E991	INJURY DUE TO WAR OPERATIONS BY BULLETS AND FRAGMENTS										
E992	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MARINE WEAPONS										
E993	INJURY DUE TO WAR OPERATIONS BY OTHER EXPLOSION										
E994	INJURY DUE TO WAR OPERATIONS BY DESTRUCTION OF AIRCRAFT										
E995	INJURY DUE TO WAR OPERATIONS BY OTHER AND UNSPECIFIED FORMS OF CONVENTIONAL WARFARE										
E996	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS										
E997	INJURY DUE TO WAR OPERATIONS BY OTHER FORMS OF UNCONVENTIONAL WARFARE										
E998	INJURY DUE TO WAR OPERATIONS BUT OCCURRING AFTER CESSATION OF HOSTILITIES										
E999	OPERATIONS	1	1							1	

TABLE 16

1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

ALL RACES, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-0999	ALL CAUSES	48,609 28,631	17013 1644	314	456	1,296	3,465	17,414	44,043
000-006	RACILLARY DYSENTERY AND AMEBIASIS					1	1	2	2
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	73	21	6	2		3	9	32
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	145			1	1	24	52	67
013-019	TUBERCULOSIS, OTHER FORMS	39					4	17	18
033	WHOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER							1	
036	MENINGOCOCCAL INFECTION	9	1	1	1	2	3		
038	SEPTICEMIA	163	24	3		1	6	34	95
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	3						2	1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	123	10	5	6	11	24	32	35
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	14,077	1	31	80	96	678	3,301	7,890
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	168	4	2	3	4	20	59	76
250	DIABETES MELLITUS	1,535			2	6	53	353	1,121
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	68	1				2	12	53
280-285	ANEMIAS	96	1	4	4	7	9	24	45
320	MENINGITIS	53	12	3	4	5	3	14	12
390-398, 402, 404, 410-429	DISEASES OF HEART	29,167	7	4	13	35	625	6,756	21,727
400, 401, 403	HYPERTENSION	217				1	11	43	162
430-438	CEREBROVASCULAR DISEASE	6,499	3	2	5	20	175	946	5,348
440	ARTERIOSCLEROSIS	795						37	758
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	871	1		1	1	21	205	642
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	30		4	2			9	15
470-474	INFLUENZA	61		1		1	3	15	41
480-486	PNEUMONIA	1,837	115	26	16	25	80	315	1,260
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	186				1	4	45	136
492	EMPHYSEMA	609		1			3	167	438
493	ASTHMA	49		1	2		11	12	23
531-533	PEPTIC ULCER	283	2				1	14	95
540-543	APPENDICITIS	31				1	4	8	18
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	232	13	2	2		5	41	169
571	CIRRHOSIS OF LIVER	1,400	1			7	239	825	328
574, 575	CHOLITHIASIS, CHOLECYSTITIS AND CHOLANDITIS	137					5	29	103
580-584	NEPHRITIS AND NEPHROSIS	241	1		1	3	18	73	145
590	INFECTIONS OF KIDNEY	165				1	6	21	137
600	HYPERPLASIA OF PROSTATE	55						4	51
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	16				3	13		
740-759	CONGENITAL ANOMALIES	434	260	31	33	21	22	31	16
780-796	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	957-935	957-935						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	340	119	6	1	13	24	55	122
810-823, 840	MOTOR VEHICLE ACCIDENTS	1,331	9	36	104	413	327	257	190
880-887, 893	ACCIDENTAL FALLS	594	9	9	7	11	42	92	424
890-897, 898, 899, 900, 901, 902, 903, 904, 905	ALL OTHER ACCIDENTS	1090	26-25	70	104	252	240	219	159
890-899	SUICIDE	609			7	81	178	207	136
8960-8978	HOMICIDE AND LEGAL INTERVENTION	523		12	15	147	217	101	31
8980-8999	OTHER EXTERNAL CAUSES	143	3	6	3	31	44	40	16
	ALL OTHER CAUSES	3,188	37	28	37	93	304	857	1,832
		3191	40						

NOTE: INCLUDES ONE MALE DEATH AGE 65+, RACE UNKNOWN

TABLE 16 1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY ALL RACES, MALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-099	ALL CAUSES	37,024 37,039	940 964	178	276	953	2,181	10,932	21,558
004,006	BACILLARY DYSENTERY AND AMEBIASIS						1	2	2
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	39	15	3	1		2	3	15
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	99			1		14	38	46
013-019	TUBERCULOSIS, OTHER FORMS	25					2	17	11
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	7	1	1		2	3		
038	SEPTICEMIA	78	11	3			2	18	44
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	2						1	1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	55	5	2	4	5	13	10	16
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	7,484	1	19	48	53	314	2,695	4,354
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	82	2	1	2	2	5	37	38
250	DIABETES MELLITUS	642			2	2	34	196	408
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	36	1				1	8	26
280-289	ANEMIAS	62		3	4	5	8	14	28
320	MENINGITIS	29	7	2	3	3	2	7	5
390-398,402,404,410-425	DISEASES OF HEART	15,754	6	2	5	22	469	4,901	10,349
400,401,403	HYPERTENSION	101					4	24	73
430-438	CEREBROVASCULAR DISEASE	2,840	2	1	4	12	85	537	2,204
440	ARTERIOSCLEROSIS	314						22	292
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	540			1	1	15	141	382
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	22			2			8	12
470-474	INFLUENZA	19				1		6	12
480-486	PNEUMONIA	972	60	13	9	17	52	196	625
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	138				1	4	29	104
492	EMPHYSEMA	497		1			2	121	373
493	ASTHMA	17		1	2		3	5	6
531,533	PEPTIC ULCER	179	1			1	9	62	106
540-543	APPENDICITIS	17					3	4	10
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	95	8	1			4	20	62
571	CIRRHOSIS OF LIVER	900	1			4	142	542	211
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	68					3	15	50
580-584	NEPHRITIS AND NEPHROSIS	138	1				11	43	83
590	INFECTIONS OF KIDNEY	64				1	1	9	53
600	HYPERPLASIA OF PROSTATE	55						4	51
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM								
740-759	CONGENITAL ANOMALIES	238	142	31	16	12	16	15	6
760-762, 769, 770-776	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	576	578	565					
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	204	75	3		10	16	39	61
E810-E823, E840	MOTOR VEHICLE ACCIDENTS	934	6	18	60	318	246	176	110
E880-E887, E923	ACCIDENTAL FALLS	280	3	4	7	10	35	54	167
E890-E907, E909-E949	ALL OTHER ACCIDENTS	791	10	43	72	220	197	155	94
E930-E959	SUICIDE	429			7	66	114	140	102
E960-E978	HOMICIDE AND LEGAL INTERVENTION	391		8	7	107	161	86	22
E980-E999	OTHER EXTERNAL CAUSES	92	2	3	2	22	26	25	12
	ALL OTHER CAUSES	1,725 1,727	22 23	15	17	56	162	527	932

NOTE: INCLUDES ONE MALE DEATH AGE 65+, RACE UNKNOWN

TABLE 16

1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

ALL RACES, FEMALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	31,581	882	136	180	343	1,284	6,482	22,487
004,006	BACILLARY DYSENTERY AND AMEBIASIS	31,577				1			
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	34	6	3	1				
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	46				1	10	14	21
013-019	TUBERCULOSIS, OTHER FORMS	14					2	5	7
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	2			1				
038	SEPTICEMIA	85	13			1	4	16	51
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	1							
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	68	5	3	2	6	11	22	19
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,593		12	32	43	364	2,606	3,536
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	86	2	1	1	2	15	27	38
250	DIABETES MELLITUS	893							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	32				4	19	157	713
280-285	ANEMIAS	34					1	4	27
320	MENINGITIS	24	1	1		2	1	12	17
390-398, 402, 404, 410-429	DISEASES OF HEART	13,413	5	1	1	2	1	7	7
400, 401, 403	HYPERTENSION	116	1	2	8	13	156	1,855	11,378
430-438	CEREBROVASCULAR DISEASE	3,659							
440	ARTERIOSCLEROSIS	481	1	1	1	8	90	414	3,144
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	331	1				6	64	260
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	8		4					
470-474	INFLUENZA	42		1			3	9	29
480-486	PNEUMONIA	865	55	13	7	8	28	119	635
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	48						16	32
492	EMPHYSEMA	112					1	46	65
493	ASTHMA	32					8	7	17
531-533	PEPTIC ULCER	104	1				5	33	65
540-543	APPENDICITIS	14					1	6	8
590-593, 590	HERNIA AND INTESTINAL OBSTRUCTION	137	5	1	2		1	21	107
591	CIRRHOSIS OF LIVER	500					3	97	283
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	69					2	14	53
580-584	NEPHRITIS AND NEPHROSIS	103			1		3	7	30
590	INFECTIONS OF KIDNEY	101					5	12	84
600	HYPERPLASIA OF PROSTATE								
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	16					3	13	
740-759	CONGENITAL ANOMALIES	196	118	20	17	9	6	16	10
760-769, 770, 771, 772, 773, 774, 775, 776, 778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	379	379	370					
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	136	44	3	1	3	8	16	61
E810-E823, E840	MOTOR VEHICLE ACCIDENTS	397	3	18	44	95	81	76	80
E880-E887, E943	ACCIDENTAL FALLS	314	6	5		1	7	38	257
E890-E897, E890-E944	ALL OTHER ACCIDENTS	277	270	16	27	32	32	43	65
E930-E939	SUICIDE	180					15	64	67
E960-E978	HOMICIDE AND LEGAL INTERVENTION	132		4	8	40	56	15	9
E980-E999	OTHER EXTERNAL CAUSES	51	1	3	1	9	18	15	4
	ALL OTHER CAUSES	1,463	16	13	20	37	142	335	900

TABLE 16 1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY WHITE, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	61,296 61,296 61,599	1,089 1,087	227	370	1,006	2,486	15,192	41,232
004,006	BACILLARY DYSENTERY AND AMEBIASIS					1		2	2
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	59	13	5	2		1	9	29
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	97			1	1	10	32	53
013-019	TUBERCULOSIS, OTHER FORMS	28						12	16
033	WHOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	8	1	1		2	3	1	
038	SEPTICEMIA	135	16	2			4	27	86
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	1							1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	94	5	5	6	7	13	26	30
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	12,844	1	27	70	86	566	4,714	7,380
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	143	2	2	3	3	14	48	71
250	DIABETES MELLITUS	1,343			2	5	34	290	1,012
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	58					1	9	48
280-285	ANEMIAS	74		1	3	5	3	22	40
320	MEMINGITIS	32	6	2	3	4	2	5	10
390-398, 402, 404, 410-426	DISEASES OF HEART	26,992	5	2	11	18	460	6,025	20,471
400-401, 403	HYPERTENSION	177					6	29	142
430-438	CEREBROVASCULAR DISEASE	5,873	2	1	5	16	104	777	4,968
440	ARTERIOSCLEROSIS	750						33	717
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	814	1			1	16	179	617
460	ACUTE BRONCHITIS AND BRONCHIOLITIS	26		3	1			8	14
470-474	INFLUENZA	56		1		1	3	13	38
480-486	PNEUMONIA	1,587	67	18	14	15	50	256	1,167
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	180				1	3	43	133
492	EMPHYSEMA	572		1			1	154	416
493	ASTHMA	34			1		6	8	19
531-533	PEPTIC ULCER	256	2			1	12	79	162
540-543	APPENDICITIS	24				1	1	6	16
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	213	7	1	2		4	35	164
571	CYRROSIS OF LIVER	1,175				3	144	717	311
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	130					4	27	99
580-584	NEPHRITIS AND NEPHROSIS	182	1			3	11	47	125
590	INFECTIONS OF KIDNEY	145				1	6	16	122
600	HYPERPLASIA OF PROSTATE	51						3	48
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10					10		
740-759	CONGENITAL ANOMALIES	360		42	30	19	19	28	14
760-769, 770-774, 775-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	627-624 627-624	208 627-624						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	245	68	3	1	10	14	44	105
E810-E823, E940	MOTOR VEHICLE ACCIDENTS	1,145	9	18	90	377	260	211	180
E880-E887, E943	ACCIDENTAL FALLS	529		6	5	11	26	74	407
E890-E907, E908-E917, E900-E949	ALL OTHER ACCIDENTS	806	17	53	75	185	171	174	131
E930-E939	SUICIDE	572			4	68	168	199	133
E960-E978	HOMICIDE AND LEGAL INTERVENTION	258		8	7	73	90	55	25
E980-E999	OTHER EXTERNAL CAUSES	116	2	3	3	25	37	32	14
	ALL OTHER CAUSES	2,773	26	22	31	63	207	728	1,696

TABLE 16

1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

WHITE, MALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	33,122 33,123	497 653	136	221	751	1,577	9,591	20,195
004,006	BACILLARY DYSENTERY AND AMEBIASIS							2	2
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	31	9	3	1			3	15
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	62			1		5	27	34
013-019	TUBERCULOSIS, OTHER FORMS	17						8	9
033	WHOPPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	7	1	1		2		3	
038	SEPTICEMIA	66	8	2				1	15
040-043	ACUTE POLIOMYELITIS								40
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	1							1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	42	4	2	4	4	5	10	13
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,799	1	19	41	45	264	2,360	4,070
210-239	REGIONAL NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	71	1	1	2	2	3	27	35
250	DIABETES MELLITUS	566			2	2	23	169	370
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	29					1	5	23
280-285	ANEMIAS	48		1	3	4	3	13	24
320	MENINGITIS	18	3	1	2	2	1	4	5
390-398, 402, 404, 410-429	DISEASES OF HEART	14,633	5		5	11	366	4,461	9,785
400, 401, 403	HYPERTENSION	80					2	14	64
430-438	CEREBROVASCULAR DISEASE	2,568	2	1	4	9	56	442	2,054
440	ARTERIOSCLEROSIS	295						20	275
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	505				1	12	124	368
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	20			1			7	12
470-474	INFLUENZA	18				1		5	12
480-486	PNEUMONIA	817	38	9	8	13	33	151	565
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	133				1	3	27	102
492	EMPHYSEMA	462		1			1	108	352
493	ASTHMA	11			1		2	3	5
531-533	PEPTIC ULCER	163	1			1	7	53	101
540-543	APPENDICITIS	11						3	8
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	85	4	1			3	18	59
571	CIRRHOSIS OF LIVER	767				1	93	474	199
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	65					3	13	49
580-584	NEPHRITIS AND NEPHROSIS	107	1				7	25	74
590	INFECTIONS OF KIDNEY	55				1	1	7	46
600	HYPERPLASIA OF PROSTATE	51						3	48
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM								
740-759	CONGENITAL ANOMALIES	193	109	27	15	11	14	13	4
760-769, 770, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	397 397	397 397						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	154	46	2		8	13	30	55
E810-E823, E840	MOTOR VEHICLE ACCIDENTS	799	6	7	50	292	195	144	105
E880-E887, E893	ACCIDENTAL FALLS	240		3	5	10	21	41	160
E890-E907, E910-E917, E940-E949	ALL OTHER ACCIDENTS	598	8	37	52	164	143	118	76
E950-E959	SUICIDE	397			4	54	105	135	99
E960-E978	HOMICIDE AND LEGAL INTERVENTION	187		6	4	33	61	47	16
E980-E999	OTHER EXTERNAL CAUSES	74	2	1	2	17	21	20	11
	ALL OTHER CAUSES	1,486	15	12	14	42	106	447	850

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	28,476	432	91	149	255	909	5,601	21,037
004,006	RACILLARY DYSENTERY AND AMEBIASIS	28,476	432			1			
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	28	4	2	1		1	6	14
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	35				1	5	10	19
019-019	TUBERCULOSIS, OTHER FORMS	11						4	7
033	WHOPPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	1						1	
038	SEPTICEMIA	69	8				3	12	46
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE								
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	52	1	3	2	3	10	16	17
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,045		9	29	41	302	2,354	3,310
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	72	1	1	1	1	11	21	36
250	DIABETES MELLITUS	777				3	11	121	642
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	29						4	25
280-285	ANEMIAS	26				1		9	16
320	MENINGITIS	14	3	1	1	2	1	1	5
390-398, 402, 404, 410-429	DISEASES OF HEART	12,359	2	6	7	94	1,564	10,686	
400, 401, 403	HYPERTENSION	97					4	15	78
430-438	CEREBROVASCULAR DISEASE	3,305			1	7	48	335	2,914
440	ARTERIOSCLEROSIS	455						13	442
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	309	1				4	55	249
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	6		3				1	2
470-474	INFLUENZA	38		1			3	8	26
480-486	PNEUMONIA	770	29	9	6	2	17	105	602
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	47						16	31
492	EMPHYSEMA	110						46	64
493	ASTHMA	23					4	5	14
531-533	PEPTIC ULCER	93	1				5	26	61
540-543	APPENDICITIS	13				1	1	3	8
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	128	3		2		1	17	105
571	CIRRHOSIS OF LIVER	408				2	51	243	112
576, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	65					1	14	50
580-584	NEPHRITIS AND NEPHROSIS	75				3	4	17	51
590	INFECTIONS OF KIDNEY	90					5	9	76
600	HYPERPLASIA OF PROSTATE								
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10					10		
740-759	CONGENITAL ANOMALIES	167	99	15	15	8	5	15	10
780-789, 790, 791, 792, 793, 794, 795, 796	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	239	239						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	91	22	1	1	2	1	14	50
E810-E823, E840	MOTOR VEHICLE ACCIDENTS	346	3	11	40	85	65	67	75
E880-E887, E888	ACCIDENTAL FALLS	289		3		1	5	33	247
E890-E907, E908-E917, E920-E949	ALL OTHER ACCIDENTS	208	9	16	23	21	28	56	55
E950-E959	SUICIDE	175				14	63	64	34
E960-E978	HOMICIDE AND LEGAL INTERVENTION	71		2	3	20	29	8	9
E980-E999	OTHER EXTERNAL CAUSES	42		2	1	8	16	12	3
	ALL OTHER CAUSES	1,287	11	10	17	21	101	281	846

TABLE 16

1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

NONWHITE, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			1-4	5-14	15-24	25-44	45-64	65+	
000-0999	ALL CAUSES	7,000	392	87	86	290	979	2,222	2,812
004,008	BACILLARY DYSENTERY AND AMEBIASIS	7,031	557						
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	14	8	1			2		3
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	48							
019-019	TUBERCULOSIS, OTHER FORMS	11					14	20	14
033	WHOOPING COUGH						4	5	2
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	1			1				
038	SEPTICEMIA	28	8	1			2	7	9
040-043	ACUTE POLIOMYELITIS					1			
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	2							
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	29	5			4	9	6	5
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,233		4	10	10	112	587	510
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	25	2			1	6	11	5
230	DIABETES MELLITUS	192				1	19	63	109
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	10	1				1	3	5
280-285	ANEMIAS	22	1	3	1	2	6	4	5
320	MENINGITIS	21	6	1	1	1	1	9	2
330-398,402,404,410-429	DISEASES OF HEART	2,174	2	2	2	17	165	731	1,255
400,401,403	HYPERTENSION	40				1	5	14	20
430-438	CEREBROVASCULAR DISEASE	626	1	1		4	71	169	380
440	ARTERIOSCLEROSIS	45						4	41
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	57			1		5	26	25
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	4		1	1				1
470-474	INFLUENZA	5							
480-486	PNEUMONIA	250	48	8	2	10	30	59	93
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	6					1	2	3
492	EMPHYSEMA	37					2	13	22
493	ASTHMA	15		1	1		5	4	4
531-533	PEPTIC ULCER	27					2	16	9
540-543	APPENDICITIS	7					3	2	2
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	19	6	1			1	6	5
571	CIRRHOSIS OF LIVER	225	1			4	93	108	17
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHolangITIS	7					1	2	4
580-584	NEPHRITIS AND NEPHROSIS	59			1		7	31	20
590	INFECTIONS OF KIDNEY	20						5	15
600	HYPERPLASIA OF PROSTATE	4						1	3
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6				3	3		
740-759	CONGENITAL ANOMALIES	74	52	9	3	2	3	3	2
760-769,770,780-787,790-798	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	330	330						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	95	51	3		3	10	11	17
810-883,890	MOTOR VEHICLE ACCIDENTS	186		18	14	36	67	41	10
880-887,893	ACCIDENTAL FALLS	65	9	3	2		16	18	17
890-897,898-899	ALL OTHER ACCIDENTS	264	9	17	29	67	69	45	28
890-899	SUICIDE	37			3	13	10	8	3
890-8978	HOMICIDE AND LEGAL INTERVENTION	265		4	8	74	127	46	6
8980-8999	OTHER EXTERNAL CAUSES	27	1	3		6	7	8	2
	ALL OTHER CAUSES	415	11	6	6	30	97	129	136

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-099	ALL CAUSES	3,901	299	42	55	202	604	1,341	1,362
004,006	BACILLARY DYSENTERY AND AMEBIASIS	3915	311				1		
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	8	6				2		
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	37					9	16	12
013-019	TUBERCULOSIS, OTHER FORMS	8					2	4	2
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION								
038	SEPTICEMIA	12	3	1			1	3	4
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	1						1	
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	13	1			1	8		3
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	685		1	7	8	50	335	284
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	11	1				2	5	3
250	DIABETES MELLITUS	76					11	27	38
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	7	1					3	3
280-285	ANEMIAS	14		2	1	1	5	1	4
320	MENINGITIS	11	4	1	1	1	1	1	
390-398, 402, 404, 410-425	DISEASES OF HEART	1,120	1	2		11	103	440	563
400, 401, 403	HYPERTENSION	21					2	10	9
430-438	CEREBROVASCULAR DISEASE	272				3	29	90	150
440	ARTERIOSCLEROSIS	19						2	17
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	35			1		3	17	14
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	2			1			1	
470-474	INFLUENZA	1						1	
480-486	PNEUMONIA	155	22	4	1	4	19	45	60
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	5					1	2	2
492	EMPHYSEMA	35					1	13	21
493	ASTHMA	6		1	1		1	2	1
531-533	PEPTIC ULCER	16					2	9	5
540-543	APPENDICITIS	6					3	1	2
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	10	4				1	2	3
571	CIRRHOSIS OF LIVER	133	1			3	49	68	12
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	3						2	1
580-584	NEPHRITIS AND NEPHROSIS	31					4	18	9
590	INFECTIONS OF KIDNEY	9						2	7
600	HYPERPLASIA OF PROSTATE	4						1	3
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM								
740-759	CONGENITAL ANOMALIES	45	33	4	1	1	2	2	2
760-769, 770, 771, 772, 773, 774, 775, 776, 778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	190	190						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	50	29	1			2	3	6
E810-E823, E840	MOTOR VEHICLE ACCIDENTS	135		11	10	26	51	39	5
E880-E887, E893	ACCIDENTAL FALLS	40	3	1	2		14	13	7
E900-E907, E910-E917, E940-E949	ALL OTHER ACCIDENTS	193	2	6	20	56	54	37	18
E950-E959	SUICIDE	32			3	12	9	5	3
E960-E978	HOMICIDE AND LEGAL INTERVENTION	204		2	3	54	100	39	6
E980-E999	OTHER EXTERNAL CAUSES	18		2		5	5	5	1
	ALL OTHER CAUSES	541	8	3	3	14	56	75	82

TABLE 16

1973 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

NONWHITE, FEMALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-0999	ALL CAUSES	2,107	237	45	31	88	375	881	1,450
004,006	BACILLARY DYSENTERY AND AMEBIASIS	316	246						
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	6	2	1					3
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	11						5	4
013-019	TUBERCULOSIS, OTHER FORMS	3						2	1
033	WHOOPING COUGH								1
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	1			1				
038	SEPTICEMIA	16	5			1	1	4	5
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	1							1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	16	4			3	1	6	2
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	548		3	3	2	62	252	226
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	14	1			1	4	6	2
250	DIABETES MELLITUS	116							
260-269	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCY	3						36	71
280-285	ANEMIAS	8	1	1					2
320	MENINGITIS	10	2			1	1	3	1
390-398, 402, 404, 410-429	DISEASES OF HEART	1,054	1		2	6	62	291	692
400, 401, 403	HYPERTENSION	19							
430-438	CEREBROVASCULAR DISEASE	354	1	1		1	3	4	11
440	ARTERIOSCLEROSIS	26					42	79	230
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	22					2	9	11
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	2		1					1
470-474	INFLUENZA	4							
480-486	PNEUMONIA	95	26	4	1	6	11	14	33
490, 491	CHRONIC AND UNQUALIFIED BRONCHITIS	1							
492	EMPHYSEMA	2							1
493	ASTHMA	9					4	2	3
531-533	PEPTIC ULCER	11						7	4
540-543	APPENDICITIS	1						1	
550-553, 560	HERNIA AND INTESTINAL OBSTRUCTION	9	2	1				4	2
571	CIRRHOSIS OF LIVER	92				1	46	40	5
574, 575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	4					1		3
580-584	NEPHRITIS AND NEPHROSIS	28			1		3	13	11
590	INFECTIONS OF KIDNEY	11						3	8
600	HYPERPLASIA OF PROSTATE								
630-670	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6				3	3		
740-759	CONGENITAL ANOMALIES	29	19	5	2	1	1	1	
760-769, 770, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	140	140						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	45	22	2		1	7	9	11
810-823, 840	MOTOR VEHICLE ACCIDENTS	51		7	4	10	16	9	5
880-887, 893	ACCIDENTAL FALLS	25	6	2			2	5	10
890-897, 898-899, 890-894	ALL OTHER ACCIDENTS	21	7	11	9	11	15	8	10
8930-8939	SUICIDE	5				1	1	3	
8960-8970	HOMICIDE AND LEGAL INTERVENTION	61		2	5	20	27	7	
8980-8999	OTHER EXTERNAL CAUSES	9	1	1		1	2	3	1
	ALL OTHER CAUSES	177	6	3	3	16	41	54	54

TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1973

ALL AGES

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATE PER 100,000 EST. POP.
	TOTAL DEATHS	68,631 68,605	931.0 927.6
1.	Diseases of heart (390-398,402,404,410-429)	29,167	395.7 394.3
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	14,077	191.0 190.3
3.	Cerebrovascular disease (430-438)	6,499	87.9 88.2
4.	Accidents (E800-E949)	2,994	40.6
5.	Influenza and pneumonia (470-474,480-486)	1,898	25.7
6.	Diabetes mellitus (250)	1,535	20.8
7.	Cirrhosis of liver (571)	1,400	18.9 19.0
8.	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	957 935	13.0 12.6
9.	Bronchitis, emphysema and asthma (490-493)	844	11.4
10.	Arteriosclerosis (440)	795	10.8
11.	Suicide (E950-E959)	609	8.2
12.	Homicide and Legal Intervention (E960-E978)	523	7.1
	All other causes	7,329 7,253	99.5

1 - 4 YEARS

	TOTAL DEATHS	314	64.2
1.	Accidents (E800-E949)	115	23.5
2.	Congenital anomalies (740-759)	51	10.4
3.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	31	6.4
4.	Influenza and pneumonia (470-474,480-486)	27	5.5
	All other causes	90	18.4

5 - 14 YEARS

	TOTAL DEATHS	455	31.4
1.	Accidents (E800-E949)	215	14.9
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	80	5.5
3.	Congenital anomalies (740-759)	33	2.3
4.	Influenza and pneumonia (470-474,480-486)	16	1.1
5.	Homicide and Legal Intervention (E960-E978)	15	1.0
6.	Cerebrovascular disease (430-438)	5	0.3
	All other causes	91	6.3

TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1973 (Continued)

15 - 24 YEARS

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATE PER 100,000 EST. POP.
	TOTAL	1,296	112.0
1.	Accidents (E800-E949)	676	58.4
2.	Homicide and Legal Intervention (E960-E978)	147	12.7
3.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	96	8.3
4.	Suicide (E950-E959)	81	7.0
5.	Diseases of heart (390-398,402,404,410-429)	35	3.0
6.	Influenza and pneumonia (470-474,480-486)	26	2.3
	All other causes	235	20.3

25 - 44 YEARS

	TOTAL DEATHS	3,464	192.3
1.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	678	37.6
2.	Diseases of heart (390-398,402,404,410-429)	625	34.7
3.	Accidents (E800-E949)	609	33.8
4.	Cirrhosis of liver (571)	239	13.3
5.	Homicide and Legal Intervention (E960-E978)	216	12.0
6.	Suicide (E950-E959)	178	9.9
7.	Cerebrovascular disease (430-438)	175	9.7
8.	Influenza and pneumonia (470-474,480-486)	83	4.6
9.	Diabetes mellitus (250)	53	2.9
	All other causes	608	33.8

45 - 64 YEARS

	TOTAL DEATHS	17,413	1046.8
1.	Disease of heart (390-398,402,404,410-429)	6,755	406.1
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	5,301	318.7
3.	Cerebrovascular disease (430-438)	946	56.9
4.	Cirrhosis of liver (571)	825	49.6
5.	Accidents (E800-E949)	563	33.8
6.	Diabetes mellitus (250)	353	21.2
7.	Influenza and pneumonia (470-474,480-486)	330	19.8
8.	Bronchitis, emphysema and asthma (490-493)	224	13.5
9.	Suicides (E950-E959)	207	12.4
	All other causes	1,909	114.8

**TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1973 (Continued)**

65 YEARS AND OVER

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATES PER 100,000 EST. POP.
	TOTAL DEATHS	44,045	6128.7
1.	Diseases of heart (390-398,402,404,410-429)	21,727	3023.2
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	7,890	1097.9
3.	Cerebrovascular disease (430-438)	5,348	744.1
4.	Influenza and pneumonia (470-474,480-486)	1,301	181.0
5.	Diabetes mellitus (250)	1,121	156.0
6.	Accidents (E800-E949)	773	107.6
7.	Arteriosclerosis (440)	758	105.5
8.	Bronchitis, emphysema and asthma (490-493)	597	83.1
9.	Cirrhosis of liver (571)	328	45.6
	All other causes	4,202	584.7

541 D.Y

TABLE 18: MOTOR VEHICLE DEATHS IN NEW JERSEY BY CAUSE GROUP, BY AGE: 1973

PRIMARY CAUSE	ALL AGES	AGE GROUPS						
		Under 1	1-4	5-14	15-24	25-44	45-64	65 & over
TOTAL	1,356	8	30	107	416	340	270	185
Collision with:								
Railway train	3					1	1	1
Pedestrian	329		17	60	43	52	77	80
Pedal cyclist	34			18	10	1	3	2
Other motor vehicle	531	4	9	19	153	158	111	77
Horse or horse-drawn vehicle								
Fixed object	148	2		2	59	51	25	9
Non-collision	290	2	4	5	145	73	48	13
Other and unspecified	16			2	6	4	2	2
Late effects	5			1			3	1

TABLE 19: ACCIDENTAL RESIDENT DEATHS BY CAUSE GROUP, BY AGE, NUMBERS AND AGE-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 19: ACCIDENTAL RESIDENT DEATHS BY CAUSE GROUP, BY AGE, NUMBERS AND AGE-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

Accident Group	Total All Ages		AGE GROUP													
	Number	Rate	Under 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65+	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
State Total	2,994	40.5	43	36.2	115	23.5	215	14.9	676	58.4	609	33.8	563	33.8	773	107.6
Railway Accidents (E800-E807)	23	0.3														
Motor Vehicle Traffic Accidents (E810-E819, E940)	1,300	17.6	9	7.6	33	6.7	100	6.9	405	35.0	322	17.9	244	14.7	187	26.0
Motor Vehicle Non-Traffic Accidents (E820-E823)	31	0.4														
Other Road Vehicle Accidents (E825-E827)	12	0.2														
Water Transport Accidents (E830-E838)	31	0.4														
Air and Space Transport Accidents (E840-E845)	24	0.3														
Poisonings - Drugs and Medicaments (E850-E859)	154	2.1														
Poisonings - Other Solids and Liquids (E860-E869)	32	0.4														
Poisonings - Gases and Vapors (E870-E877)	27	0.4														
Falls - (E880-E887, E943)	594	8.0	9	7.6	9	1.8	7	0.5	11	1.0	42	2.3	92	5.5	424	59.0
Fires and Flames (E890-E899)	211	2.9	5	4.2	27	5.5	25	1.7	12	1.0	24	1.3	61	3.7	57	7.9
Accidents Due to Natural and Environmental Factors (E900-E909)	28	0.4														
Other Accidents (E910-E939, E946)	527	7.1	20	16.8	38	7.8	63	4.4	108	9.3	111	6.2	101	6.1	86	12.0

Note: Addition of individual cause group rates may not add to total rates due to rounding.

Stat-043

TABLE 20: RESIDENT DEATHS DUE TO DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 20: RESIDENT DEATHS DUE TO DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

AGE AND SEX	TOTAL (390-458)		Active Rheumatic Fever (390-392)		Chronic Rheumatic Heart (393-398)		Hypertensive Disease (400-404)		Ischemic Heart (410-414)		Other Diseases of Heart (420-429)		Cerebrovascular Disease (430-438)		Other Diseases of Arteries, etc. (440-448)		Diseases of Veins & Lymphatics & Other Dis. of Circulatory System (450-458)		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
ALL AGES	38,103	515.2	5	0.1	603	8.2	544	7.4	27,280	368.8	952	12.9	6,499	87.9	1,666	22.5	554	7.5	
Under 1	95	80.0					1	0.8	53	44.6	7	5.9	21	17.7	11	9.3	2	1.7	
1 - 4	6	1.2							1	0.2	3	0.6	2	0.4					
5 - 9	7	1.0							1	0.1	3	0.4	1	0.1					
10 - 14	12	1.6	1	0.1	2	0.3													
15 - 19	25	4.0			5	0.8			2	0.3	4	0.5	4	0.5	1	0.1			
20 - 24	34	6.5			7	1.3			4	0.8	10	1.6	6	1.0			2	0.3	
25 - 29	51	10.7			6	1.3			13	2.7	7	1.3	14	2.7	1	0.2			
30 - 34	96	23.0			11	2.6			24	5.8	7	1.5	15	3.1	2	0.4	5	1.0	
35 - 39	218	51.1	1	0.2	6	1.4			24	5.8	7	1.7	40	9.6	4	1.0	5	1.2	
40 - 44	500	104.2			26	5.4			125	29.3	18	4.2	72	15.0	3	0.7	9	2.1	
45 - 49	963	195.2	1	0.2	48	9.7			338	70.4	28	5.8	110	22.3	12	2.5	14	2.9	
50 - 54	1,543	340.5			63	13.9			694	140.7	37	7.5	191	42.2	28	5.7	24	4.9	
55 - 59	2,363	601.2			82	20.9			1,170	258.2	39	8.6	268	68.2	37	8.2	24	5.3	
60 - 64	3,255	1004.5	1	0.3	90	27.8			1,806	459.5	69	17.6	377	116.3	64	16.3	41	10.4	
65 - 69	4,258	1679.0			98	38.6			2,513	775.5	79	24.4	602	237.4	113	34.9	49	15.1	
70 - 74	5,234	2613.3			68	34.0			3,190	1257.9	105	41.4	843	420.9	152	59.9	67	26.4	
75 & over	19,443	7343.0	1	0.4	89	33.6			3,847	1920.8	105	52.4	843	420.9	233	116.3	85	42.4	
									13,499	5098.2	424	160.1	3,885	1467.2	1,005	379.6	227	85.7	
Sex																			
Male	19,811	553.8	1	*	259	7.2	243	6.8	14,860	415.4	492	13.8	2,840	79.4	854	23.9	262	7.3	
Female	18,292	479.0	4	0.1	344	9.0	301	7.9	12,420	325.2	460	12.0	3,659	95.8	812	21.3	292	7.6	

Note: Addition of individual cause group rates may not add to total rates due to rounding.
*Under 0.1.

504-1034

TABLE 21: RESIDENT DEATHS DUE TO NEOPLASMS BY CAUSE GROUP, BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 21: RESIDENT DEATHS DUE TO NEOPLASMS BY CAUSE GROUP, BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

AGE AND SEX	ALL NEOPLASMS (140-239)		M A L I G N A N T												BENIGN OR UNSPECIFIED (210-239)						
	Number	Rate	TOTAL (140-209)	Buccal Cavity and Pharynx (140-149)		Digestive and Peritoneum (150-159)		Respiratory (160-163)		Bone, Connective Tissue, Skin & Breast (170-174)		Genito-Urinary Organs (180-189)		Other and Unspecified (190-199)		Lymphatic and Hema. Tissue (200-209)		Number	Rate		
				Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate				
ALL AGES	14,245	192.6	14,077	190.3	363	4.9	4,261	57.6	3,110	42.0	1,797	24.3	2,279	30.8	1,093	14.8	1,174	15.9	168	2.3	
Under 1	9	7.6	5	4.2			1	0.8	1	0.8	1	0.8	1	0.8	1	0.8			4	3.4	
1 - 4	33	6.7	31	6.3			1	0.2	1	0.2	1	0.2	1	0.2	1	0.2	13	2.7	4	3.4	
5 - 9	50	7.0	50	7.0			1	0.1			3	0.4	1	0.1	15	2.1	30	4.2	2	0.4	
10 - 14	33	4.5	30	4.1					1	0.1	2	0.3	1	0.1	8	1.1	18	2.5	3	0.4	
15 - 19	44	7.0	42	6.7	2	0.3	1	0.2	2	0.3	4	0.6	2	0.3	10	1.6	21	3.3	2	0.3	
20 - 24	56	10.6	54	10.3			8	1.7	4	0.8	6	1.1	9	1.7	5	1.0	31	5.9	2	0.4	
25 - 29	78	16.3	74	15.5	3	0.6	13	3.1	8	1.9	6	1.3	10	2.1	11	2.3	32	6.7	4	0.8	
30 - 34	99	23.8	91	21.8	3	0.7	30	7.0	28	6.6	45	10.5	13	3.1	10	2.4	22	5.3	8	1.9	
35 - 39	171	40.0	169	39.6	4	0.9	69	14.4	76	15.8	89	18.5	19	4.4	16	3.7	27	6.3	2	0.5	
40 - 44	350	72.9	344	71.7	7	1.5	133	31.1	28	6.6	45	10.5	43	9.0	28	5.8	32	6.7	6	1.2	
45 - 49	746	151.2	736	149.2	14	2.8	166	33.6	76	15.8	89	18.5	43	9.0	28	5.8	32	6.7	6	1.2	
50 - 54	1,140	251.6	1,127	248.7	44	9.7	279	61.6	268	59.1	162	32.8	92	18.6	55	11.1	62	12.6	10	2.0	
55 - 59	1,540	391.8	1,526	388.3	58	14.8	393	100.0	431	109.7	213	47.0	149	32.9	84	18.5	90	19.9	13	2.9	
60 - 64	1,934	596.8	1,912	590.1	55	17.0	554	171.0	504	155.5	243	61.8	171	43.5	127	32.3	103	26.2	14	3.6	
65 - 69	2,025	798.5	2,011	793.0	53	20.9	586	231.1	556	219.2	242	74.7	273	84.4	145	44.7	139	42.9	22	6.8	
70 - 74	1,992	994.6	1,971	984.1	55	27.5	682	340.5	470	234.7	171	85.4	314	123.8	142	56.0	146	57.6	14	5.5	
75+	3,945	1489.9	3,904	1474.4	65	24.5	1,476	557.4	575	217.2	373	140.9	842	318.0	289	109.1	284	107.3	21	10.5	
Sex																					
Male	7,566	211.5	7,484	209.2	265	7.4	2,230	62.3	2,433	68.0	194	5.4	1,137	31.8	563	15.7	662	18.5	82	2.3	
Female	6,679	174.9	6,593	172.6	98	2.6	2,031	53.2	677	17.7	1,603	42.0	1,142	29.9	530	13.9	512	13.4	86	2.3	

Note: Addition of individual cause group rates may not add to total rates due to rounding.

Stat. 09

TABLE 22: SERUM AND INFECTIOUS HEPATITIS RESIDENT CASES BY AGE, BY SEX, NUMBERS, AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 22: SERUM AND INFECTIOUS HEPATITIS RESIDENT CASES BY AGE, BY SEX, NUMBERS, AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

AGE GROUP	SERUM HEPATITIS			INFECTIOUS HEPATITIS								
	TOTAL		MALE	TOTAL		MALE	FEMALE					
	Number	Rate	Number	Rate	Number	Rate	Number	Rate				
ALL AGES	503	6.8	324	9.1	179	4.7	1,179	15.9	649	18.1	530	13.9
Under 5							17	2.8	9	2.9	8	2.7
5 - 9							56	7.8	29	7.9	27	7.7
10 - 14	4	0.5	4	1.1			87	11.9	35	9.4	52	14.5
15 - 19	96	15.2	58	18.1	38	12.2	285	45.2	128	40.0	157	50.5
20 - 24	207	39.4	157	62.8	50	18.1	287	54.6	180	72.1	107	38.7
25 - 29	75	15.7	42	18.4	33	13.2	131	27.4	78	34.1	53	21.2
30 - 39	48	5.7	26	6.4	22	5.0	147	17.4	93	22.8	54	12.4
40 - 49	27	2.8	14	3.0	13	2.6	76	7.8	47	10.0	29	5.8
50 - 59	27	3.2	12	3.0	15	3.4	50	5.9	23	5.7	27	6.1
60 and over	19	1.8	11	2.5	8	1.3	43	4.1	27	6.0	16	2.7

OK

Stat-1094

TABLE 23: RESIDENT CASES OF SYPHILIS BY STAGE, AND GONORRHEA (Including Military), BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES AND SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 23: RESIDENT CASES OF SYPHILIS BY STAGE, AND GONORRHEA (Including Military), BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES AND SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

SEX AND AGE	SYPHILIS CASES														GONORRHEA		OTHER VENEREAL DISEASES	
	TOTAL		PRIMARY AND SECONDARY		EARLY LATENT		LATE AND LATE LATENT		CONGENITAL		GONORRHEA		OTHER VENEREAL DISEASES					
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate				
TOTAL	2,932	39.6	1,026	13.9	687	9.3	1,187	16.0	32	0.4	17,181	232.3	15	0.2				
Under 5	9	1.5					2	0.3	7	1.2	20	3.3						
5 - 9																		
10 - 14	19	2.6	12	1.6	5	0.7	1	0.1	1	0.1	192	26.2						
15 - 19	339	53.7	157	24.9	132	20.9	46	7.3	4	0.6	4,712	746.6	3	0.5				
20 - 24	639	121.5	303	57.6	209	39.7	124	23.6	3	0.6	6,128	1165.1	7	1.3				
25 - 44	1,282	71.2	489	27.1	312	17.3	471	26.1	10	0.6	4,759	264.1	4	0.2				
45 - 64	441	26.5	64	3.8	28	1.7	342	20.6	7	0.4	239	14.4						
65 and over	134	18.6	1	0.1			133	18.5			16	2.2						
Unstated	69				1		68				1,088		1					
Male	1,652	46.2	643	18.0	367	10.3	631	17.6	11	0.3	10,815	302.3	13	0.4				
Female	1,280	33.5	383	10.0	320	8.4	556	14.6	21	0.5	6,366	166.7	2	0.1				

Stat-D 84

TABLE 24: RESIDENT TUBERCULOSIS MORBIDITY AND MORTALITY BY AGE, BY SEX, NUMBERS AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

TABLE 24: RESIDENT TUBERCULOSIS MORBIDITY AND MORTALITY BY AGE, BY SEX, NUMBERS AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1973

AGE GROUP	CASES						DEATHS					
	Total		Male		Female		Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
ALL AGES	1,531	20.7	983	27.5	548	14.4	184	2.5	124	3.5	60	1.6
Under 1	3	2.5			3	5.1						
1 - 4	46	9.4	26	10.4	20	8.3						
5 - 14	57	3.9	33	4.5	24	3.4	1	0.1	1	0.1		
15 - 24	121	10.5	49	8.6	72	12.3	1	0.1			1	0.2
25 - 44	493	27.4	301	34.6	192	20.6	28	1.6	16	1.8	12	1.3
45 - 64	520	31.3	380	47.7	140	16.1	69	4.1	50	6.3	19	2.2
65 and over	244	34.0	167	56.7	77	18.1	85	11.8	57	19.4	28	6.6
Age Unknown	47		27		20							

Stat- D 88

TABLE 25: RESIDENT BIRTHS, MARRIAGES (by Occurrence) AND RESIDENT DEATHS, NUMBERS AND RATES PER 1,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES; 1973

PLACE OF RESIDENCE	BIRTHS		MARRIAGES		DEATHS	
	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	94,024	12.7	59,723	8.1	68,631 68,605	9.3
ATLANTIC COUNTY	2,722	15.1	1,561	8.6	2,760	15.3
Atlantic City	744	16.5	358	7.9	1,096	24.3
BERGEN COUNTY	7,993	8.8	6,723	7.4	7,564	8.3
BURLINGTON COUNTY	4,357	13.4	2,319	7.1	2,216	6.8
CAMDEN COUNTY	6,836	14.3	3,873	8.1	4,364	9.1
Camden City	2,230	21.2	935	8.9	1,247	11.8
Cherry Hill Township	542	8.0	489	7.3	402	6.0
CAPE MAY COUNTY	770	12.0	637	9.9	1,046	16.3
CUMBERLAND COUNTY	2,099	16.3	1,057	8.2	1,338	10.4
Vineland City	804	15.9	377	7.4	492	9.7
ESSEX COUNTY	13,035	13.8	8,246	8.7	9,885	10.6
Bloomfield	537	10.2	358	6.8	600	11.4
East Orange	1,135	14.9	606	8.0	913	12.0
Irvington	630	10.6	472	8.0	851	14.4
Newark	7,364	18.9	3,372	8.6	849	14.34
GLOUCESTER COUNTY	2,457	13.5	1,523	8.4	3,915	10.2
HUDSON COUNTY	8,165	13.3	5,509	9.0	1,454	8.0
Bayonne	772	10.5	565	7.7	7,008	11.4
Hoboken	785	16.9	482	10.4	869	11.8
Jersey City	4,112	15.7	2,249	8.6	459	9.9
North Bergen Township	508	10.3	256	5.2	3,061	11.7
Union City	664	11.5	796	13.8	569	11.6
HUNTERDON COUNTY	895	12.1	563	7.6	624	10.8
MERCER COUNTY	4,196	13.3	2,480	7.9	596	8.0
Hamilton Township	952	11.5	561	6.8	2,916	9.3
Trenton	1,848	17.4	905	8.5	687	8.3
MIDDLESEX COUNTY	7,123	11.8	4,509	7.5	1,318	12.4
Edison Township	834	12.1	428	6.2	4,109	6.8
Madison Township	782	15.4	302	6.0	404	5.9
Woodbridge Township	817	8.1	641	6.3	217	4.3
MONMOUTH COUNTY	6,150	12.8	3,649	7.6	645	6.4
Middletown Township	654	11.5	385	6.8	4,396	9.2
MORRIS COUNTY	4,933	12.3	2,695	6.7	392	6.9
Parsippany-Troy Hills	816	14.2	220	3.8	2,652	6.6
OCEAN COUNTY	3,836	15.8	1,865	7.7	219	3.8
PASSAIC COUNTY	6,717	14.3	4,311	9.2	3,077	12.7
Clifton	713	8.6	605	7.3	4,470	9.5
Passaic City	921	16.5	743	13.3	852	10.3
Paterson	3,025	20.5	1,358	9.2	660	11.8
Wayne Township	435	8.7	389	7.7	1,585	10.7
SALEM COUNTY	888	14.0	561	8.8	290	5.8
SOMERSET COUNTY	2,064	10.1	1,436	7.0	641	10.1
SUSSEX COUNTY	1,427	16.9	599	7.1	1,458	7.1
UNION COUNTY	5,814	10.6	4,450	8.1	723	8.6
Elizabeth	1,658	14.5	1,205	10.5	5,078	9.2
Plainfield	780	16.2	452	9.4	1,282	11.2
Union Township	349	6.6	352	6.6	474	9.8
WARREN COUNTY	975	12.6	679	8.8	529	10.0
STATE INSTITUTIONS	31				809	10.5
MILITARY POSTS	541		478		16	
					29	

Note: Rates for State Institutions and Military Posts are not computed due to lack of population base.

TABLE 26: RESIDENT BIRTHS BY SEX, BY RACE, COUNTIES AND SELECTED PLACES: 1973

TABLE 26: RESIDENT BIRTHS BY SEX, BY RACE, COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	BOTH SEXES			MALE			FEMALE					
	TOTAL	White	Non-White	Total	White	Non-White	Total	White	Non-White			
		Unk.	White		Unk.	White		Unk.	White	Unk.		
STATE TOTAL	94,024	74,108	19,190	726	48,205	38,120	9,711	374	45,819	35,988	9,479	352
ATLANTIC COUNTY	2,742	1,938	766	18	1,388	994	384	10	1,334	944	382	8
Atlantic City	7,744	2,239	503	2	371	122	247	2	373	117	256	
BERGEN COUNTY	7,993	7,470	497	26	4,086	3,825	249	12	3,907	3,645	248	14
BURLINGTON COUNTY	4,357	3,780	555	22	2,240	1,951	274	15	2,117	1,829	281	7
CAMDEN COUNTY	6,836	5,424	1,386	26	3,568	2,851	701	16	3,268	2,573	685	10
Camden City	2,230	1,067	1,149	14	1,127	550	569	8	1,103	517	580	6
Cherry Hill Township	542	525	16	1	294	282	12		248	243	4	1
CAPE MAY COUNTY	770	659	104	7	407	346	57	4	363	313	47	3
CUMBERLAND COUNTY	2,099	1,555	518	26	1,076	807	259	10	1,023	748	259	16
Vineland City	804	656	140	8	341	341	75	3	385	315	65	5
ESSEX COUNTY	13,035	6,467	6,448	120	6,655	3,350	3,237	68	6,380	3,117	3,211	52
Bloomfield	537	519	16	2	268	259	8	1	269	260	8	1
East Orange	1,135	199	933	3	584	109	472	3	551	90	461	2
Irvington	630	457	168	5	332	250	79	3	298	207	89	2
Newark	7,364	2,426	4,837	101	3,728	1,247	2,427	54	3,636	1,179	2,410	47
GLoucester County	2,457	2,161	286	10	1,323	1,172	147	4	1,134	989	139	6
HUDSON COUNTY	8,165	6,090	1,854	221	4,159	3,093	933	113	4,006	2,997	901	108
Bayonne	772	714	50	8	363	338	19	6	409	376	31	2
Hoboken	785	675	75	35	418	361	43	14	367	314	32	21
Jersey City	4,112	2,289	1,674	149	2,126	1,184	867	75	1,986	1,105	807	74
North Bergen Township	508	489	10	9	276	264	5	7	232	225	5	2
Union City	664	628	26	10	327	310	11	6	337	318	15	4
HUNTERDON COUNTY	895	879	14	2	423	415	7	1	472	464	7	1
MERCER COUNTY	4,196	2,877	1,268	51	2,171	1,480	673	18	2,025	1,397	595	33
Hamilton Township	952	880	58	14	490	451	33	6	462	429	25	8
Trenton	1,848	758	1,060	30	974	405	560	9	874	353	500	21
MIDDLESEX COUNTY	7,123	6,348	752	23	3,666	3,281	374	11	3,457	3,067	378	12
Edison Township	834	782	48	4	438	413	23	2	396	369	25	2
Madison Township	782	747	30	5	394	374	18	2	388	373	12	3
Woodbridge Township	817	780	36	1	405	390	15	1	412	390	21	1
MONMOUTH COUNTY	6,150	5,237	868	45	3,157	2,700	433	24	2,993	2,537	435	21
Middletown Township	654	643	8	3	352	346	3	3	302	297	5	
MORRIS COUNTY	4,933	4,713	206	14	2,554	2,442	104	8	2,379	2,271	102	6
Parsippany-Troy Hills	816	782	32	2	418	404	13	1	398	378	19	1
OCEAN COUNTY	3,836	3,558	252	26	1,961	1,810	135	16	1,875	1,748	117	10
PASSAIC COUNTY	6,717	5,184	1,499	34	3,364	2,607	740	17	3,353	2,577	759	17
Clifton	713	690	21	2	349	339	10		364	351	11	2
Passaic City	921	666	252	3	468	336	129	3	453	330	123	2
Paterson	3,025	1,812	1,192	21	1,488	899	578	11	1,537	913	614	10
Wayne Township	435	424	10	1	234	226	7	1	201	198	3	
SALEM COUNTY	888	693	189	6	432	334	96	2	456	359	93	4
SOMERSET COUNTY	2,064	1,916	141	7	1,050	972	74	4	1,014	944	67	3
SUSSEX COUNTY	1,427	1,406	9	12	711	699	6	6	716	707	3	6
UNION COUNTY	5,814	4,395	1,395	24	3,041	2,315	713	13	2,773	2,080	682	11
Elizabeth	1,658	1,164	483	11	917	650	260	7	741	514	223	4
Plainfield	780	323	454	3	391	164	226	1	389	159	228	2
Union Township	349	298	50	1	174	149	24	1	175	149	26	4
WARREN COUNTY	975	957	13	5	476	470	5	1	499	487	8	4
STATE INSTITUTIONS	31	13	17	1	17	7	9	1	14	6	8	
MILITARY POSTS	541	388	153	1	280	199	81		261	189	72	

Stat-D-5

TABLE 27: RESIDENT BIRTHS BY LEGITIMACY, BY RACE
COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL	LEGITIMATE			ILLEGITIMATE		
		White	Nonwhite	Unknown	White	Nonwhite	Unknown
STATE TOTAL	94,024 ⁽¹⁾	70,488	9,966	39	3,616	9,224	686
ATLANTIC COUNTY	2,722	1,760	309		178	457	18
Atlantic City	744	157	162		82	341	2
BERGEN COUNTY	7,993	7,340	367	3	130	130	23
BURLINGTON COUNTY	4,357	3,645	357	4	135	198	18
CAMDEN COUNTY	6,836	5,002	585	1	422	801	25
Camden City	2,230	815	420		252	729	14
Cherry Hill Township	542	515	12		10	4	1
CAPE MAY COUNTY	770	624	58	1	35	46	6
CUMBERLAND COUNTY	2,099	1,383	267		172	251	26
Vineland City	804	587	84		69	56	8
ESSEX COUNTY	13,035	6,000	3,100	6	467	3,348	114
Bloomfield	525	508	16	1	11		1
East Orange	1,135	188	583		11	350	3
Irvington	630	430	113	1	27	55	4
Newark	7,364	2,059	2,043	1	367	2,794	100
GLOUCESTER COUNTY	2,457	2,063	158	1	98	128	9
HUDSON COUNTY	8,165	5,714	1,102	2	375	752	219
Bayonne	772	705	27		9	23	8
Hoboken	785	612	62		63	13	35
Jersey City	4,112	2,093	959	2	196	715	147
North Bergen Township	508	470	10		19		9
Union City	664	584	25		43	1	10
HUNTERDON COUNTY	895	854	12		25	2	2
MERCER COUNTY	4,196	2,678	582	4	199	686	47
Hamilton Township	952	810	34		70	24	14
Trenton	1,848	649	436		109	624	30
MIDDLESEX COUNTY	7,123	6,124	468	1	224	284	22
Edison Township	834	766	31		16	17	4
Madison Township	782	732	28		15	2	5
Woodbridge Township	817	754	29		26	7	1
MONMOUTH COUNTY	6,150	5,041	468	2	196	400	43
Middletown Township	654	615	7		28	1	3
MORRIS COUNTY	4,933	4,610	161	2	103	45	12
Parsippany-Troy Hills	816	776	30		6	2	2
OCEAN COUNTY	3,836	3,408	134	3	149	118	22
PASSAIC COUNTY	6,717	4,831	652	1	353	847	33
Clifton	713	679	19		11	2	2
Passaic City	921	588	128		78	124	3
Paterson	3,025	1,583	482	1	229	710	20
Wayne Township	435	416	10		8		1
SALEM COUNTY	888	638	79	4	55	110	2
SOMERSET COUNTY	2,064	1,859	92		57	49	7
SUSSEX COUNTY	1,427	1,350	8	1	54	1	11
UNION COUNTY	5,814	4,264	846	1	131	549	23
Elizabeth	1,658	1,090	263		74	220	11
Plainfield	780	311	254		12	200	3
Union Township	349	296	31		2	19	1
WARREN COUNTY	975	911	11	2	46	2	3
STATE INSTITUTIONS	31	6	8		7	9	1
MILITARY POSTS	541	383	142		5	11	

Note: (1) Includes 5 births, legitimacy unknown.

TABLE 28: RESIDENT BIRTHS BY MATURITY
COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL	2500 Grams or Less	2501 Grams or More	Weight Unknown
STATE TOTAL	94,024	7,362	86,530	132
ATLANTIC COUNTY	2,722	243	2,478	1
Atlantic City	744	99	644	1
BERGEN COUNTY	7,993	441	7,533	19
BURLINGTON COUNTY	4,357	344	4,005	8
CAMDEN COUNTY	6,836	591	6,235	10
Camden City	2,230	297	1,931	2
Cherry Hill Township	542	39	503	
CAPE MAY COUNTY	770	60	709	1
CUMBERLAND COUNTY	2,099	193	1,904	2
Vineland City	804	73	730	1
ESSEX COUNTY	13,035	1,435	11,587	13
Bloomfield	537	35	501	1
East Orange	1,135	141	993	1
Irvington	630	53	576	1
Newark	7,364	944	6,412	8
GLOUCESTER COUNTY	2,457	176	2,274	7
HUDSON COUNTY	8,165	669	7,489	7
Bayonne	772	52	720	
Hoboken	785	56	729	
Jersey City	4,112	411	3,697	4
North Bergen Township	508	30	478	
Union City	664	39	623	2
HUNTERDON COUNTY	895	54	839	2
MERCER COUNTY	4,196	369	3,822	5
Hamilton Township	952	71	880	1
Trenton	1,848	234	1,612	2
MIDDLESEX COUNTY	7,123	453	6,662	8
Edison Township	834	45	788	1
Madison Township	782	45	737	
Woodbridge Township	817	45	771	1
MONMOUTH COUNTY	6,150	404	5,743	3
Middletown Township	654	41	613	
MORRIS COUNTY	4,933	289	4,636	8
Parsippany-Troy Hills	816	44	772	
OCEAN COUNTY	3,836	233	3,596	7
PASSAIC COUNTY	6,717	563	6,147	7
Clifton	713	49	664	
Passaic City	921	74	844	3
Paterson	3,025	319	2,703	3
Wayne Township	435	23	412	
SALEM COUNTY	888	73	809	6
SOMERSET COUNTY	2,064	149	1,915	
SUSSEX COUNTY	1,427	112	1,313	2
UNION COUNTY	5,814	417	5,384	13
Elizabeth	1,658	139	1,516	3
Plainfield	780	65	713	2
Union Township	349	24	324	1
WARREN COUNTY	975	65	910	
STATE INSTITUTIONS	31	2	29	
MILITARY POSTS	541	27	511	3

TABLE 29: RESIDENT BIRTHS IN 1973 BY MONTH OF PREGNANCY PRENATAL CARE BEGAN
COUNTIES AND SELECTED PLACES: 1973

TABLE 29: RESIDENT BIRTHS IN 1973 BY MONTH OF PREGNANCY PRENATAL CARE BEGAN
COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL VISITS	NO. PRENATAL CARE	MONTH OF PREGNANCY PRENATAL CARE BEGAN												PRENATAL HISTORY UNKNOWN
			1	2	3	4	5	6	7	8	9	UNKNOWN			
STATE TOTAL	827,535	1,420	6,048	29,144	24,674	9,820	5,957	3,992	2,721	1,552	582	707	7,407		
ATLANTIC CITY	21,803	31	144	664	735	389	278	177	107	65	19	9	104		
BERGEN COUNTY	81,219	16	40	165	154	96	87	63	48	36	9	1	29		
BURLINGTON COUNTY	36,973	32	606	3,186	2,535	673	288	168	112	68	18	46	261		
CAMDEN COUNTY	55,137	92	238	1,459	1,128	428	273	171	89	62	14	24	439		
Camden City	15,062	73	110	1,895	1,869	659	427	313	177	93	40	71	756		
Cherry Hill Township	3,628	1	37	375	541	336	262	201	121	59	29	31	92		
CAPE MAY COUNTY	7,306	10	4	113	23	23	8	15	2	1	1	2	171		
CUMBERLAND COUNTY	15,851	40	47	135	135	72	72	60	32	17	1	3	26		
Vineland City	6,330	13	11	370	761	318	227	107	95	37	9	40	48		
ESSEX COUNTY	95,213	477	644	2,598	3,237	1,393	794	675	515	308	173	63	17		
Bloomfield	5,480	1	28	170	219	72	15	3	3	1	1	2	2,158		
East Orange	8,663	48	81	248	280	151	98	69	48	31	7	4	70		
Irrington	5,357	6	43	173	170	64	24	21	16	6	2	3	102		
Newark	41,016	394	214	720	1,411	814	566	525	411	247	159	32	1,871		
GLOUCESTER COUNTY	19,657	29	112	709	882	281	142	105	61	37	7	75	217		
HUDSON COUNTY	74,342	304	443	2,184	1,940	974	808	589	436	273	99	35	80		
Bayonne	8,691	14	87	339	190	56	39	21	13	6	2	4	1		
Hoboken	7,295	26	17	197	166	115	91	73	60	22	16	1	2		
Jersey City	33,150	241	156	870	738	534	546	411	305	208	69	10	24		
North Bergen Township	5,063	2	38	221	147	37	19	14	16	4	1	4	5		
Union City	6,351	3	47	188	172	92	67	34	19	19	6	9	8		
HUNTERDON COUNTY	7,639	3	22	132	133	173	168	94	44	26	6	5	88		
MERCER COUNTY	39,699	33	247	1,364	1,067	499	297	174	128	74	20	55	238		
Hamilton Township	14,910	4	61	298	300	109	43	37	37	23	7	7	26		
Trenton	66,562	23	105	374	403	292	195	113	79	42	12	36	174		
Edison Township	8,321	2	397	2,712	1,648	696	427	225	142	84	40	23	691		
Madison Township	8,087	4	57	361	200	73	33	19	8	3	5	4	73		
Woodbridge Township	8,127	5	63	309	221	91	36	24	6	2	4	1	23		
MONMOUTH COUNTY	62,969	45	411	2,072	1,995	699	347	204	149	82	25	50	46		
Middletown Township	7,190	3	56	270	206	65	20	9	13	6	2	2	71		
MORRIS COUNTY	52,745	13	614	2,440	1,202	267	139	88	35	23	10	17	85		
Parsippany-Troy Hills	8,774	36	106	434	43	43	22	9	9	1	1	1	15		
OCEAN COUNTY	34,091	105	212	1,036	810	430	237	132	90	52	15	6	113		
PASSAIC COUNTY	57,411	2	573	2,037	1,538	810	557	390	313	140	49	75	110		
Clifton	7,055	83	83	284	221	57	21	13	15	2	3	5	7		
Passaic City	7,242	12	80	163	214	131	108	71	61	37	14	3	27		
Faterson	21,978	83	160	579	620	504	373	275	217	90	29	62	33		
Wayne Township	4,582	67	217	104	22	22	10	2	7	4	1	1	4		
SALEM COUNTY	7,854	13	54	233	236	125	57	46	28	11	5	39	41		
SOMERSET COUNTY	18,494	12	202	812	417	123	71	38	19	6	3	13	348		
SUSSEX COUNTY	12,774	12	88	569	381	119	60	53	21	14	5	14	91		
UNION COUNTY	47,829	50	490	1,644	1,477	452	192	130	91	55	15	36	1,182		
Elizabeth	14,550	32	83	344	636	238	94	67	59	36	9	9	51		
Plainfield	1,433	2	18	50	39	8	5	4	3	1	1	1	1		
Union Township	3,633	1	46	143	85	30	6	6	5	3	4	4	649		
WARREN COUNTY	7,644	9	34	210	267	83	60	6	20	12	5	5	20		
STATE INSTITUTIONS	221	1	1	2	2	6	3	4	3	5	1	3	241		
MILITARY POSTS	4,102	4	21	163	169	88	33	20	14	8	2	3	16		

**TABLE 30: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
COUNTIES AND SELECTED PLACES: 1973
ALL RACES**

PLACE OF RESIDENCE	INFANT DEATHS		FETAL DEATHS		NEONATAL DEATHS		PERINATAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	1,618 1,644	17.2 17.5	1,183* 1,204	12.6 12.8	1,223 1,249	13.0 13.3	2,263* 2,453	23.8 25.8
ATLANTIC COUNTY	54	19.8	38	14.0	40	14.7	73	26.4
Atlantic City	25	33.6	16	21.5	20	26.9	33	43.4
BERGEN COUNTY	102	12.8	89	11.1	74	9.3	152	18.8
BURLINGTON COUNTY	76	17.4	59	13.5	59	13.5	114	25.8
CAMDEN COUNTY	131	19.2	88	12.9	97	14.2	170	24.6
Camden City	72	32.3	43	19.3	50	22.4	87	38.3
Cherry Hill Township	12	22.1	4	7.4	9	16.6	10	18.3
CAPE MAY COUNTY	13	16.9	8	10.4	8	10.4	15	19.3
CUMBERLAND COUNTY	51	24.3	39	18.6	40	19.1	77	36.0
Vineland City	23	28.6	10	12.4	19	23.6	27	33.2
ESSEX COUNTY	278 304	23.3	189 163	14.0	211 237	18.2	250 420	26.5 31.0
Bloomfield	8	14.9	7	13.0	7	13.0	13	23.9
East Orange	30	26.4	13	11.5	28	24.7	39	34.0
Irvington	6	6.3	7	11.1	6	6.3	10	15.7
Newark	181 205	24.6 27.8	120 123	16.8	126 150	20.4	213 213	28.4 28.4
GLOUCESTER COUNTY	36	14.7	23	9.4	24	9.8	45	18.1
HUDSON COUNTY	157	19.2	137	16.8	128	15.7	251	30.2
Bayonne	18	23.3	8	10.4	16	20.7	23	29.5
Hoboken	14	17.8	6	7.6	13	16.6	18	22.8
Jersey City	96	23.3	87	21.2	76	18.5	152	36.2
North Bergen Township	5	9.8	11	21.7	5	9.8	16	30.8
Union City	11	16.6	8	12.0	9	13.6	17	25.3
HUNTERDON COUNTY	19	21.2	10	11.2	14	15.6	21	23.2
MERCER COUNTY	82	19.5	63	15.0	55	13.1	113	26.5
Hamilton Township	15	15.8	9	9.5	12	12.6	21	21.9
Trenton	50	27.1	40	21.6	29	15.7	66	35.0
MIDDLESEX COUNTY	103	14.5	78	11.0	85	11.9	155	21.5
Edison Township	8	9.6	4	4.8	8	9.6	11	13.1
Madison Township	8	10.2	5	6.4	7	9.0	12	15.2
Woodbridge Township	10	12.2	7	8.6	8	9.8	15	18.2
MONMOUTH COUNTY	78	12.7	53	8.6	54	8.8	99	16.0
Middletown Township	10	15.3	5	7.6	6	9.2	8	12.1
MORRIS COUNTY	58	11.8	51	10.3	45	9.1	89	17.9
Parsippany-Troy Hills	9	11.0	7	8.6	6	7.4	12	14.6
OCEAN COUNTY	59	15.4	38	9.9	46	12.0	77	19.9
PASSAIC COUNTY	125	18.6	98	14.6	87	13.0	178	26.1
Clifton	14	19.6	8	11.2	12	16.8	19	26.4
Passaic City	16	17.4	17	18.5	12	13.0	27	28.8
Paterson	74	24.5	50	16.5	46	15.2	93	30.2
Wayne Township	5	11.5	5	11.5	4	9.2	9	20.5
SALEM COUNTY	20	22.5	8	9.0	16	18.0	22	24.6
SOMERSET COUNTY	29	14.1	19	9.2	25	12.1	40	19.2
SUSSEX COUNTY	18	12.6	16	11.2	18	12.6	34	23.6
UNION COUNTY	109	18.7	85	14.6	79	13.6	152	25.8
Elizabeth	40	24.1	27	16.3	27	16.3	51	30.3
Plainfield	19	24.4	12	15.4	14	17.9	22	27.8
Union Township	3	8.6	7	20.1	1	2.9	8	22.5
WARREN COUNTY	14	14.4	14	14.4	14	14.4	27	27.3
STATE INSTITUTIONS								
MILITARY POSTS	6	11.1	6	11.1	4	7.4	9	16.5

*Includes 5 deaths unknown as to race.

TABLE 30: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
 COUNTIES AND SELECTED PLACES: 1973 (Continued)

WHITE

PLACE OF RESIDENCE	INFANT DEATHS		FETAL DEATHS		NEONATAL DEATHS		PERINATAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	1,084 ^{1,087}	14.6	830 ⁸³⁴	11.2	847 ⁸⁴⁷	11.4	1,575 ^{1,581}	21.0
ATLANTIC COUNTY	28	14.4	26	13.4	20	10.3	45	22.9
Atlantic City	6	25.1	8	33.5	5	20.9	13	52.6
BERGEN COUNTY	93	12.4	70	9.4	67	9.0	127	16.8
BURLINGTON COUNTY	55	14.6	48	12.7	44	11.6	90	23.5
CAMDEN COUNTY	87	16.0	61	11.2	65	12.0	117	21.3
Camden City	34	31.9	17	15.9	22	20.6	37	34.1
Cherry Hill Township	12	22.9	4	7.6	9	17.1	10	18.9
CAPE MAY COUNTY	9	13.7	7	10.6	5	7.6	11	16.5
CUMBERLAND COUNTY	31	19.9	27	17.4	25	16.1	51	32.2
Vineland City	15	22.9	8	12.2	11	16.8	18	27.1
ESSEX COUNTY	107 ¹¹⁰	16.5	76 ⁷⁶	11.3	93 ⁹³	13.9	152 ¹⁶⁹	23.2
Bloomfield	8	15.4	7	13.5	7	13.5	13	24.7
East Orange	7	35.2	1	5.0	7	35.2	7	35.0
Irvington	2	4.4	7	15.3	2	4.4	9	19.4
Newark	48 ⁵¹	19.8	33 ³⁶	13.6	37 ⁴⁰	15.3	64 ⁷⁶	26.0
GLOUCESTER COUNTY	26	12.0	18	8.3	19	8.8	35	16.1
HUDSON COUNTY	103	16.9	95	15.6	86	14.1	172	27.8
Bayonne	17	23.8	7	9.8	15	21.0	21	25.7
Hoboken	13	19.3	4	5.9	12	17.8	15	22.1
Jersey City	44	19.2	48	21.0	36	15.7	78	33.4
North Bergen Township	5	10.2	11	22.5	5	10.2	16	32.0
Union City	11	17.5	8	12.7	9	14.3	17	26.7
HUNTERDON COUNTY	18	20.5	9	10.2	14	15.9	20	22.5
MERCER COUNTY	49	17.0	36	12.5	35	12.2	68	23.3
Hamilton Township	13	14.8	9	10.2	10	11.4	19	21.4
Trenton	22	29.0	16	21.1	13	17.2	27	34.9
MIDDLESEX COUNTY	84	13.2	64	10.1	70	11.0	128	20.0
Edison Township	7	9.0	4	5.1	7	9.0	10	12.7
Madison Township	8	10.7	5	6.7	7	9.4	12	16.0
Woodbridge Township	9	11.5	6	7.7	7	9.0	13	16.5
MONMOUTH COUNTY	65	12.4	35	6.7	46	8.8	74	14.0
Middletown Township	9	14.0	5	7.8	6	9.3	8	12.3
MORRIS COUNTY	58	12.3	48	10.2	45	9.5	86	18.1
Parsippany-Troy Hills	9	11.5	6	7.7	6	7.7	11	14.0
OCEAN COUNTY	51	14.3	31	8.7	39	11.0	64	17.8
PASSAIC COUNTY	85	16.4	68	13.1	60	11.6	123	23.4
Clifton	13	18.8	8	11.6	12	17.4	19	27.2
Passaic City	12	18.0	12	18.0	8	12.0	19	28.0
Paterson	40	22.1	25	13.8	24	13.2	47	25.6
Wayne Township	5	11.8	5	11.8	4	9.4	9	21.0
SALEM COUNTY	10	14.4	4	5.8	9	13.0	11	15.8
SOMERSET COUNTY	26	13.6	15	7.8	22	11.5	33	17.1
SUSSEX COUNTY	18	12.8	15	10.7	18	12.8	33	23.2
UNION COUNTY	66	15.0	63	14.3	51	11.6	106	23.8
Elizabeth	19	16.3	22	18.9	14	12.0	34	28.7
Plainfield	6	18.6	5	15.5	4	12.4	7	21.3
Union Township	3	10.1	4	13.4	1	3.4	5	16.6
WARREN COUNTY	13	13.6	14	14.6	13	13.6	26	26.8
STATE INSTITUTIONS								
MILITARY POSTS	2	5.2	3	7.7	1	2.6	3	7.7

**TABLE 30: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
COUNTIES AND SELECTED PLACES: 1973 (Continued)**

NONWHITE

PLACE OF RESIDENCE	INFANT DEATHS		FETAL DEATHS		NEONATAL DEATHS		PERINATAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	557 534	27.8	343 348	18.1	402 379	19.7	767 685	35.0
ATLANTIC COUNTY	26	33.9	12	15.7	20	26.1	28	36.0
Atlantic City	19	37.8	8	15.9	15	29.8	20	39.1
BERGEN COUNTY	9	18.1	18	36.2	7	14.1	24	46.6
BURLINGTON COUNTY	21	37.8	9	16.2	15	27.0	22	39.0
CAMDEN COUNTY	44	31.7	27	19.5	32	23.1	53	37.5
Camden City	38	33.1	26	22.6	28	24.4	50	42.6
Cherry Hill Township								
CAPE MAY COUNTY	4	38.5	1	9.6	3	28.8	4	38.1
CUMBERLAND COUNTY	20	38.6	12	23.2	15	29.0	26	49.1
Vineland City	8	57.1	2	14.3	8	57.1	9	63.4
ESSEX COUNTY	194 171	26.5	106 89	13.8	144 121	18.8	260 197	30.1
Bloomfield								
East Orange	23	24.7	12	12.9	21	22.5	32	33.9
Irvington	4	11.9			4	11.9	4	6.0
Newark	154 133	27.5	86 69	14.3	110 89	18.4	196 147	30.0
GLOUCESTER COUNTY	10	35.0	5	17.5	5	17.5	10	34.4
HUDSON COUNTY	54	29.1	42	22.7	42	22.7	79	41.7
Bayonne	1	20.0	1	20.0	1	20.0	2	39.2
Hoboken	1	13.3	2	26.7	1	13.3	3	39.0
Jersey City	52	31.0	39	23.3	40	23.9	74	43.2
North Bergen Township								
Union City								
HUNTERDON COUNTY	1	71.4						
MERCER COUNTY	33	26.0	27	21.3	20	15.8	45	34.7
Hamilton Township	2	34.5			2	34.5	2	34.5
Trenton	28	26.4	24	22.6	16	15.1	39	36.0
MIDDLESEX COUNTY	19	25.3	14	18.6	15	19.9	27	35.2
Edison Township	1	20.8			1	20.8	1	20.8
Madison Township								
Woodbridge Township	1	27.8	1	27.8	1	27.8	2	54.1
MONMOUTH COUNTY	13	15.0	18	20.7	8	9.2	25	28.2
Middletown Township	1	125.0						
MORRIS COUNTY			3	14.6			3	14.4
Parsippany-Troy Hills			1	31.3			1	30.3
OCEAN COUNTY	8	31.7	7	27.8	7	27.8	13	50.2
PASSAIC COUNTY	40	26.7	30	20.0	27	18.0	55	36.0
Clifton	1	47.6						
Passaic City	4	15.9	5	19.8	4	15.9	8	31.1
Paterson	34	28.5	25	21.0	22	18.5	46	37.8
Wayne Township								
SALEM COUNTY	10	52.9	4	21.2	7	37.0	11	57.0
SOMERSET COUNTY	3	21.3	4	28.4	3	21.3	7	48.3
SUSSEX COUNTY			1	111.1			1	100.0
UNION COUNTY	43	30.8	22	15.8	28	20.1	46	32.5
Elizabeth	21	43.5	5	10.4	13	26.9	17	34.8
Plainfield	13	28.6	7	15.4	10	22.0	15	32.5
Union Township			3	60.0			3	56.6
WARREN COUNTY	1	76.9			1	76.9	1	76.9
STATE INSTITUTIONS								
MILITARY POSTS	4	26.1	3	19.6	3	19.6	6	38.5

TABLE 31: RESIDENT MATERNAL DEATHS BY RACE,
COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL	RACE	
		WHITE	NONWHITE
STATE TOTAL	16	10	6
ATLANTIC COUNTY	1	1	
Atlantic City			
BERGEN COUNTY			
BURLINGTON COUNTY			
CAMDEN COUNTY			
Camden City			
Cherry Hill Township			
CAPE MAY COUNTY	1		1
CUMBERLAND COUNTY	1	1	
Vineland City	1	1	
ESSEX COUNTY	6	2	4
Bloomfield	1	1	
East Orange			
Irvington			
Newark	4	1	3
GLOUCESTER COUNTY	2	2	
HUDSON COUNTY			
Bayonne			
Hoboken			
Jersey City			
North Bergen Township			
Union City			
HUNTERDON COUNTY			
MERCER COUNTY			
Hamilton Township			
Trenton			
MIDDLESEX COUNTY	2	2	
Edison Township			
Madison Township			
Woodbridge Township			
MONMOUTH COUNTY			
Middletown Township			
MORRIS COUNTY	1	1	
Parsippany-Troy Hills			
OCEAN COUNTY			
PASSAIC COUNTY	1		1
Clifton			
Passaic City			
Paterson	1		1
Wayne Township			
SALEM COUNTY			
SOMERSET COUNTY			
SUSSEX COUNTY	1	1	
UNION COUNTY			
Elizabeth			
Plainfield			
Union Township			
WARREN COUNTY			
STATE INSTITUTIONS			
MILITARY POSTS			

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973

ALL RACES. BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	68,631 68,605*	1644 1,618	314	455	1,296	3,464	17,413	44,045*
ATLANTIC COUNTY	2,760	54	17	18	39	114	577	1,941
Atlantic City	1,096	25	13	6	14	47	207	784
BERGEN COUNTY	7,564*	102	18	36	125	283	1,973	5,027*
BURLINGTON COUNTY	2,216	76	23	24	45	125	612	1,311
CAMDEN COUNTY	4,364	131	14	42	87	206	1,184	2,700
Camden City	1,247	72	5	14	28	79	323	726
Cherry Hill Township	402	12	2	3	14	27	115	229
CAPE MAY COUNTY	1,046	13	3	2	17	33	212	766
CUMBERLAND COUNTY	1,338	51	7	16	21	100	303	840
Vineland City	492	23	1	6	5	34	112	311
ESSEX COUNTY	9,911 → 9,885	304 278	47	66	217	633	2,432	6,212
Bloomfield	600	8		1	13	21	130	427
East Orange	913	30	4	3	12	46	212	606
Irvington	851 → 849	6 4	1	1	8	27	178	630
Newark	3975 → 3,951	205 181	36	40	125	394	1,090	2,085
GLOUCESTER COUNTY	1,454	36	6	13	33	73	398	895
HUDSON COUNTY	7,008	157	37	43	129	366	1,891	4,385
Bayonne	869	18	1	7	15	33	243	552
Hoboken	459	14	3	6	11	21	110	294
Jersey City	3,061	96	26	12	80	196	842	1,809
North Bergen Township	569	5	1	2	7	25	149	380
Union City	624	11	3	4	6	18	151	431
HUNTERDON COUNTY	596	19	4	8	15	24	120	406
MERCER COUNTY	2,916	82	10	16	56	143	769	1,840
Hamilton Township	687	15	1	4	7	31	187	442
Trenton	1,318	50	8	8	31	84	344	793
MIDDLESEX COUNTY	4,109	103	14	28	97	233	1,269	2,365
Edison Township	404	8	1	2	11	24	141	217
Madison Township	217	8		1	9	21	71	107
Woodbridge Township	645	10	1	10	18	34	224	348
MONMOUTH COUNTY	4,396	78	20	28	76	230	1,064	2,900
Middletown Township	392	10	3	2	8	29	116	224
MORRIS COUNTY	2,652	58	7	31	48	142	666	1,700
Parsippany-Troy Hills	219	9	2	4	5	11	68	120
OCEAN COUNTY	3,077	59	20	13	38	97	592	2,258
PASSAIC COUNTY	4,470	125	26	20	81	239	1,061	2,918
Clifton	852	14	2	2	10	27	219	578
Passaic City	660	16	7	2	12	32	129	462
Paterson	1,585	74	9	8	32	117	366	979
Wayne Township	290	5	4	2	8	18	79	174
SALEM COUNTY	641	20	6	3	15	30	195	372
SOMERSET COUNTY	1,458	29	6	18	32	71	391	911
SUSSEX COUNTY	723	18	5	3	20	50	190	437
UNION COUNTY	5,078	109	17	21	86	231	1,322	3,292
Elizabeth	1,282	40	5	3	23	71	332	808
Plainfield	474	19	3	1	8	27	101	315
Union Township	529	3	1	2	7	19	147	350
WARREN COUNTY	809	14	5	5	13	32	186	554
STATE INSTITUTIONS	16		1		1		2	12
MILITARY POSTS	29	6	1	1	5	9	4	3

*Includes 1 male death, race unknown.

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

ALL RACES, MALE

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	37,039 37,024*	964 949	178	275	953	2,180	10,931	21,558*
ATLANTIC COUNTY	1,443	35	6	13	26	66	341	956
Atlantic City	544	14	5	5	10	25	123	362
BERGEN COUNTY	3,879*	61	13	19	90	170	1,205	2,321*
BURLINGTON COUNTY	1,218	46	15	16	32	80	389	640
CAMDEN COUNTY	2,362	84	10	22	68	129	746	1,303
Camden City	715	50	2	9	27	51	206	370
Cherry Hill Township	225	9	2	1	11	13	72	117
CAPE MAY COUNTY	593	10	1	1	12	15	139	415
CUMBERLAND COUNTY	761	31	6	8	15	70	211	420
Vineland City	267	14	1	1	4	19	78	150
ESSEX COUNTY	5,195	172	22	41	149	397	1,484	2,945
Bloomfield	307	5		1	11	10	82	198
East Orange	411	14	3	1	8	28	112	245
Irvington	438	4		1	4	17	99	314
Newark	438	4		1	4	17	99	314
GLOUCESTER COUNTY	2,208	123	18	25	85	255	687	1,029
786	20	3	8	23	49	243	440	
HUDSON COUNTY	3,783	81	21	28	93	241	1,199	2,120
Bayonne	463	8	1	4	13	22	153	262
Hoboken	255	10	1	4	6	13	64	157
Jersey City	1,683	48	13	8	58	133	543	880
North Bergen Township	316	4	1	2	6	14	97	192
Union City	318	5	2	4	3	11	95	198
HUNTERDON COUNTY	329	11		4	12	14	83	205
MERCER COUNTY	1,617	46	7	11	41	94	504	914
Hamilton Township	386	12	1	3	5	22	127	216
Trenton	715	27	6	5	20	52	221	384
MIDDLESEX COUNTY	2,288	61	8	13	76	146	805	1,179
Edison Township	224	5		1	7	17	89	105
Madison Township	128	7		1	6	16	40	58
Woodbridge Township	368	9	1	4	14	23	145	172
MONMOUTH COUNTY	2,363	48	11	19	55	138	663	1,429
Middletown Township	222	6	2	1	6	17	72	118
MORRIS COUNTY	1,428	26	4	19	37	80	419	843
Parsippany-Troy Hills	121	1		2	3	7	40	68
OCEAN COUNTY	1,821	34	13	8	32	65	360	1,309
PASSAIC COUNTY	2,375	71	15	10	60	143	656	1,420
Clifton	438	9	2	1	8	15	130	273
Passaic City	358	10	4	2	7	21	92	222
Paterson	863	41	4	4	24	72	224	494
Wayne Township	152	2	2		5	11	46	86
SALEM COUNTY	358	12	5	3	12	19	128	179
SOMERSET COUNTY	802	18	6	13	27	45	262	431
SUSSEX COUNTY	401	13	1	2	19	34	115	217
UNION COUNTY	2,745	71	7	12	60	156	857	1,582
Elizabeth	715	24	1	2	17	49	219	403
Plainfield	243	13	2	1	7	21	63	136
Union Township	305	3		1	6	13	94	188
WARREN COUNTY	452	10	3	4	9	23	121	282
STATE INSTITUTIONS	11		1		1		1	8
MILITARY POSTS	14	3		1	4	6		

*Includes 1 male death, race unknown.

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

ALL RACES, FEMALES

PLACE OF RESIDENCE	AGE GROUP							
	TOTAL	Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	31,592 31,581	680 669	136	180	343	1,284	6,482	22,487
ATLANTIC COUNTY	1,317	19	11	5	13	48	236	985
Atlantic City	552	11	8	1	4	22	84	422
BERGEN COUNTY	3,685	41	5	17	35	113	768	2,706
BURLINGTON COUNTY	998	30	8	8	13	45	223	671
CAMDEN COUNTY	2,002	47	4	20	19	77	438	1,397
Camden City	532	22	3	5	1	28	117	356
Cherry Hill Township	177	3		2	3	14	43	112
CAPE MAY COUNTY	453	3	2	1	5	18	73	351
CUMBERLAND COUNTY	577	20	1	8	6	30	92	420
Vineland City	225	9		5	1	15	34	161
ESSEX COUNTY	4,690	121	25	25	68	236	948	3,267
Bloomfield	293	3			2	11	48	229
East Orange	502	16	1	2	4	18	100	361
Irvington	412	1	1		4	10	79	316
Newark	1,743	72	18	15	40	139	403	1,056
GLOUCESTER COUNTY	668	16	3	5	10	24	155	455
HUDSON COUNTY	3,225	76	16	15	36	125	692	2,265
Bayonne	406	10		3	2	11	90	290
Hoboken	204	4	2	2	5	8	46	137
Jersey City	1,378	48	13	4	22	63	299	929
North Bergen Township	253	1			1	11	52	188
Union City	306	6	1		3	7	56	233
HUNTERDON COUNTY	267	8	4	4	3	10	37	201
MERCER COUNTY	1,299	36	3	5	15	49	265	926
Hamilton Township	301	3		1	2	9	60	226
Trenton	603	23	2	3	11	32	123	409
MIDDLESEX COUNTY	1,821	42	6	15	21	87	464	1,186
Edison Township	180	3	1	1	4	7	52	112
Madison Township	89	1			3	5	31	49
Woodbridge Township	277	1		6	4	11	79	176
MONMOUTH COUNTY	2,033	30	9	9	21	92	401	1,471
Middletown Township	170	4	1	1	2	12	44	106
MORRIS COUNTY	1,224	32	3	12	11	62	247	857
Parsippany-Troy Hills	98	8	2	2	2	4	28	52
OCEAN COUNTY	1,256	25	7	5	6	32	232	949
PASSAIC COUNTY	2,095	54	11	10	21	96	405	1,498
Clifton	414	5		1	2	12	89	305
Passaic City	302	6	3		5	11	37	240
Paterson	722	33	5	4	8	45	142	485
Wayne Township	138	3	2	2	3	7	33	88
SALEM COUNTY	283	8	1		3	11	67	193
SOMERSET COUNTY	656	11		5	5	26	129	480
SUSSEX COUNTY	322	5	4	1	1	16	75	220
UNION COUNTY	2,333	38	10	9	26	75	465	1,710
Elizabeth	567	16	4	1	6	22	113	405
Plainfield	231	6	1		1	6	38	179
Union Township	224	1	1	1	1	6	53	162
WARREN COUNTY	357	4	2	1	4	9	65	272
STATE INSTITUTIONS	5						1	4
MILITARY POSTS	15	3	1		1	3	4	3

4-083

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

WHITE, BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	61,599 61,596	1,087 1,084	227	370	1,006	2,486	15,191	41,232
ATLANTIC COUNTY	2,268	28	8	13	31	65	451	1,672
Atlantic City	738	6	4	2	7	12	116	591
BERGEN COUNTY	7,342	93	16	35	119	260	1,904	4,915
BURLINGTON COUNTY	2,041	55	20	22	38	103	559	1,244
CAMDEN COUNTY	3,848	87	9	33	69	160	1,035	2,455
Camden City	851	34	1	7	14	42	203	550
Cherry Hill Township	388	12	2	3	13	26	112	220
CAPE MAY COUNTY	993	9	3	2	16	28	198	737
CUMBERLAND COUNTY	1,176	31	5	14	15	78	252	781
Vineland City	454	15	1	5	5	29	98	301
ESSEX COUNTY	7,485 → 7,482	110 107	21	33	114	262	1,650	5,295
Bloomfield	591	8		1	12	20	128	422
East Orange	584	7	1		5	10	100	461
Irvington	818	2		1	7	19	164	625
Newark	2,196 → 2,193	51 48	14	10	41	98	515	1,467
GLOUCESTER COUNTY	1,299	26	5	12	30	64	347	815
HUDSON COUNTY	6,422	103	26	33	93	241	1,715	4,211
Bayonne	838	17		7	12	31	237	534
Hoboken	450	13	3	6	10	20	108	290
Jersey City	2,528	44	16	3	48	76	681	1,660
North Bergen Township	565	5	1	2	7	24	147	379
Union City	621	11	3	4	6	18	149	430
HUNTERDON COUNTY	587	18	4	8	15	23	118	401
MERCER COUNTY	2,496	49	5	12	35	85	609	1,701
Hamilton Township	664	13	1	4	7	27	179	433
Trenton	997	22	4	4	13	33	226	695
MIDDLESEX COUNTY	3,912	84	13	25	83	202	1,205	2,300
Edison Township	394	7	1	2	11	22	137	214
Madison Township	214	8		1	8	21	70	106
Woodbridge Township	638	9	1	9	18	33	223	345
MONMOUTH COUNTY	3,989	65	15	26	67	194	926	2,696
Middletown Township	381	9	3	2	8	29	115	215
MORRIS COUNTY	2,584	58	7	30	48	136	639	1,666
Parsippany-Troy Hills	217	9	2	4	5	10	67	120
OCEAN COUNTY	3,003	51	17	12	34	86	564	2,239
PASSAIC COUNTY	4,099	85	23	17	58	157	947	2,812
Clifton	849	13	2	2	10	27	218	577
Passaic City	596	12	6	2	8	20	114	434
Paterson	1,291	40	7	5	13	47	272	907
Wayne Township	290	5	4	2	8	18	79	174
SALEM COUNTY	523	10	3		12	22	159	317
SOMERSET COUNTY	1,423	26	6	17	31	64	380	899
SUSSEX COUNTY	719	18	5	3	20	50	187	436
UNION COUNTY	4,557	66	11	18	60	169	1,157	3,076
Elizabeth	1,129	19	3	2	12	52	278	763
Plainfield	307	6	2		3	6	54	236
Union Township	497	3		2	7	16	136	333
WARREN COUNTY	800	13	4	5	13	32	184	549
STATE INSTITUTIONS	14				1		1	12
MILITARY POSTS	19	2	1		4	5	4	3

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

WHITE, MALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	33,123 33,122	653 652	136	221	751	1,577	9,590	20,195
ATLANTIC COUNTY	1,209	19	4	9	20	45	275	837
Atlantic City	372	3	3	1	5	9	73	278
BERGEN COUNTY	3,759	56	12	19	87	153	1,170	2,262
BURLINGTON COUNTY	1,113	34	12	14	27	65	353	608
CAMDEN COUNTY	2,071	56	8	15	53	103	663	1,173
Camden City	493	26	1	4	14	31	139	278
Cherry Hill Township	214	9	2	1	11	12	69	110
CAPE MAY COUNTY	561	6	1	1	12	13	131	397
CUMBERLAND COUNTY	664	22	5	8	12	56	175	386
Vineland City	243	10	1	1	4	16	67	144
ESSEX COUNTY	<i>3,893</i> 3,892	<i>63</i> 62	10	24	84	168	1,019	2,525
Bloomfield	299	5		1	11	9	80	193
East Orange	244	3	1		4	6	50	180
Irvington	424	2		1	4	14	93	310
Newark	<i>1,235</i> → 1,234	<i>34</i> 33	8	9	28	72	338	746
GLOUCESTER COUNTY	700	14	3	7	20	42	214	400
HUDSON COUNTY	3,454	53	16	22	70	163	1,091	2,039
Bayonne	447	7		4	10	20	149	257
Hoboken	251	10	1	4	5	13	64	154
Jersey City	1,383	21	9	2	39	57	446	809
North Bergen Township	313	4	1	2	6	14	95	191
Union City	315	5	2	4	3	11	93	197
HUNTERDON COUNTY	321	10		4	12	13	81	201
MERCER COUNTY	1,372	30	4	7	25	60	402	844
Hamilton Township	370	10	1	3	5	19	121	211
Trenton	535	13	3	1	7	23	150	338
MIDDLESEX COUNTY	2,172	51	8	12	66	125	764	1,146
Edison Township	219	4		1	7	15	87	105
Madison Township	127	7		1	5	16	40	58
Woodbridge Township	364	8	1	4	14	23	144	170
MONMOUTH COUNTY	2,137	42	8	17	49	117	579	1,325
Middletown Township	216	5	2	1	6	17	72	113
MORRIS COUNTY	1,386	26	4	18	37	77	403	821
Parsippany-Troy Hills	120	1		2	3	7	39	68
OCEAN COUNTY	1,779	31	11	7	29	58	347	1,296
PASSAIC COUNTY	2,168	48	13	9	41	92	593	1,372
Clifton	435	8	2	1	8	15	129	272
Passaic City	320	8	3	2	4	10	80	213
Paterson	706	22	3	3	8	32	177	461
Wayne Township	152	2	2		5	11	46	86
SALEM COUNTY	284	6	3		10	15	101	149
SOMERSET COUNTY	776	15	6	12	26	38	252	427
SUSSEX COUNTY	399	13	1	2	19	34	114	216
UNION COUNTY	2,438	46	5	10	39	114	742	1,482
Elizabeth	620	12	1	2	7	37	183	378
Plainfield	148	4	1		2	4	30	107
Union Township	283	3		1	6	10	88	175
WARREN COUNTY	449	10	2	4	9	23	121	280
STATE INSITUTIONS	9				1			8
MILITARY POSTS	8	2			3	3		

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

WHITE, FEMALES

PLACE OF RESIDENCE	TOTAL	A G E G R O U P						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	28,476 28,474	434 432	91	149	255	909	5,601	21,037
ATLANTIC COUNTY	1,059	9	4	4	11	20	176	835
Atlantic City	366	3	1	1	2	3	43	313
BERGEN COUNTY	3,583	37	4	16	32	107	734	2,653
BURLINGTON COUNTY	928	21	8	8	11	38	206	636
CAMDEN COUNTY	1,777	31	1	18	16	57	372	1,282
Camden City	358	8		3		11	64	272
Cherry Hill Township	174	3		2	2	14	43	110
CAPE MAY COUNTY	432	3	2	1	4	15	67	340
CUMBERLAND COUNTY	512	9		6	3	22	77	395
Vineland City	211	5		4	1	13	31	157
ESSEX COUNTY	3592 → 3,590	47 45	11	9	30	94	631	2,770
Bloomfield	292	3			1	11	48	229
East Orange	340	4			1	4	50	281
Irvington	394				3	5	71	315
Newark	961 → 959	17 15	6	1	13	26	177	721
GLOUCESTER COUNTY	599	12	2	5	10	22	133	415
HUDSON COUNTY	2,968	50	10	11	23	78	624	2,172
Bayonne	391	10		3	2	11	88	277
Hoboken	199	3	2	2	5	7	44	136
Jersey City	1,145	23	7	1	9	19	235	851
North Bergen Township	252	1			1	10	52	188
Union City	306	6	1		3	7	56	233
HUNTERDON COUNTY	266	8	4	4	3	10	37	200
MERCER COUNTY	1,124	19	1	5	10	25	207	857
Hamilton Township	294	3		1	2	8	58	222
Trenton	462	9	1	3	6	10	76	357
MIDDLESEX COUNTY	1,740	33	5	13	17	77	441	1,154
Edison Township	175	3	1	1	4	7	50	109
Madison Township	87	1			3	5	30	48
Woodbridge Township	274	1		5	4	10	79	175
MONMOUTH COUNTY	1,852	23	7	9	18	77	347	1,371
Middletown Township	165	4	1	1	2	12	43	102
MORRIS COUNTY	1,198	32	3	12	11	59	236	845
Parsippany-Troy Hills	97	8	2	2	2	3	28	52
OCEAN COUNTY	1,224	20	6	5	5	28	217	943
PASSAIC COUNTY	1,931	37	10	8	17	65	354	1,440
Clifton	414	5		1	2	12	89	305
Passaic City	276	4	3		4	10	34	221
Paterson	585	18	4	2	5	15	95	446
Wayne Township	138	3	2	2	3	7	33	88
SALEM COUNTY	239	4			2	7	58	168
SOMERSET COUNTY	647	11		5	5	26	128	472
SUSSEX COUNTY	320	5	4	1	1	16	73	220
UNION COUNTY	2,119	20	6	8	21	55	415	1,594
Elizabeth	509	7	2		5	15	95	385
Plainfield	159	2	1		1	2	24	129
Union Township	214			1	1	6	48	158
WARREN COUNTY	351	3	2	1	4	9	63	269
STATE INSTITUTIONS	5						1	4
MILITARY POSTS	11		1			2	4	3

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

NONWHITE, BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	7,008 7,031	534 537	87	85	290	978	2,222	2,812
ATLANTIC COUNTY	492	26	9	5	8	49	126	269
Atlantic City	358	19	9	4	7	35	91	193
BERGEN COUNTY	221	9	2	1	6	23	69	111
BURLINGTON COUNTY	175	21	3	2	7	22	53	67
CAMDEN COUNTY	516	44	5	9	18	46	149	245
Camden City	396	38	4	7	14	37	120	176
Cherry Hill Township	14				1	1	3	9
CAPE MAY COUNTY	53	4			1	5	14	29
CUMBERLAND COUNTY	162	20	2	2	6	22	51	59
Vineland City	38	8		1		5	14	10
ESSEX COUNTY	2,426 → 2,403	194 → 171	26	33	103	371	782	917
Bloomfield	9			1		1	2	5
East Orange	329	23	3	3	7	36	112	145
Irvington	33 → 31	4 → 2	1		1	8	14	5
Newark	1,779 → 1,758	154 → 133	22	30	84	296	575	618
GLOUCESTER COUNTY	155	10	1	1	3	9	51	80
HUDSON COUNTY	586	54	11	10	36	125	176	174
Bayonne	31	1	1		3	2	6	18
Hoboken	9	1			1	1	2	4
Jersey City	533	52	10	9	32	120	161	149
North Bergen Township	4					1	2	1
Union City	3						2	1
HUNTERDON COUNTY	9	1				1	2	5
MERCER COUNTY	420	33	5	4	21	58	160	139
Hamilton Township	23	2				4	8	9
Trenton	321	28	4	4	18	51	118	98
MIDDLESEX COUNTY	197	19	1	3	14	31	64	65
Edison Township	10	1				2	4	3
Madison Township	3				1		1	1
Woodbridge Township	7	1		1		1	1	3
MONMOUTH COUNTY	407	13	5	2	9	36	138	204
Middletown Township	11	1					1	9
MORRIS COUNTY	68			1		6	27	34
Parsippany-Troy Hills	2					1	1	
OCEAN COUNTY	74	8	3	1	4	11	28	19
PASSAIC COUNTY	371	40	3	3	23	82	114	106
Clifton	3	1					1	1
Passaic City	64	4	1		4	12	15	28
Paterson	294	34	2	3	19	70	94	72
Wayne Township								
SALEM COUNTY	118	10	3	3	3	8	36	55
SOMERSET COUNTY	35	3		1	1	7	11	12
SUSSEX COUNTY	4						3	1
UNION COUNTY	521	43	6	3	26	62	165	216
Elizabeth	153	21	2	1	11	19	54	45
Plainfield	167	13	1	1	5	21	47	79
Union Township	32		1			3	11	17
WARREN COUNTY	9	1	1				2	5
STATE INSTITUTIONS	2		1				1	
MILITARY POSTS	10	4		1	1	4		

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

NONWHITE, MALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	3,901 3,915	297 311	42	54	202	603	1,341	1,362
ATLANTIC COUNTY	234	16	2	4	6	21	66	119
Atlantic City	172	11	2	4	5	16	50	84
BERGEN COUNTY	118	5	1		3	17	35	57
BURLINGTON COUNTY	105	12	3	2	5	15	36	32
CAMDEN COUNTY	291	28	2	7	15	26	83	130
Camden City	222	24	1	5	13	20	67	92
Cherry Hill Township	11					1	3	7
CAPE MAY COUNTY	32	4				2	8	18
CUMBERLAND COUNTY	97	9	1		3	14	36	34
Vineland City	24	4				3	11	6
ESSEX COUNTY	71,303 1317	109-95	12	17	65	229	465	420
Bloomfield	8					1	2	5
East Orange	167	11	2	1	4	22	62	65
Irvington	14 15	2 2				3	6	4
Newark	7974 987	89 76	10	16	57	183	349	283
GLOUCESTER COUNTY	86	6		1	3	7	29	40
HUDSON COUNTY	329	28	5	6	23	78	108	81
Bayonne	16	1	1		3	2	4	5
Hoboken	4				1			3
Jersey City	300	27	4	6	19	76	97	71
North Bergen Township	3						2	1
Union City	3						2	1
HUNTERDON COUNTY	8	1				1	2	4
MERCER COUNTY	245	16	3	4	16	34	102	70
Hamilton Township	16	2				3	6	5
Trenton	180	14	3	4	13	29	71	46
MIDDLESEX COUNTY	116	10		1	10	21	41	33
Edison Township	5	1				2	2	
Madison Township	1				1			
Woodbridge Township	4	1					1	2
MONMOUTH COUNTY	226	6	3	2	6	21	84	104
Middletown Township	6	1						5
MORRIS COUNTY	42			1		3	16	22
Parsippany-Troy Hills	1						1	
OCEAN COUNTY	42	3	2	1	3	7	13	13
PASSAIC COUNTY	207	23	2	1	19	51	63	48
Clifton	3	1					1	1
Passaic City	38	2	1		3	11	12	9
Paterson	157	19	1	1	16	40	47	33
Wayne Township								
SALEM COUNTY	74	6	2	3	2	4	27	30
SOMERSET COUNTY	26	3		1	1	7	10	4
SUSSEX COUNTY	2						1	1
UNION COUNTY	307	25	2	2	21	42	115	100
Elizabeth	95	12			10	12	36	25
Plainfield	95	9	1	1	5	17	33	29
Union Township	22					3	6	13
WARREN COUNTY	3		1					2
STATE INSTITUTIONS	2		1				1	
MILITARY POSTS	6	1		1	1	3		

TABLE 32: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1973 (Continued)

NONWHITE, FEMALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	3,116 3,107	246 237	45	31	88	375	881	1,450
ATLANTIC COUNTY	258	10	7	1	2	28	60	150
Atlantic City	186	8	7		2	19	41	109
BERGEN COUNTY	103	4	1	1	3	6	34	54
BURLINGTON COUNTY	70	9			2	7	17	35
CAMDEN COUNTY	225	16	3	2	3	20	66	115
Camden City	174	14	3	2	1	17	53	84
Cherry Hill Township	3				1			2
CAPE MAY COUNTY	21				1	3	6	11
CUMBERLAND COUNTY	65	11	1	2	3	8	15	25
Vineland City	14	4		1		2	3	4
ESSEX COUNTY	1,100 1,109	85 76	14	16	38	142	317	497
Bloomfield	1				1			
East Orange	162	12	1	2	3	14	50	80
Irvington	18 17	2 1	1		1	5	8	1
Newark	792 784	57 57	12	14	27	113	226	335
GLOUCESTER COUNTY	69	4	1			2	22	40
HUDSON COUNTY	257	26	6	4	13	47	68	93
Bayonne	15						2	13
Hoboken	5	1				1	2	1
Jersey City	233	25	6	3	13	44	64	78
North Bergen Township	1					1		
Union City								
HUNTERDON COUNTY	1							1
MERCER COUNTY	175	17	2		5	24	58	69
Hamilton Township	7					1	2	4
Trenton	141	14	1		5	22	47	52
MIDDLESEX COUNTY	81	9	1	2	4	10	23	32
Edison Township	5						2	3
Madison Township	2						1	1
Woodbridge Township	3			1		1		1
MONMOUTH COUNTY	181	7	2		3	15	54	100
Middletown Township	5						1	4
MORRIS COUNTY	26					3	11	12
Parsippany-Troy Hills	1					1		
OCEAN COUNTY	32	5	1		1	4	15	6
PASSAIC COUNTY	164	17	1	2	4	31	51	58
Clifton								
Passaic City	26	2			1	1	3	19
Paterson	137	15	1	2	3	30	47	39
Wayne Township								
SALEM COUNTY	44	4	1		1	4	9	25
SOMERSET COUNTY	9						1	8
SUSSEX COUNTY	2						2	
UNION COUNTY	214	18	4	1	5	20	50	116
Elizabeth	58	9	2	1	1	7	18	20
Plainfield	72	4				4	14	50
Union Township	10		1				5	4
WARREN COUNTY	6	1					2	3
STATE INSTITUTIONS								
MILITARY POSTS	4	3				1		

TABLE 33: DEATHS FROM ALL ACCIDENTS, CANCER, HEART DISEASES, DIABETES AND CEREBROVASCULAR DISEASES, COUNTIES AND SELECTED PLACES (Numbers and Rates per 100,000 Estimated Population): 1973

TABLE 33: DEATHS FROM ALL ACCIDENTS, CANCER, HEART DISEASES, DIABETES AND CEREBROVASCULAR DISEASES, COUNTIES AND SELECTED PLACES (Numbers and Rates per 100,000 Estimated Population): 1973

PLACE OF RESIDENCE	ALL ACCIDENTS		CANCER		HEART DISEASES		DIABETES		CEREBROVASCULAR DISEASES	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	2,994	40.5	14,077	190.3	29,167	394.3	1,535	20.8	6,499	87.9
ATLANTIC COUNTY	128	70.8	486	268.8	1,368	756.6	45	24.9	242	133.8
Atlantic City	42	93.2	172	381.5	557	1235.4	17	37.7	104	230.7
BERGEN COUNTY	265	29.1	1,737	190.6	3,211	352.3	173	19.0	751	82.4
BURLINGTON COUNTY	134	41.2	443	136.1	899	276.3	37	11.4	214	65.8
CAMDEN COUNTY	188	39.3	864	180.8	1,893	396.1	66	13.8	404	84.5
Camden City	68	205	252	495.2	522	495.2	25	23.7	113	107.2
Cherry Hill Township	26	38.6	92	136.6	157	233.1	5	7.4	42	62.4
CAPE MAY COUNTY	45	70.1	198	308.3	468	759.8	18	28.0	99	154.1
CUMBERLAND COUNTY	84	65.4	231	179.8	598	454.3	25	19.5	109	84.8
CUMBERLAND City	26	230	167.8	465.0	230	465.0	9	17.8	39	77.0
ESSEX COUNTY	469	49.7	1,918	203.9	4,141	438.5	253	26.8	887	93.0
Bloomfield	32	60.8	112	212.1	269	511.4	18	34.2	81	97.9
East Orange	42	55.2	172	226.1	361	474.6	26	36.2	78	102.5
Irington	18	30.4	197	332.8	404	682.5	29	43.0	76	128.4
Newark	224	57.5	666	163.7	1,617	414.7	93	23.9	317	81.3
GLOUCESTER COUNTY	83	45.7	282	155.2	607	334.0	42	23.2	145	79.8
HUDSON COUNTY	253	41.3	1,386	226.2	3,257	531.5	173	28.1	523	85.3
Bayonne	25	34.1	81	174.1	193	410.4	15	25.8	67	91.3
Hoboken	10	21.5	171	174.1	193	410.4	12	34.1	41	88.1
Jersey City	132	50.6	563	215.6	1,368	523.9	72	27.6	213	81.6
North Bergen Township	19	38.7	127	258.6	260	529.5	18	36.7	43	87.6
Union City	19	32.9	324	212.7	324	560.4	18	31.1	41	70.9
HUNTERDON COUNTY	36	48.6	112	151.2	258	348.3	13	17.5	53	71.5
MERCER COUNTY	106	33.7	613	194.7	1,086	345.0	78	24.8	305	96.9
Hamilton Township	20	24.2	166	201.3	240	291.0	26	31.5	73	88.5
Trenton	56	52.7	247	232.5	477	449.0	33	31.1	135	127.1
MIDDLESEX COUNTY	172	28.5	913	151.1	1,670	276.3	102	16.9	364	60.2
Edison Township	19	27.6	107	153.3	162	235.2	10	14.5	34	49.4
Madison Township	13	25.7	55	108.6	83	163.9	5	9.9	15	29.6
Woodbridge Township	29	28.7	176	174.2	261	258.3	13	12.9	50	49.5
MONMOUTH COUNTY	215	44.9	930	194.0	1,740	363.0	112	23.4	503	104.9
Middletown Township	23	40.4	93	163.5	145	254.9	8	14.1	42	73.8
MORRIS COUNTY	130	32.3	573	142.4	1,025	254.7	49	12.2	288	71.6
Passaic-Troy Hills	15	26.1	50	86.9	77	133.9	5	8.7	18	31.3
OCEAN COUNTY	104	42.8	675	277.6	1,361	559.7	53	21.8	319	131.2
PASSAIC COUNTY	181	38.5	904	192.2	1,893	402.5	92	19.6	470	99.9
Clifton	23	27.8	172	208.1	393	475.5	24	29.0	92	111.3
Passaic City	19	34.0	136	243.7	294	526.8	12	21.5	75	134.4
Pateron	71	48.1	287	194.5	641	434.4	36	24.4	164	111.1
Wayne Township	22	43.8	62	132.4	122	242.7	2	4.0	22	43.8
SALEM COUNTY	39	61.4	111	174.7	279	439.1	12	18.9	59	92.9
SOMERSET COUNTY	74	36.1	333	162.3	559	272.5	34	16.6	156	76.1
SUSSEX COUNTY	59	69.8	141	166.9	293	346.8	14	16.6	68	68.7
UNION COUNTY	190	34.5	1,079	196.0	2,161	392.5	123	22.3	482	87.5
Elizabeth	48	42.0	238	208.3	541	473.4	32	28.0	142	124.3
Plainfield	22	45.6	82	169.9	200	414.5	9	18.7	39	80.8
Union Township	15	28.2	121	227.6	233	438.3	11	20.7	55	103.5
WARREN COUNTY	30	38.9	141	182.9	370	479.9	21	27.2	66	85.6
STATE INSTITUTIONS	1		4		6				1	
MILITARY POSTS	8		3		4				1	

Note: Rates not computed for State Institutions and Military Posts due to lack of population base.

TABLE 34: ACCIDENTAL RESIDENT DEATHS BY SELECTED CAUSE GROUPS, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1973

TABLE 34: ACCIDENTAL RESIDENT DEATHS BY SELECTED CAUSE GROUPS, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL (E800-E949)		Motor Vehicle (E810-E823, E940)		Poisoning (E850-E877, E942)		Falls (E890-E897, E943)		Fires (E890-E899, E944)		All Other Causes (E800-E807, E825-E845, E900-E936, E941, E945-E949)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	2,994	40.5	1,331	18.0	213	2.9	594	8.0	211	2.9	645	8.7
ATLANTIC COUNTY	128	70.8	54	29.9	3	1.7	23	12.7	19	10.5	29	16.0
Atlantic City	42	93.2	9	20.0	1	2.2	10	22.2	10	22.2	12	26.6
BERGEN COUNTY	265	29.1	121	13.3	11	1.2	64	7.0	13	1.4	56	6.1
BURLINGTON COUNTY	134	41.2	71	21.8	6	0.8	19	5.8	7	2.2	31	9.5
CAMDEN COUNTY	188	39.3	98	20.5	4	0.8	33	6.9	12	2.5	41	8.6
Camden City	68	64.5	25	23.7	2	1.9	15	14.2	8	7.6	18	17.1
Cherry Hill Township	26	38.6	17	25.2	1	1.5	2	3.0	2	3.0	4	5.9
CAPE MAY COUNTY	45	70.1	18	28.0	1	1.6	11	17.1	6	9.3	9	14.0
CUMBERLAND COUNTY	84	65.4	41	31.9	2	1.6	7	5.4	6	7.0	25	19.5
Vineland City	26	51.3	13	25.7	1	2.0	2	3.9	5	9.9	5	9.9
ESSEX COUNTY	469	49.7	133	14.1	62	6.6	139	14.7	43	4.6	92	9.7
Bloomfield	32	60.8	12	22.8	3	5.7	9	17.1	2	3.8	6	11.4
East Orange	42	55.2	10	13.1	7	9.2	17	22.3	2	2.6	6	7.9
Irvington	18	30.4	6	10.1	2	3.4	7	11.8			3	5.1
Newark	224	57.5	64	16.4	34	8.7	47	12.1	28	7.2	51	13.1
GLOUCESTER COUNTY	83	45.7	56	30.8	2	1.1	12	6.6	3	1.7	10	5.5
HUDSON COUNTY	253	41.3	95	15.5	37	6.0	44	7.2	27	4.4	50	8.2
Bayonne	25	34.1	9	12.3	6	8.2	3	4.1	3	4.1	4	5.4
Hoboken	10	21.5	7	15.0							3	6.4
Jersey City	132	50.6	51	19.5	25	9.6	19	7.3	14	5.4	23	8.8
North Bergen Township	19	38.7	6	12.2			5	10.2	1	2.0	7	14.3
Union City	19	32.9	7	12.1			7	12.1	3	5.2	2	3.5
HUNTERDON COUNTY	36	48.6	21	28.3			6	8.1				
MERCER COUNTY	106	33.7	39	12.4	3	1.0	28	8.9	4	1.3	32	10.2
Hamilton Township	20	24.2	11	13.3	1	1.2	7	8.5	4	3.8	1	1.2
Trenton	56	52.7	13	12.2	2	1.9	16	15.1	4	3.8	1	1.2
MIDDLESEX COUNTY	172	28.5	81	13.4	15	2.5	29	4.8	11	1.8	36	6.0
Edison Township	19	27.6	8	11.6	1	1.5	2	2.9	1	1.5	7	10.2
Madison Township	13	25.7	8	15.8	2	4.0	1	2.0	1	2.0	1	2.0
Woodbridge Township	29	28.7	13	12.9	3	3.0	3	3.0	4	4.0	6	5.9
MONMOUTH COUNTY	215	44.9	108	22.5	12	2.5	31	6.5	13	2.7	51	10.6
Middletown Township	23	40.4	8	14.1	2	3.5	4	7.0	2	3.5	7	12.3
MORRIS COUNTY	130	32.3	64	15.9	9	2.2	23	5.7	6	1.5	28	7.0
Parsippany-Troy Hills	15	26.1	11	19.1	1	1.7	3	5.2	3	1.2	20	8.2
OCEAN COUNTY	104	42.8	61	25.1	8	3.3	12	4.9	4	2.3	38	8.1
PASSAIC COUNTY	181	38.5	72	15.3	17	3.6	43	9.1	11	2.3	4	4.8
Clifton	23	27.8	11	13.3	2	2.4	6	7.3	4	7.2	6	10.8
Passaic City	19	34.0	4	7.2	1	1.8	4	10.8	3	2.0	15	10.2
Paterson	71	48.1	28	19.0	9	6.1	16	10.8	4	7.2	6	10.8
Wayne Township	22	43.8	10	19.9			4	8.0	1	2.0	7	13.9
SALEM COUNTY	39	61.4	20	31.5			7	11.0	2	3.1	10	15.7
SOMERSET COUNTY	74	36.1	33	16.1	1	0.5	14	6.8	4	2.0	22	10.7
SUSSEX COUNTY	59	69.8	38	45.0	17	3.1	35	6.4	17	3.1	32	5.8
UNION COUNTY	190	34.5	89	16.2	4	3.5	8	7.0	4	3.5	9	7.9
Elizabeth	48	42.0	23	20.1	2	4.1	7	14.5	1	2.1	5	10.4
Plainfield	22	45.6	7	14.5	1	1.9	3	5.6	2	3.8	2	3.8
Union Township	15	28.2	7	13.2			4	5.2	1	1.3	8	10.4
WARREN COUNTY	30	38.9	17	22.1			1					
STATE INSTITUTIONS	1		1									
MILITARY POSTS	8		1		3		1				4	

Sheet 281

TABLE 35: RESIDENT MOTOR VEHICLE DEATHS BY CAUSE GROUP,
COUNTIES AND SELECTED PLACES: 1973

TABLE 35: RESIDENT MOTOR VEHICLE DEATHS BY CAUSE GROUP, COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL	INJURY TO		COLLISION WITH			Non-Collision	Other and Unspecified Accidents	Late Effects
		Pedestrian	Pedal Cyclist	Railroad Train	Other Motor Vehicle	Fixed Object			
STATE TOTAL	1,331	333	32	3	480	141	277	59	6
ATLANTIC COUNTY	54	15	1	1	15	9	10	3	
Atlantic City	9	7			1		1		
BERGEN COUNTY	121	41	1		44	12	17	5	1
BURLINGTON COUNTY	71	14	4		34	5	10	3	1
CAMDEN COUNTY	98	28	4		34	14	14	4	
Camden City	25	8			9	3	4	1	
Cherry Hill Township	17	3	2		5	4	1	2	
CAPE MAY COUNTY	18	3			7		7		
CUMBERLAND COUNTY	41	6			18	3	12	2	
Vineland City	13	3			4	1	4	1	
ESSEX COUNTY	133	44	3		30	16	33	7	
Bloomfield	12	3	1		3	2	2	1	
East Orange	10	1			5	2	2		
Irvington	6	4			1	1	1		
Newark	64	25			14	9	10	6	
GLOUCESTER COUNTY	56	8	4		24	4	13	3	
HUDSON COUNTY	95	33	2		33	6	19	2	
Bayonne	9	4	1		4		2		
Hoboken	7	3			2		2		
Jersey City	51	16			20	4	10	1	
North Bergen Township	6	2	1		1		1		
Union City	7	1			3		3		
HUNTERDON COUNTY	21	4		1	10	2	3	1	
MERCER COUNTY	39	10			10	7	7	4	
Hamilton Township	11	4			1	3	3		
Trenton	13	5			1	1	1	1	1
MIDDLESEX COUNTY	81	11	3		34	8	21	4	
Edison Township	8				6	1	1		
Madison Township	8	2			2	1	2	1	
Woodbridge Township	13	3			6	1	2	2	
MONMOUTH COUNTY	108	28	5		35	11	24	4	
Middletown Township	8	1			3		3		
MORRIS COUNTY	64	11	2	1	27	9	11	3	
Parsippany-Troy Hills	11	2			6	2	1	1	
OCEAN COUNTY	61	15	2		19	8	16	1	
PASSAIC COUNTY	72	23			31	8	8	1	1
Clifton	11	6			2	2	2		
Passaic City	4	3			1				
Paterson	28	12			11	2	2	1	
Wayne Township	10	4			6	2	2		
SALEM COUNTY	20	4			9	3	4		
SOMERSET COUNTY	33	3			13	7	10		
SUSSEX COUNTY	38	7			16	3	11	1	
UNION COUNTY	89	22	1		28	6	25	7	
Elizabeth	23	8			4	2	9		
Plainfield	7	2			3	1	1	1	
Union Township	7	3			1		2	1	
WARREN COUNTY	17	3			8		2	4	
STATE INSTITUTIONS									
MILITARY POSTS	1				1				

**TABLE 36: TUBERCULOSIS MORBIDITY AND MORTALITY,
COUNTIES AND SELECTED PLACES: 1971, 1972 and 1973**

PLACE OF RESIDENCE	ACTIVE CASES			ALL CASES			DEATHS		
	1971	1972	1973	1971	1972	1973	1971	1972	1973
STATE TOTAL	1,426	1,211	1,075	2,118	1,692	1,531	217	166	184
ATLANTIC COUNTY	53	36	40	64	45	49	8	14	6
Atlantic City	39	25	28	44	28	32	6	9	3
BERGEN COUNTY	64	47	54	171	96	100	16	9	11
BURLINGTON COUNTY	27	20	24	36	27	33	6	4	2
CAMDEN COUNTY	81	57	36	114	78	48	7	8	7
Camden City	50	29	21	68	37	26	3	4	3
Cherry Hill Township	8	3	2	11	4	2			
CAPE MAY COUNTY	7	6	7	11	8	13	4	1	3
CUMBERLAND COUNTY	19	30	33	39	36	37	2	2	6
Vineland City	6	14	14	15	16	15			4
ESSEX COUNTY	408	341	290	580	470	402	49	41	41
Bloomfield	5	7	3	6	10	5	2	2	2
East Orange	39	31	25	51	47	37	4	6	4
Irvington	11	9	8	20	13	12			
Newark	302	257	226	433	343	302	30	28	26
GLOUCESTER COUNTY	23	14	17	28	18	22	4	3	3
HUDSON COUNTY	164	140	119	279	253	228	29	22	31
Bayonne	10	7	4	14	13	7	3	1	2
Hoboken	12	9	7	34	33	25	1	1	3
Jersey City	102	100	82	152	143	133	21	20	19
North Bergen Township	7	2	6	10	4	14	1		5
Union City	11	7	6	28	22	21			2
HUNTERDON COUNTY	9	8	8	9	9	10	3		1
MERCER COUNTY	102	87	49	116	97	58	9	12	7
Hamilton Township	13	18	3	16	20	5		2	1
Trenton	69	50	36	76	55	40	5	8	1
MIDDLESEX COUNTY	70	56	70	83	70	87	17	9	16
Edison Township	7	5	4	9	5	5	1	2	3
Madison Township	3	1	1	3	1	2			
Woodbridge Township	7	5	6	8	8	6			5
MONMOUTH COUNTY	89	76	90	132	98	113	13	10	8
Middletown Township	4	5	5	4	5	5	1		1
MORRIS COUNTY	35	20	29	41	26	32	5	3	3
Parsippany-Troy Hills	2	3	5	2	4	5	2	1	
OCEAN COUNTY	25	27	27	37	46	40	4	5	5
PASSAIC COUNTY	127	119	90	190	145	101	20	6	12
Clifton	4	3	6	12	6	6	1	1	3
Passaic City	16	16	12	21	17	13	1	3	
Paterson	101	86	61	146	107	69	15	2	7
Wayne Township	3		2	5		2	2		
SALEM COUNTY	8	13	7	15	15	7	2	2	1
SOMERSET COUNTY	14	8	15	19	14	19	4	1	2
SUSSEX COUNTY	4	7	5	4	8	8			1
UNION COUNTY	68	83	53	117	115	107	15	13	17
Elizabeth	25	31	20	59	44	46	3	6	5
Plainfield	10	12	13	13	14	17	1	1	2
Union Township	7	8	3	8	10	8	1	1	1
WARREN COUNTY	3	8	6	5	10	11		1	1
STATE INSTITUTIONS	22	8	6	24	8	6			
MILITARY POSTS	4			4					

Stat-08

TABLE 37: TUBERCULOSIS MORBIDITY AND MORTALITY RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1971, 1972 and 1973

PLACE OF RESIDENCE	ACTIVE CASES			ALL CASES			DEATHS		
	1971	1972	1973	1971	1972	1973	1971	1972	1973
STATE TOTAL	19.6	16.5	14.5	29.2	23.1	20.1	3.0	2.3	2.5
ATLANTIC COUNTY	30.0	20.1	22.1	36.2	25.2	27.1	4.5	7.8	3.3
Atlantic City	83.5	54.5	62.1	94.2	61.1	71.0	12.8	19.6	6.7
BERGEN COUNTY	7.1	5.2	5.9	18.9	10.6	11.0	1.8	1.0	1.2
BURLINGTON COUNTY	8.2	6.1	7.4	10.9	8.2	10.1	1.8	1.2	0.6
CAMDEN COUNTY	17.5	12.1	7.5	24.6	16.5	10.0	1.5	1.7	1.5
Camden City	48.1	27.7	19.9	65.5	35.3	24.7	2.9	3.8	2.8
Cherry Hill Township	12.2	4.5	3.0	16.7	6.0	3.0			
CAPE MAY COUNTY	11.7	9.8	10.9	18.3	13.0	20.2	6.7	1.6	4.7
CUMBERLAND COUNTY	15.3	23.7	25.7	31.4	28.4	28.8	1.6	1.6	4.7
Vineland City	12.3	28.0	27.6	30.8	32.0	29.6			7.9
ESSEX COUNTY	43.6	36.3	30.7	62.0	50.0	42.6	5.2	4.4	4.3
Bloomfield	9.6	13.4	5.7	11.5	19.0	9.5	3.8	3.8	3.8
East Orange	51.7	40.9	32.9	67.6	62.1	48.6	5.3	7.9	5.3
Irvington	18.4	15.2	13.5	33.5	21.9	20.3			
Newark	78.9	66.4	58.0	113.1	88.6	77.5	7.8	7.2	6.7
GLOUCESTER COUNTY	13.1	7.8	9.4	15.9	10.1	12.1	2.3	1.7	1.7
HUDSON COUNTY	26.8	22.9	19.4	45.7	41.3	37.2	4.7	3.6	5.1
Bayonne	13.7	9.5	5.4	19.1	17.7	9.5	4.1	1.4	2.7
Hoboken	26.1	19.4	15.0	74.0	71.3	53.7	2.2	2.2	6.4
Jersey City	39.1	38.3	31.4	58.3	54.7	50.9	8.1	7.7	7.3
North Bergen Township	14.5	4.1	12.2	20.8	8.2	28.5	2.1		10.2
Union City	19.0	12.1	10.4	48.5	38.0	36.3			3.5
HUNTERDON COUNTY	12.7	11.0	10.8	12.7	12.3	13.5	4.2		1.3
MERCER COUNTY	33.0	27.9	15.6	37.6	31.1	18.4	2.9	3.8	2.2
Hamilton Township	16.1	22.1	3.6	19.9	24.6	6.1		2.5	1.2
Trenton	65.2	47.1	33.9	71.8	51.9	37.7	4.7	7.5	0.9
MIDDLESEX COUNTY	11.8	9.4	11.6	14.0	11.7	14.4	2.9	1.5	2.6
Edison Township	10.2	7.3	5.8	13.1	7.3	7.3		2.1	1.7
Madison Township	6.1	2.0	2.0	6.1	2.0	4.0	4.0		
Woodbridge Township	7.0	5.0	5.9	8.0	8.0	5.9			4.9
MONMOUTH COUNTY	18.9	16.1	18.8	28.1	20.7	23.6	2.8		
Middletown Township	7.2	8.9	8.8	7.2	8.9	8.8	1.8		1.8
MORRIS COUNTY	8.9	5.0	7.2	10.5	6.6	8.0	1.3	0.8	0.7
Parsippany-Troy Hills	3.5	5.3	8.7	3.5	7.0	8.7	3.5	1.8	
OCEAN COUNTY	11.5	11.7	11.1	17.0	20.0	16.4	1.8	2.2	2.1
PASSAIC COUNTY	27.3	25.4	19.1	40.8	31.0	21.5	4.3	1.3	2.6
Clifton	4.8	3.6	7.3	14.5	7.3	7.3	1.2	1.2	3.6
Passaic City	28.9	28.9	21.5	37.9	30.7	23.3	1.8	5.4	
Paterson	69.0	58.5	41.3	99.7	72.7	46.8	10.2	1.4	4.7
Wayne Township	6.1		4.0	10.1		4.0	4.0		
SALEM COUNTY	13.1	20.8	11.0	24.5	24.0	11.0	3.3	3.2	1.6
SOMERSET COUNTY	7.0	3.9	7.3	9.4	6.9	9.3	2.0	0.5	1.0
SUSSEX COUNTY	5.0	8.5	5.9	5.0	9.8	9.5			1.2
UNION COUNTY	12.4	15.1	9.6	21.4	21.0	19.4	2.7	2.4	3.1
Elizabeth	22.0	27.2	17.5	52.0	38.7	40.3	2.6	5.3	4.4
Plainfield	21.0	25.1	26.9	27.3	29.3	35.2	2.1	2.1	4.1
Union Township	13.2	15.0	5.6	15.0	18.8	15.0	1.9	1.9	1.9
WARREN COUNTY	4.0	10.5	7.8	6.7	13.3	14.3		1.3	1.3

Note: Rates for State Institutions and Military Posts are not computed due to lack of population base.

Stat - 08

TABLE 38: RESIDENT CIRCULATORY DISEASE DEATHS BY CAUSE GROUP, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1973

TABLE 38: RESIDENT CIRCULATORY DISEASE DEATHS BY CAUSE GROUP, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1973

PLACE OF RESIDENCE	TOTAL (390-458)		Chronic Rheumatic Heart (393-398)		Hypertensive Diseases (400-404)		Ischemic Heart (410-414)		Other Diseases of Heart (420-429)		Cerebrovascular Disease (430-438)		Other Diseases of Arteries, Etc. (440-448)		Dis. of Veins, Lymphatic & Other Diseases (450-458)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	38,103	515.2	603	8.2	544	7.4	27,280	368.8	932	12.9	6,499	87.9	1,666	22.5	554	7.5
ATLANTIC COUNTY	1,702	941.3	17	9.4	21	11.6	1,310	724.5	29	16.0	242	133.8	56	29.9	29	16.0
Bergen County	691	1532.7	6	13.3	6	13.3	536	1188.9	10	22.2	104	230.7	13	28.8	16	35.5
Burlington County	4,239	465.1	90	9.9	56	6.1	3,004	329.6	83	9.1	751	82.4	183	20.1	72	7.9
Camden County	1,184	363.8	9	2.8	16	4.9	843	259.1	36	11.1	214	65.8	49	15.1	17	5.2
Camden City	2,442	511.0	31	6.5	31	6.5	1,699	355.6	142	29.7	404	84.5	97	20.3	37	7.7
Cherry Hill Township	666	631.8	3	2.8	12	11.4	461	437.3	49	46.5	113	107.2	18	17.1	10	9.5
CAPE MAY COUNTY	210	311.9	3	4.5	13	20.2	143	212.4	10	14.9	42	62.4	7	10.4	4	5.9
CUMBERLAND COUNTY	636	990.2	8	12.5	13	20.2	463	720.8	9	14.0	99	154.1	38	59.2	6	9.3
Vineland City	764	594.5	11	8.6	21	16.3	541	421.0	31	24.1	109	84.8	31	24.1	20	15.6
ESSEX COUNTY	293	578.4	5	9.9	5	9.9	218	430.3	4	7.9	39	77.0	15	29.6	7	13.8
Bloomfield	5,349	566.5	103	10.9	85	9.0	3,829	403.5	158	16.7	887	93.9	212	22.5	73	7.7
East Orange	339	644.5	2	3.8	6	11.4	259	492.4	5	9.5	51	97.0	13	24.7	3	5.7
Irvington	479	629.7	7	9.2	13	17.1	334	439.1	12	15.8	78	102.5	24	31.5	10	13.1
Newark	2,043	524.0	14	23.7	3	5.1	374	631.9	15	25.3	76	128.4	14	23.7	8	13.5
HUDSON COUNTY	820	451.2	29	7.4	12	6.6	1,482	380.1	83	21.3	317	81.3	72	18.5	27	6.9
Bayonne	3,979	649.3	13	7.2	12	6.6	556	303.9	32	17.6	145	79.8	53	29.2	9	5.0
Hoboken	536	730.3	48	7.8	72	11.7	3,046	497.1	106	17.3	523	85.3	136	22.2	47	7.7
Jersey City	247	531.0	7	9.5	8	10.9	432	588.6	2	2.7	67	91.3	17	23.2	3	4.1
North Bergen Twp.	1,674	641.1	1	2.1	3	6.4	182	391.3	6	23.0	41	88.1	11	23.6	2	4.3
Union City	380	657.3	5	10.2	4	8.1	242	492.8	11	22.4	43	87.6	11	22.4	3	6.1
HUNTERDON COUNTY	339	457.6	4	6.9	3	5.2	308	532.7	10	17.3	41	70.9	11	19.0	3	5.2
MERCER COUNTY	1,489	473.1	7	9.4	2	2.7	241	325.3	8	10.8	53	71.5	26	35.1	1	1.3
Hamilton Township	344	417.1	9	10.9	5	6.1	221	268.0	8	9.7	73	88.5	20	24.2	8	9.7
Trenton	651	612.8	14	13.2	17	16.0	432	406.7	21	19.8	135	127.1	26	24.5	6	5.6
MIDDLESEX COUNTY	2,162	357.7	49	8.1	26	4.3	1,557	257.6	47	7.8	364	60.2	94	15.6	25	4.1
Edison Township	208	302.0	4	5.8	4	5.8	150	217.8	5	7.3	34	49.4	10	14.5	1	1.5
Madison Township	104	205.4	3	5.9	2	4.0	78	154.1	7	6.9	15	29.6	5	9.9	1	2.0
Woodbridge Township	324	320.6	5	4.9	3	3.0	248	245.4	7	6.9	50	49.5	10	9.9	1	1.0
MONMOUTH COUNTY	2,451	511.3	37	7.7	32	6.7	1,661	346.5	32	6.7	503	104.9	138	28.8	48	10.0
Morris County	199	349.9	1	1.8	1	1.8	142	249.7	2	3.5	42	73.8	8	14.1	3	5.3
Middletown Township	1,398	347.4	29	7.2	18	4.5	954	237.1	30	7.5	288	71.6	60	14.9	19	4.7
Parshippany-Troy Hills	1,102	177.4	2	3.5	3	5.2	72	125.2	2	3.5	18	31.3	4	7.0	1	1.7
OCEAN COUNTY	1,798	739.4	27	11.1	14	5.8	1,297	533.4	25	10.3	319	131.2	90	37.0	26	10.7
PASSAIC COUNTY	2,514	534.6	40	8.5	27	5.7	1,805	383.8	37	7.9	470	99.9	104	22.1	31	6.6
Clifton	521	630.4	7	8.5	6	7.3	378	457.4	5	6.0	92	111.3	26	31.5	7	8.5
Passaic City	393	704.2	4	7.2	3	5.4	287	514.2	2	3.6	75	134.4	18	32.3	4	7.2
Paterson	854	578.7	16	10.8	7	4.7	607	411.3	16	10.8	164	111.1	32	21.7	12	8.1
Wayne Township	153	304.4	5	9.9	3	6.0	111	220.9	4	8.0	22	43.8	6	11.9	2	4.0
SALEM COUNTY	362	569.7	4	6.3	5	7.9	270	424.9	4	6.3	59	92.9	16	25.2	4	6.3
SOMERSET COUNTY	767	373.9	16	7.8	7	3.4	529	257.9	13	6.3	156	76.1	36	17.6	10	4.9
SUSSEX COUNTY	371	439.2	5	5.9	7	8.3	273	323.2	10	11.8	58	68.7	13	15.4	5	5.9
UNION COUNTY	2,845	516.7	26	4.7	39	7.1	2,044	371.2	69	12.5	482	87.5	143	26.0	42	7.6
Elizabeth	735	643.1	3	2.6	11	9.6	519	43.8	13	11.4	142	124.3	37	32.4	10	8.8
Plainfield	264	547.1	1	2.1	2	4.1	192	397.9	6	12.4	39	80.8	14	29.0	10	20.7
Union Township	315	592.6	7	13.2	7	13.2	215	404.4	7	13.2	55	103.5	17	32.0	7	13.2
WARREN COUNTY	479	621.3	4	5.2	8	10.4	346	448.8	14	18.2	66	85.6	28	36.3	13	16.9
STATE INSTITUTIONS	5		2		8		4		4		1		1		1	
MILITARY POSTS	8		2		8		4		4		1		1		1	

Note: Addition of individual cause group rates may not add to total rates due to rounding.

767-053

TABLE 39: CASES OF SYPHILIS BY STAGE, AND GONORRHEA, NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1973

Choc...

PLACE OF RESIDENCE	SYPHILIS						GONORRHEA	
	ALL STAGES		PRIMARY AND SECONDARY		EARLY LATENT		Number	Rate
	Number	Rate	Number	Rate	Number	Rate		
STATE TOTAL	2,932	39.6	1,026	13.9	687	9.3	17,181	232.3
ATLANTIC COUNTY	70	38.7	16	8.8	13	7.2	399	220.7
Atlantic City	51	113.1	13	28.8	12	26.6	284	629.9
BERGEN COUNTY	107	11.7	30	3.3	23	2.5	499	54.7
BURLINGTON COUNTY	50	15.4	9	2.8	8	2.5	221	67.9
CAMDEN COUNTY	113	23.6	22	4.6	27	5.7	573	119.9
Camden City	82	77.8	17	16.1	18	17.1	422	400.3
Cherry Hill Township	5	7.4	1	1.5	1	1.5	17	25.2
CAPE MAY COUNTY	11	17.1	4	6.2	1	1.6	56	87.2
CUMBERLAND COUNTY	42	32.7	17	13.2	4	3.1	222	172.7
Vineland City	10	19.7	3	5.9			47	92.8
ESSEX COUNTY	1,105	117.0	470	49.8	277	29.3	6,656	704.9
Bloomfield	8	15.2			1	1.9	20	38.0
East Orange	135	177.5	57	74.9	32	42.1	531	698.0
Irvington	18	30.4	9	15.2	1	1.7	76	128.4
Newark	859	220.3	378	96.9	222	56.9	5,625	1442.7
GLOUCESTER COUNTY	30	16.5	6	3.3	4	2.2	83	45.7
HUDSON COUNTY	327	53.4	143	23.3	105	17.1	1,175	191.7
Bayonne	11	15.0	4	5.4	3	4.1	18	24.5
Hoboken	39	83.8	13	27.9	6	12.9	36	77.4
Jersey City	223	85.4	111	42.5	75	28.7	1,053	403.3
North Bergen Township	6	12.2	3	6.1	2	4.1	13	26.5
Union City	18	31.1	5	8.6	9	15.6	25	43.2
HUNTERDON COUNTY	5	6.7					55	74.2
MERCER COUNTY	229	72.8	79	25.1	60	19.1	1,537	488.3
Hamilton Township	4	4.8	2	2.4	1	1.2	12	14.5
Trenton	208	195.8	69	65.0	57	53.7	1,458	1372.5
MIDDLESEX COUNTY	97	16.0	21	3.5	11	1.8	969	160.3
Edison Township	13	18.9	2	2.9	1	1.5	100	145.2
Madison Township								
Woodbridge Township	17	16.8	2	2.0	3	3.0	41	40.6
MONMOUTH COUNTY	98	20.4	18	3.8	14	2.9	646	134.8
Middletown Township	2	3.5			1	1.8	12	21.1
MORRIS COUNTY	41	10.2	6	1.5	14	3.5	112	27.8
Parsippany-Troy Hills	7	12.2	2	3.5	3	5.2	12	20.9
OCEAN COUNTY	24	9.9	3	1.2	1	0.4	164	67.4
PASSAIC COUNTY	217	46.1	72	15.3	60	12.8	1,638	348.3
Clifton	9	10.9	5	6.0	2	2.4	24	29.0
Passaic City	54	96.8	22	39.4	16	28.7	98	175.6
Paterson	143	96.9	43	29.1	38	25.8	1,479	1002.3
Wayne Township	3	6.0			1	2.0	11	21.9
SALEM COUNTY	16	25.2	3	4.7	4	6.3	82	129.1
SOMERSET COUNTY	13	6.3	3	1.5	2	1.0	128	62.4
SUSSEX COUNTY	6	7.1	2	2.4	1	1.2	25	29.6
UNION COUNTY	224	40.7	82	14.9	37	6.7	917	166.5
Elizabeth	64	56.0	16	14.0	4	3.5	488	427.0
Plainfield	88	182.4	44	91.2	20	41.4	227	470.4
Union Township	8	15.0	3	5.6	1	1.9	29	54.6
WARREN COUNTY	5	6.5			2	2.6	11	14.3
STATE INSTITUTIONS	65		3		10		38	
MILITARY POSTS	37		17		9		975	

Note: Rates not computed for State Institutions and Military Posts due to lack off population base.

Stat-D-11

TABLE 40: ANNUAL SUMMARY OF NOTIFIABLE DISEASE CASES BY COUNTY OF RESIDENCE: 1973

TABLE 40: ANNUAL SUMMARY OF NOTIFIABLE DISEASE CASES BY COUNTY OF RESIDENCE: 1973

COUNTY	AMEBIASIS		ASEPTIC MENINGITIS		BRUCELLOSIS	HEPATITIS		MALARIA	MEASLES (RUBEOLA)	MENINGOCOCCAL INFECTIONS			MUMPS	RUBELLA (GERMAN MEASLES)	SALMONELLOSIS (EXCLUDING TYPHOID FEVER)	SHIGELLOSIS (BACILLARY DYSENTERY)	TETANUS	TRICHINOSIS	TYPHOID FEVER	TYPHUS (ROCKY MOUNTAIN SPOTTED FEVER)	WHOOPING COUGH (PERTUSSIS)
	SERUM (HEPATITIS B)	INFECTIOUS A (HEPATITIS A)	TOTAL	MILITARY		CIVILIAN	TOTAL			MILITARY	CIVILIAN										
TOTAL	55	257	1	503	1,179	5	774	46	2	44	1,684	3,029	1,080	550	2	6	42	5	7		
Atlantic		21		3	12		1	2		2	143	55	32	4			1				
Bergen	3	18		48	100		75	2		2	12	58	54	45	1						
Burlington		14		50	116	1	40	6		4	95	97	64	10			22				
Camden	4	28		51	99	1	94	5		5	97	668	90	18			1		1		
Cape May	1	3		1	13							115	3								
Cumberland	40	4		5	14		9	2		2	15	1	17	49	1				1		
Essex	4	34		87	232	1	127	5		5	38	59	195	158			3				
Gloucester		5		11	22		3	1		1	61	324	18	4			1				
Hudson		10	1	54	120		174	3		3	318	206	55	65			6		1		
Hunterdon		3		9	9						3	4	8	2							
Mercer	1	24		35	50		8	2		2	37	140	54	9							
Middlesex		10		16	69	1	6	3		3	256	670	78	20			1				
Monmouth	1	22		27	84		42	6		6	293	183	92	77			1		1		
Morris		11		11	39		6	1		1		3	104	22							
Ocean		8		22	33		4				188	360	33	8					1		
Passaic	1	11		26	71	1	174	2		2	76	22	60	17			1		3		
Salem				2	5			1		1	4		4	2					1		
Somerset		5		8	15		4				2	12	24	10					1		
Sussex		4		2	5			3			2		15	6							
Union		20		30	60		6	3		3	9	52	54	23			2				
Warren		2		5	11		1	2		2	35		23	1							

Note: 3 cases Salmonellosis (excluding Typhoid Fever); county unknown
 There were no cases of Diphtheria and Tularemia.
 Cases occurring in State Institutions or Military Posts are included in county totals.

Stat-D 89

**TABLE 41: ESTIMATED POPULATION, BIRTHS, MARRIAGES, DEATHS, INFANT DEATHS
FETAL DEATHS AND NEONATAL DEATHS BY COUNTIES AND MUNICIPALITIES: 1973**
(Marriage data by place of occurrence, all other by place of residence)

ATLANTIC COUNTY

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	180,820	2,722	1,561	2,760	54	38	40
Absecon City	6,555	100	70	95	2		1
Atlantic City	45,085	744	358	1,096	25	16	20
Brigantine City	7,410	82	44	101		2	
Buena Borough	3,410	63	61	32			
Buena Vista Township	4,615	82	22	36		1	
Corbin City	260	2		3			
Egg Harbor City	4,465	78	68	86	2		2
Egg Harbor Township	11,985	286	68	99	4	1	3
Estell Manor City	570	11	3	7	1		1
Folsom Borough	1,905	19	10	9	1	1	1
Galloway Township	8,580	77	75	50			
Hamilton Township	7,505	119	55	90	1	3	
Hammonton Town	12,110	230	136	106	2	1	2
Linwood City	6,415	79	60	66	1		1
Longport Borough	1,210	5	36	29			
Margate City	10,640	60	73	157	1		
Mullica Township	3,530	37	23	39		1	
Northfield City	9,145	78	70	64		1	
Pleasantville City	14,170	285	159	239	10	5	6
Port Republic City	625	12	8	6			
Somers Point City	8,965	156	77	124	2	3	2
Ventnor City	10,620	99	85	208	2	2	1
Weymouth Township	1,045	18		18		1	

BERGEN COUNTY

TOTAL	911,480	7,993	6,723	7,564	102	89	74
Allendale Borough	6,355	50	21	27			
Alpine Borough	1,380	7	13	5			
Bergenfield Borough	29,185	242	180	240	2	3	2
Bogota Borough	9,060	89	92	93	3		2
Carlstadt Borough	6,820	79	18	60	1		1
Cliffside Park Borough	19,380	199	110	200	4	1	2
Closter Borough	8,680	50	56	62	1	1	
Cresskill Borough	8,325	40	150	58			
Demarest Borough	5,190	28	44	35	1		1
Dumont Borough	20,400	182	95	161	3	2	2
East Rutherford Borough	8,690	99	95	87	2	1	2
Edgewater Borough	5,070	46	30	56	1	1	
Elmwood Park Borough	20,825	188	86	159	2	1	2
Emerson Borough	8,565	56	69	63	1		
Englewood City	24,980	256	269	286	4	6	3
Englewood Cliffs Borough	5,980	15	23	37			
Fair Lawn Borough	37,970	221	265	303	5	1	5
Fairview Borough	10,840	119	78	110	2		2
Fort Lee Borough	32,590	229	221	291	5	1	4

BERGEN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Franklin Lakes Borough	7,865	51	35	38	1		1
Garfield City	31,360	405	242	296	3	4	3
Glen Rock Borough	13,035	101	109	101			
Hackensack City	37,330	490	408	389	3	15	1
Harrington Park Borough	4,975	41	25	32			
Hasbrouck Heights Borough	13,680	106	114	117	1	2	1
Haworth Borough	3,795	16	31	29			
Hillsdale Borough	11,940	95	74	83		1	
Hohokus Borough	4,395	33	88	33			
Leonia Borough	8,920	65	58	62	1		
Little Ferry Borough	9,595	128	71	77		1	
Lodi Borough	25,845	345	138	176	3	8	3
Lyndhurst Township	22,935	243	161	223	2	4	1
Mahwah Township	11,200	118	64	87	1	2	1
Maywood Borough	11,160	93	111	103		2	
Midland Park Borough	8,305	85	73	89		2	
Montvale Borough	7,470	69	31	49	3		3
Moonachie Borough	3,010	28	7	25	2	1	2
New Milford Borough	19,285	174	154	168	2	1	2
North Arlington Borough	18,140	161	118	215	6	5	3
Northvale Borough	5,340	47	22	24			
Norwood Borough	4,485	38	35	32			
Oakland Borough	14,940	146	71	59	2		1
Old Tappan Borough	4,060	23	35	32		1	
Oradell Borough	8,925	51	31	72	1		1
Palisades Interstate Park				1			
Palisades Park Borough	13,565	141	103	144	4	2	2
Paramus Borough	28,820	156	306	182	1		
Park Ridge Borough	9,060	100	85	62		1	
Ramsey Borough	12,940	121	140	89			
Ridgefield Borough	11,335	91	80	101	2	3	1
Ridgefield Park Township	14,065	140	111	137	1	2	
Ridgewood Village	27,555	186	250	202	3	1	2
River Edge Borough	12,775	92	110	115			
River Vale Township	9,030	72	25	64	2		1
Rochelle Park Township	6,390	59	45	76	1		1
Rockleigh Borough	315	1	7	1			
Rutherford Borough	20,810	193	169	218	1	1	
Saddle Brook Township	16,350	144	115	114	3		2
Saddle River Borough	2,475	11	17	36		1	
South Hackensack Township	2,455	27	12	23			
Teaneck Township	42,340	269	234	358	6	3	5
Tenafly Borough	14,685	55	136	143	5		4
Teterboro Borough	20						
Upper Saddle River Borough	8,140	41	73	31		1	
Waldwick Borough	12,580	112	28	67	1		1
Wallington Borough	10,855	190	73	107		2	
Washington Township	10,775	80	48	38	1	1	1
Westwood Borough	11,385	120	102	106	1	3	1
Woodcliff Lake Borough	5,595	29	43	28			
Wood-Ridge Borough	8,530	83	63	84			
Wyckoff Township	16,360	133	127	93	2	1	2

BURLINGTON COUNTY - 1973

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	325,410	4,357	2,319	2,216	76	59	59
Bass River Township	935	11	13	20			
Beverly City	3,185	74	60	42	4		2
Bordentown City	4,580	59	85	60		1	
Bordentown Township	7,735	133	30	41	1		1
Burlington City	11,860	80	124	147	4	4	2
Burlington Township	11,980	360	44	72	8	2	8
Chesterfield Township	3,235	26	9	21			
Cinnaminson Township	17,410	131	129	105	4	2	3
Delanco Township	4,215	53	23	42	1		1
Delran Township	11,125	214	14	71	2	2	1
Eastampton Township	2,940	59	5	12			
Edgewater Park Township	8,575	138	32	38		3	
Evesham Township	15,395	261	83	88	3	3	3
Fieldsboro Borough	620	7	3	6			
Florence Township	8,805	133	59	89	6	4	5
Hainesport Township	3,020	27	30	31		1	
Lumberton Township	4,485	60	29	20			
Mansfield Township	2,685	36	24	27	1		1
Maple Shade Township	19,445	271	123	177	3	3	2
Medford Township	9,720	129	72	56	2	3	2
Medford Lakes Borough	4,980	34	87	27	1	1	1
Moorestown Township	15,990	139	157	163	2	3	2
Mount Holly Township	13,005	178	140	141	3	2	2
Mount Laurel Township	12,205	150	47	63	1	2	
New Hanover Township	12,080	22	8	12			
North Hanover Township	8,450	50	26	11	1		
Palmyra Borough	7,290	78	52	67	1	2	1
Pemberton Borough	1,440	43	72	23	1	1	1
Pemberton Township	20,595	479	71	114	7	3	5
Riverside Township	8,690	97	133	102	1	2	1
Riverton Borough	3,445	29	92	38			
Shamong Township	1,460	17	9	12	1		1
Southampton Township	6,240	77	25	68	5	1	4
Springfield Township	3,275	36	7	9			
Tabernacle Township	2,380	34	16	12			
Washington Township	690	3	5	4	1		1
Westampton Township	2,820	13	11	4			
Willingboro Township	44,710	547	237	160	12	13	9
Woodland Township	2,040	12	3	7			
Wrightstown Borough	1,675	57	130	14		1	

CAMDEN COUNTY

TOTAL	477,850	6,836	3,873	4,364	131	88	97
Audubon Borough	10,810	111	95	123	3	2	3
Audubon Park Borough	1,470	4		16			
Barrington Borough	8,680	94	71	57		1	

CAMDEN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Bellmawr Borough	16,165	185	83	96	3		3
Berlin Borough	5,465	125	83	64	2	1	1
Berlin Township	5,870	96	22	46	2		1
Brooklawn Borough	2,905	27	16	33	1		1
Camden City	105,420	2,230	935	1,247	72	43	50
Cherry Hill Township	67,340	542	489	402	12	4	9
Chesilhurst Borough	860	13	8	5			
Clementon Borough	4,960	135	48	63	2	1	2
Collingswood Borough	17,345	242	174	219	1	3	1
Gibbsboro Borough	2,680	29	26	14		1	
Gloucester City	14,935	198	119	161	2	2	2
Gloucester Township	29,985	388	171	190	7	3	6
Haddon Township	18,155	123	89	146		3	
Haddonfield Borough	13,020	124	170	173	1	1	1
Haddon Heights Borough	9,380	74	153	91			
Hi-Nella Borough	1,325	40	2	3			
Laurel Springs Borough	2,800	101	28	28	1		1
Lawnside Borough	2,920	29	21	25	1		1
Lindenwold Borough	16,065	398	99	81	2	3	1
Magnolia Borough	6,145	93	66	56	1		1
Merchantville Borough	4,385	54	152	73			
Mount Ephraim Borough	5,625	62	80	56	1	1	1
Oaklyn Borough	4,650	62	46	78	1		1
Pennsauken Township	36,965	337	168	340	7	8	4
Pine Hill Borough	6,055	98	34	44		2	
Pine Valley Borough	25						
Runnemede Borough	10,740	129	155	78		2	
Somerdale Borough	6,850	151	89	66	2	1	2
Stratford Borough	10,145	130	42	72	3	2	1
Tavistock Borough	15		1				
Voorhees Township	7,285	82	29	39	1	2	1
Waterford Township	4,300	71	38	56	1		1
Winslow Township	12,975	212	47	78	2	2	2
Wood-Lynne Borough	3,135	47	24	45			

CAPE MAY COUNTY

TOTAL	64,230	770	637	1,046	13	8	8
Avalon Borough	1,920	14	26	26			
Cape May City	4,185	56	67	61	1		1
Cape May Point Borough	220	3	3	4			
Dennis Township	2,745	39	26	23		1	
Lower Township	10,980	148	97	183	1		1
Middle Township	9,320	149	61	135	2	4	2
North Wildwood City	4,295	35	21	63	3	1	
Ocean City	11,720	106	114	260	1		
Sea Isle City	2,730	23	22	26			
Stone Harbor Borough	1,290	10	17	30			
Upper Township	3,760	50	31	42	1		

CAPE MAY COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
West Cape May Borough	1,030	11	7	15	1		1
West Wildwood Borough	265	1	1	8			
Wildwood City	3,390	69	85	92	2	1	2
Wildwood Crest Borough	3,615	20	39	59			
Woodbine Borough	2,765	36	20	19	1	1	1

CUMBERLAND COUNTY

TOTAL	128,510	2,099	1,057	1,338	51	39	40
Bridgeton City	21,345	516	262	246	11	10	7
Commercial Township	3,760	75	26	53		1	
Deerfield Township	2,650	57	10	31		4	
Downe Township	1,810	16	12	19			
Fairfield Township	5,325	51	21	31	2	3	2
Greenwich Township	965	10	10	13	1		
Hopewell Township	4,070	26	32	24		2	
Lawrence Township	2,415	20	16	22			
Maurice River Township	3,800	63	22	40			
Millville City	23,240	397	225	305	13	9	11
Shiloh Borough	595	8	5	4			
Stow Creek Township	1,110	8		11			
Upper Deerfield Township	6,765	48	39	47	1		1
Vineland City	50,660	804	377	492	23	10	19

ESSEX COUNTY

1973

TOTAL	944,290	13,035	8,246	9,911 9,885	304 278	183 162	237 211
Belleville Town	38,780	466	279	381	5	5	4
Bloomfield Town	52,600	537	358	600	8	7	7
Caldwell Borough	8,740	76	102	97	1	1	1
Cedar Grove Township	15,035	100	99	90	2		2
East Orange City	76,070	1,135	606	913	30	13	28
Essex Fells Borough	2,550	7	43	18			
Fairfield Borough	7,110	75	52	45	1	1	1
Glen Ridge Borough	8,540	67	52	78	2		2
Irvington Town	59,190	630	472	851 849	46	7	64
Livingston Township	30,740	235	354	194	2	2	1
Maplewood Township	24,710	201	243	294	4	1	3
Milburn Township	21,100	132	325	212	3	2	3
Montclair Town	43,755	361	335	542	9	5	7
Newark City	389,895	7,364	3,372	3,975 3,951	205 181	123 103	150 126
North Caldwell Borough	6,790	30	30	41	1		
Nutley Town	32,410	300	287	305	4	1	4
Orange City	33,355	516	327	402	11	8	8
Roseland Borough	4,635	54	34	37			
South Orange Village	16,805	103	259	175			
Verona Borough	15,290	140	210	135	3	4	3
West Caldwell Borough	12,215	131	24	71	3	3	3
West Orange Town	43,975	375	383	455	4		4

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	181,735	2,457	1,523	1,454	36	23	24
Clayton Borough	5,485	78	48	52	2		2
Deptford Township	24,960	280	122	127	3	2	3
East Greenwich Township	3,410	50	14	20			
Elk Township	2,850	26	9	21	1	2	
Franklin Township	9,390	135	110	105	5	2	4
Glassboro Borough	13,735	200	113	112	5	3	3
Greenwich Township	5,800	61	40	42	2		2
Harrison Township	2,790	49	23	20			
Logan Township	1,850	16	5	12	2		1
Mantua Township	10,070	148	83	81		1	
Monroe Township	16,030	321	120	133	4	2	2
National Park Borough	3,825	59	45	31			
Newfield Borough	1,600	19	19	19			
Paulsboro Borough	8,315	116	49	90	3	1	1
Pitman Borough	10,425	147	85	117	1		
South Harrison Township	1,280	9	6	4	1		
Swedesboro Borough	2,345	47	28	34	1		1
Washington Township	17,060	204	85	69	1	3	
Wenonah Borough	2,470	30	16	27		2	
West Deptford Township	15,110	115	215	74	1	1	1
Westville Borough	5,295	94	69	64		1	
Woodbury City	12,735	195	175	171	4	3	4
Woodbury Heights Borough	3,740	45	43	19			
Woolwich Township	1,165	13	1	10			

HUDSON COUNTY

TOTAL	612,785	8,165	5,509	7,008	157	137	128
Bayonne City	73,395	772	565	869	18	8	16
East Newark Borough	1,955	38	17	20			
Guttenberg Town	5,855	58	40	98		1	
Harrison Town	12,120	153	151	161	2	3	2
Hoboken City	46,515	785	482	459	14	6	13
Jersey City	261,105	4,112	2,249	3,061	96	87	76
Kearny Town	38,085	444	279	473	4	3	2
North Bergen Township	49,105	508	256	569	5	11	5
Secaucus Town	12,705	102	118	119		1	
Union City	57,815	664	796	624	11	8	9
Weehawken Township	13,350	131	99	154	2	3	1
West New York Town	40,780	398	457	401	5	6	4

HUNTERDON COUNTY

TOTAL	74,080	895	563	596	19	10	14
Alexandria Township	2,285	30	8	7			
Bethlehem Township	1,565	16	6	12	1		1

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Bloomsbury Borough	885	13	14	7		1	
Califon Borough	1,025	13	22	13		1	
Clinton Town	1,750	30	10	18	2	1	2
Clinton Township	5,650	79	26	16			
Delaware Township	3,395	35	26	34			
East Amwell Township	2,735	36	14	18			
Flemington Borough	4,095	53	98	65	4		4
Franklin Township	2,230	25	9	15			
Frenchtown Borough	1,490	21	18	18			
Glen Gardner Borough	875	15	4	10		1	
Hampton Borough	1,430	28	23	18	2		2
High Bridge Borough	2,775	53	35	25			
Holland Township	3,840	34	9	20			
Kingwood Township	2,405	18	27	13	1		1
Lambertville City	4,425	44	49	67	2	2	
Lebanon Borough	900	12	9	10	1		1
Lebanon Township	4,415	71	12	21		4	
Milford Borough	1,290	15	19	19	2		1
Raritan Township	7,510	98	27	47	1		1
Readington Township	8,035	81	55	67	2		1
Stockton Borough	620	3	12	18			
Tewksbury Township	3,185	30	22	21	1		
Union Township	2,700	16	6	11			
West Amwell Township	2,570	26	3	6			

MERCER COUNTY

TOTAL	314,765	4,196	2,480	2,916	82	63	55
East Windsor Township	14,775	424	16	78	2	3	2
Ewing Township	33,760	292	341	267	4	4	3
Hamilton Township	82,475	952	561	687	15	9	12
Hightstown Borough	5,610	101	81	79	3	2	2
Hopewell Borough	2,290	22	28	22			
Hopewell Township	10,445	91	45	68			
Lawrence Township	20,005	110	124	129	1	2	1
Pennington Borough	2,165	25	40	23	1		1
Princeton Borough	12,255	64	242	99	2	2	2
Princeton Township	13,930	133	69	84	2		2
Trenton City	106,230	1,848	905	1,318	50	40	29
Washington Township	3,505	40	8	26			
West Windsor Township	7,320	94	20	36	2	1	1

MIDDLESEX COUNTY -1973

TOTAL	604,400	7,123	4,509	4,109	103	78	85
Carteret Borough	22,975	254	206	194	4	4	3
Cranbury Township	2,260	29	27	26		2	

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Dunellen Borough	7,190	82	103	69		1	
East Brunswick Township	36,420	381	212	194	6	6	3
Edison Township	68,880	834	428	404	8	4	8
Helmetta Borough	990	10	11	10			
Highland Park Borough	14,775	176	77	120	3	1	3
Jamesburg Borough	4,720	96	58	71	2	3	1
Madison Township	50,630	782	302	217	8	5	7
Metuchen Borough	16,225	167	169	131	2	2	2
Middlesex Borough	15,425	166	71	98	5	2	3
Milltown Borough	6,810	82	60	54	1		1
Monroe Township	10,285	106	22	42		1	
New Brunswick City	42,760	606	660	374	16	11	13
North Brunswick Township	17,865	200	39	122	3	1	3
Perth Amboy City	39,640	600	484	439	6	8	6
Piscataway Township	39,230	562	221	171	7	5	7
Plainsboro Township	1,960	9	8	14			
Sayreville Borough	33,690	307	127	175	7	6	5
South Amboy City	9,625	145	158	124	1	2	
South Brunswick Township	14,980	163	82	71	2	3	2
South Plainfield Borough	21,795	246	143	127	4	1	4
South River Borough	15,870	177	116	169	5	3	3
Spotswood Borough	8,340	126	84	48	3		3
Woodbridge Township	101,060	817	641	645	10	7	8

MONMOUTH COUNTY - 1973

TOTAL	479,320	6,150	3,649	4,396	78	53	54
Allenhurst Borough	990	8	4	15		1	
Allentown Borough	1,735	25	33	15			
Asbury Park City	16,910	334	286	339	5	5	
Atlantic Highlands Borough	5,270	68	84	74	1	1	1
Avon-by-the-Sea Borough	2,210	17	22	25		1	
Belmar Borough	6,005	62	79	102	1		1
Bradley Beach Borough	4,285	71	43	61	2	1	2
Brielle Borough	3,595	23	33	45		1	
Colts Neck Township	6,220	59	24	34			
Deal Borough	2,450	15	23	15		1	
Eatontown Borough	13,160	343	101	69	5	1	5
Englishtown Borough	1,165	44	28	30			
Fair Haven Borough	6,220	46	33	57	1	1	1
Farmingdale Borough	1,365	22	25	21	1	1	1
Freehold Borough	10,900	192	164	148	4		3
Freehold Township	14,770	253	30	87	3	1	3
Hazlet Township	22,850	207	99	121	2		1
Highlands Borough	4,325	77	31	60		1	
Holmdel Township	6,535	48	82	38			
Howell Township	23,715	296	152	128	2	2	2
Interlaken Borough	1,195	15	1	12			
Keansburg Borough	10,125	166	96	137	2		2

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Keyport Borough	7,340	115	59	93	1	1	1
Little Silver Borough	6,115	57	17	39	1		1
Loch Arbour Village	395	3		3			
Long Branch City	33,135	514	258	298	4	7	3
Manalapan Township	15,425	213	42	45	5		3
Manasquan Borough	5,005	69	113	113			
Marlboro Township	13,220	172	46	81	1	1	1
Matawan Borough	9,635	141	119	85	5		3
Matawan Township	18,770	257	56	76	2	3	1
Middletown Township	56,875	654	385	392	10	5	6
Millstone Township	2,680	24	12	28		2	
Monmouth Beach Borough	2,280	24	14	23			
Neptune Township	28,420	349	112	363	6	8	2
Neptune City Borough	5,580	83	27	84			
New Shrewsbury Borough	8,450	70	36	52	3	1	3
Ocean Township	20,500	263	95	135		2	
Oceanport Borough	6,475	40	18	39	2		2
Red Bank Borough	12,770	143	279	239	3	3	3
Roosevelt Borough	845	8	4	8			
Rumson Borough	7,745	48	76	64	1	1	
Sea Bright Borough	1,430	15	15	14			
Sea Girt Borough	2,170	15	30	55			
Shrewsbury Borough	3,325	30	52	20			
Shrewsbury Township	1,235	21	2	16			
South Belmar Borough	1,480	19	7	17			
Spring Lake Borough	3,865	25	78	62			
Spring Lake Heights Boro	4,735	46	29	57			
Union Beach Borough	6,630	89	35	47	3		2
Upper Freehold Township	2,670	39	16	14	1		
Wall Township	17,105	170	74	158	1	1	1
West Long Branch Borough	7,020	43	70	43			

MORRIS COUNTY

TOTAL	402,370	4,933	2,695	2,652	58	51	45
Boonton Town	9,340	95	92	105		1	
Boonton Township	3,210	53	16	39			
Butler Borough	7,590	124	80	70		1	
Chatham Borough	9,720	92	46	115	2		2
Chatham Township	8,455	69	38	42	1		1
Chester Borough	1,375	20	40	17			
Chester Township	4,470	38	11	17			
Denville Township	14,460	124	76	108	2	2	2
Dover Town	15,425	268	221	186	4	7	3
East Hanover Township	8,065	79	70	43	1	3	1
Florham Park Borough	8,215	77	62	67			
Hanover Township	11,375	129	94	78	1	1	
Harding Township	3,340	21	49	22			
Jefferson Township	15,060	282	71	89	4	2	3
Kinnelon Borough	7,850	70	37	37	1	1	1
Lincoln Park Borough	9,370	96	68	50	3	3	3

MORRIS COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Madison Borough	16,930	171	108	103	1	1	1
Mendham Borough	4,035	36	43	27	1	1	1
Mendham Township	3,970	34	9	16			
Mine Hill Township	3,650	39	8	30	1		
Montville Township	12,600	151	66	49		1	
Morris Township	20,050	163	122	95	2	1	2
Morris Plains Borough	5,660	66	39	80	1	2	1
Morristown Town	17,740	245	278	235	5	2	4
Mountain Lakes Borough	4,790	28	66	20			
Mount Arlington Borough	3,850	71	13	17		1	
Mount Olive Township	13,910	274	44	52	3	3	2
Netcong Borough	3,200	34	64	28			
Parsippany-Troy Hills Twp.	57,510	816	220	219	9	7	6
Passaic Township	7,655	82	45	49	3		2
Pequannock Township	14,670	134	91	94	3	4	3
Randolph Township	14,630	200	55	68	1		1
Riverdale Borough	2,810	26	7	24			
Rockaway Borough	6,585	56	66	50	3	1	2
Rockaway Township	19,640	236	58	81	1	2	
Roxbury Township	16,920	234	96	95	2	1	1
Victory Gardens Borough	1,130	13	6	1			
Washington Township	7,495	96	51	64	1	1	1
Wharton Borough	5,620	91	69	70	2	2	2

OCEAN COUNTY

TOTAL	243,165	3,836	1,865	3,077	59	38	46
Barnegat Light Borough	620	3	7	10			
Bay Head Borough	1,090	7	51	14		1	
Beach Haven Borough	1,570	19	32	37			
Beachwood Borough	5,045	71	33	49	3	1	3
Berkeley Township	11,685	178	68	144	2	2	2
Brick Township	41,070	591	232	404	8	7	6
Dover Township	48,895	759	420	598	7	5	5
Eagleswood Township	855	19	7	19		2	
Harvey Cedars Borough	490	2	3	4			
Island Heights Borough	1,430	18	24	6			
Jackson Township	20,285	334	104	153	4	2	3
Lacey Township	7,285	179	55	110	3	2	3
Lakehurst Borough	2,940	55	42	42	2	1	2
Lakewood Township	29,205	626	282	451	16	9	12
Lavallette Borough	1,545	17	19	39			
Little Egg Harbor Township	4,355	56	11	38	1	1	1
Long Beach Township	3,585	16	33	47			
Manchester Township	11,570	87	16	196	3	2	2
Mantoloking Borough	325	3	2	6			
Ocean Township	2,620	45	20	51			
Ocean Gate Borough	1,125	16	3	21			
Pine Beach Borough	1,475	17	5	20			

OCEAN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Plumsted Township	4,465	101	44	27			
Point Pleasant Borough	16,695	227	81	233	2	1	
Point Pleasant Beach Boro	4,875	39	86	77	1		
Seaside Heights Borough	1,315	29	20	38			
Seaside Park Borough	1,480	25	34	29	1		1
Ship Bottom Borough	1,175	13	8	19	1		1
South Toms River Borough	4,190	87	18	30	2	1	2
Stafford Township	4,330	65	45	62			
Surf City Borough	1,265	13	14	23			
Tuckerton Borough	2,070	67	30	40	1		1
Union Township	2,240	52	16	40	2	1	2

PASSAIC COUNTY 1973

TOTAL	470,280	6,717	4,311	4,470	125	98	87
Bloomington Borough	8,130	111	27	67	1	2	
Clifton City	82,650	713	605	852	14	8	12
Haledon Borough	6,775	85	39	83	1	2	1
Hawthorne Borough	19,260	181	149	216	1	1	1
Little Falls Township	12,060	115	98	112	1	4	1
North Haledon Borough	7,720	55	298	69	1	2	
Passaic City	55,810	921	743	660	16	17	12
Paterson City	147,565	3,025	1,358	1,585	74	50	46
Pompton Lakes Borough	11,710	122	137	94	4		4
Prospect Park Borough	5,240	72	58	58	1	1	1
Ringwood Borough	11,260	155	74	48	2		2
Totowa Borough	11,770	77	83	93		2	
Wanaque Borough	9,390	169	58	68	1	3	1
Wayne Township	50,260	435	389	290	5	5	4
West Milford Township	18,410	311	130	96	2	1	2
West Paterson Borough	12,270	170	65	79	1		

SALEM COUNTY

TOTAL	63,540	888	561	641	20	8	16
Alloway Township	2,630	31	15	25	1		1
Elmer Borough	1,655	40	19	28	1		
Elsinboro Township	1,215	11	3	11			
Lower Alloway Creek Twp.	1,410	13	5	15	1	1	1
Mannington Township	1,900	19	11	30			
Oldmans Township	2,130	25	31	20	1		1
Penns Grove Borough	6,225	123	64	76	2	1	1
Pennsville Township	14,585	187	111	118	1	2	1
Pilesgrove Township	2,840	37	14	19		1	
Pittsgrove Township	4,840	70	63	38	1		
Quinton Township	2,645	28	22	22	1	1	1
Salem City	7,915	164	87	114	8		7

SALEM COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Upper Penns Neck Township	7,340	65	57	60	2	2	2
Upper Pittsgrove Township	3,015	36	22	24	1		1
Woodstown Borough	3,195	39	37	41			

SOMERSET COUNTY - 1973

TOTAL	205,125	2,064	1,436	1,458	29	19	25
Bedminster Township	2,660	14	38	25			
Bernards Township	13,710	83	70	69	2		2
Bernardsville Borough	6,735	59	53	78	2	1	1
Bound Brook Borough	10,660	127	159	106	5	1	5
Branchburg Township	6,200	74	5	33	3		3
Bridgewater Township	31,155	221	109	124			
Far Hills Borough	790	7	9	6			
Franklin Township	31,855	353	178	186	3	4	3
Green Brook Township	4,505	53	9	28	1		1
Hillsborough Township	12,015	119	52	83	1		1
Manville Borough	13,410	142	116	98	2	3	1
Millstone Borough	645	7	8	3			
Montgomery Township	6,635	59	22	30	1		1
North Plainfield Borough	22,310	286	138	192	2	2	2
Peapack-Gladstone Borough	1,975	16	27	24			
Raritan Borough	6,760	60	68	66			
Rocky Hill Borough	1,010	7	9	8			
Somerville Borough	13,425	188	195	169	4	5	4
South Bound Brook Borough	4,865	78	55	32	2	3	1
Warren Township	8,965	84	52	60	1		
Watchung Borough	4,840	27	64	38			

SUSSEX COUNTY

TOTAL	84,475	1,427	599	723	18	16	18
Andover Borough	835	8	8	11			
Andover Township	3,275	69	20	28		2	
Branchville Borough	910	10	9	17		1	
Byram Township	5,100	81	4	27			
Frankford Township	3,000	45	21	29	1	1	1
Franklin Borough	4,345	66	32	47		1	
Fredon Township	1,550	12	10	14		1	
Green Township	1,540	32	21	6	1		1
Hamburg Borough	1,830	32	11	29			
Hampton Township	2,275	33	10	20	3		3
Hardyston Township	3,740	62	27	24	1	1	1
Hopatcong Borough	10,185	246	46	51	1		1
Lafayette Township	1,300	31	24	13			
Montague Township	1,275	13	8	20	1		1
Newton Town	7,510	104	113	98	1	3	1
Ogdensburg Borough	2,475	50	10	20		1	

SUSSEX COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Sandyston Township	1,340	17	6	9		2	
Sparta Township	11,305	130	76	71	3		3
Stanhope Borough	3,285	44	24	19			
Stillwater Township	2,340	33	12	25			
Sussex Borough	2,100	45	50	30	3		3
Vernon Township	7,745	178	35	65	2	1	2
Walpack Township	390	4	1				
Wantage Township	4,825	82	21	50	1	2	1

UNION COUNTY

TOTAL	550,605	5,814	4,450	5,078	109	85	79
Berkeley Heights Township	13,445	105	61	73	2	3	1
Clark Township	19,175	129	158	124		2	
Cranford Township	27,635	230	164	198	5	1	5
Elizabeth City	114,285	1,658	1,205	1,282	40	27	27
Fanwood Borough	9,170	98	37	51	3	3	2
Garwood Borough	5,330	38	62	56		1	
Hillside Township	21,595	212	174	250	1	2	1
Kenilworth Borough	9,335	76	76	79	1	1	1
Linden City	42,155	424	278	387	2	6	1
Mountainside Borough	7,530	32	56	49	1		1
New Providence Borough	14,165	135	93	71			
Plainfield City	48,255	780	452	474	19	12	14
Rahway City	29,455	344	224	284	7	2	5
Roselle Borough	23,120	262	185	219	6	5	4
Roselle Park Borough	14,600	162	94	151	2		
Scotch Plains Township	22,860	185	154	132	3	5	3
Springfield Township	15,590	100	117	146	2	2	1
Summit City	23,490	203	198	255	5	1	5
Union Township	53,160	349	352	529	3	7	1
Westfield Town	34,005	268	308	259	7	3	7
Winfield Township	2,250	24	2	9		2	

WARREN COUNTY

TOTAL	77,095	975	679	809	14	14	14
Allamuchy Township	1,210	23	6	10			
Alpha Borough	2,870	29	34	24	2		2
Belvidere Town	2,750	41	46	32	1		1
Blairstown Township	2,440	27	28	29			
Franklin Township	2,040	24	9	20		1	
Frelinghuysen Township	1,150	8	4	5			
Greenwich Township	1,530	18	32	15	1	1	1
Hackettstown Town	9,875	150	81	92	2	3	2
Hardwick Township	590	10		5			
Harmony Township	2,030	19	32	13			
Hope Township	1,185	19	10	16			
Independence Township	2,255	27	30	21			

WARREN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Knowlton Township	1,765	19	13	20	1		1
Liberty Township	1,280	4	1	10			
Lopatcong Township	3,735	43	12	22			
Mansfield Township	3,880	55	19	24		2	
Oxford Township	1,960	18	14	27		1	
Pahaquarry Township	70	2					
Phillipsburg Town	18,000	231	174	236	3	5	3
Pohatcong Township	4,000	48	23	34	1		1
Washington Borough	6,300	76	93	83	2	1	2
Washington Township	3,745	58	12	50	1		1
White Township	2,435	26	6	21			

STATE INSTITUTIONS		31		16			
MILITARY POSTS		541	478	29	6	6	4

STATE TOTAL	7,396,330	94,024	59,723	68,605	1,618 1,644	1,183 1,204	1,223 1,249
-------------	-----------	--------	--------	--------	------------------------	------------------------	------------------------

Note: Population not available for State Institutions and Military Posts.

Corrections due to underreporting by a funeral director

*N.J. totals +
Essex County
Irvington
Newark*

TABLE 42: NUMBER OF BEDS EXISTING, UNDER CONSTRUCTION OR COMMITTED IN GENERAL ACUTE HOSPITALS BY TYPE* AND TOTAL NUMBER OF BEDS CONFORMING TO FEDERAL AND STATE STANDARDS BY SERVICE AREA IN NEW JERSEY, JANUARY 1, 1973 TO DECEMBER 31, 1973 INVENTORY PERIOD

TABLE 42: NUMBER OF BEDS EXISTING UNDER CONSTRUCTION OR COMMITTED IN GENERAL ACUTE HOSPITALS BY TYPE* AND TOTAL NUMBER OF BEDS CONFORMING TO FEDERAL AND STATE STANDARDS BY SERVICE AREA IN NEW JERSEY, JANUARY 1, 1973 TO DECEMBER 31, 1973 INVENTORY PERIOD

SERVICE AREA	Number of Hospitals	Total Number of Beds	Total Beds Conforming	TYPE OF BED					Other (1)
				Medical/Surgical	Obstetrical	Pediatric	Psychiatric		
STATE TOTAL	109	31,311	18,674	23,588	2,487	2,563	981	1,692	
PRIMARY SERVICE AREA I	30	8,365	3,973	6,030	639	604	519	573	
Sussex	3	289	183	238	22	29			
Passaic	6	1,827	884	1,365	179	186	97		
Bergen	10	3,498	1,582	2,204	191	189	341	573	
Hudson	11	2,751	1,324	2,223	247	200	81		
PRIMARY SERVICE AREA II	34	10,533	6,608	8,038	756	926	233	580	
Warren	2	363	266	259	45	19	6	34	
Morris	7	1,698	1,199	1,319	131	190	30	28	
Essex	18	5,871	3,464	4,508	375	519	142	327	
Union	7	2,601	1,679	1,952	205	198	55	191	
PRIMARY SERVICE AREA III	22	6,847	4,883	5,181	580	568	159	359	
Hunterdon	1	200	74	121	19	16	14	30	
Somerset	2	498	446	399	40	59			
Middlesex	5	2,015	1,472	1,488	195	162	42	128	
Mercer	5	1,649	1,084	1,237	132	150	37	93	
Monmouth	5	1,709	1,199	1,280	128	127	66	108	
Ocean	4	776	608	656	66	54			
PRIMARY SERVICE AREA IV	23	5,566	3,210	4,339	512	465	70	180	
Burlington	4	983	914	800	99	72	12	180	
Camden	7	2,263	821	1,649	216	176	42		
Gloucester	2	445	445	355	42	32	16		
Salem	2	243	28	175	30	38			
Atlantic	4	919	476	770	68	81			
Cumberland	3	548	445	445	47	56			
Cape May	1	165	46	145	10	10			

* Excluding Long Term Care Beds.
 (1) Including Tuberculosis, Contagion, Orthopedic and Rehabilitation Beds.

TABLE 43: NUMBER OF BEDS WHICH ARE EXISTING, UNDER CONSTRUCTION OR COMMITTED IN LONG TERM FACILITIES BY TYPE, EACH SERVICE AREA IN NEW JERSEY, JANUARY 1, 1973 TO DECEMBER 31, 1973 INVENTORY PERIOD

SERVICE AREA	Total Number of Facilities ⁽¹⁾	Total Beds ⁽²⁾	TYPE OF BED		
			Skilled Nursing	Intermediate Care	Sheltered Care
STATE TOTAL	597	43,660	30,168	2,473	11,019
PRIMARY SERVICE AREA I	109	10,473	7,930	442	2,101
Sussex	17	1,385	570	244	571
Passaic	31	2,996	2,320	73	603
Bergen	46	3,955	3,096	125	734
Hudson	15	2,137	1,944		193
PRIMARY SERVICE AREA II	158	10,777	7,535	758	2,484
Warren	11	534	285	114	135
Morris	47	3,370	1,985	482	903
Essex	72	4,657	3,480	138	1,039
Union	28	2,216	1,785	24	407
PRIMARY SERVICE AREA III	200	13,142	8,912	866	3,364
Hunterdon	14	416	196	46	174
Somerset	20	1,591	1,195	118	278
Middlesex	33	2,313	1,839	74	400
Mercer	29	1,691	1,298	30	363
Monmouth	83	5,481	3,255	428	1,798
Ocean	21	1,650	1,129	170	351
PRIMARY SERVICE AREA IV	130	9,268	5,791	407	3,070
Burlington	27	2,153	1,410	130	613
Camden	21	1,685	1,011	236	438
Gloucester	14	926	481		445
Salem	13	525	248		277
Atlantic	40	2,923	1,763	41	1,119
Cumberland	7	536	483		53
Cape May	8	520	395		125

(1) Includes General Acute Hospitals with Long Term Care Beds.

(2) Includes Long Term Care Beds in General Acute Hospitals.

*Not for
Book in 1974*

APPENDIX A

Glossary of Terms

AGE-SPECIFIC MORTALITY RATE - the number of deaths of persons of a given age group per 100,000 estimated persons in that age group usually expressed as an annual rate.

CAUSE GROUP - a summary of deaths resulting from, or cases of, related diseases as defined by the International Classification of Diseases Adapted For Use in the United States, published by the U. S. Department of Health, Education, and Welfare; usually specified by a series of 3-digit codes i.e. 140-209 - malignant neoplasms.

CAUSE-3 DIGIT - the cause of death or morbidity as defined by a 3-digit code in the International List. Disease conditions are also further classified and so specified, by the addition of a decimal point and a fourth digit. For example, the three digit code "140" refers to a malignant neoplasm of the lip, and the four digit code "140.1" refers to a malignant neoplasm of the lower lip.

ESTIMATED POPULATION - the estimated number of persons in a given group based on the latest census data and adjusted for annual births, annual deaths and net migration.

FETAL DEATH - a death prior to complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy also known as a stillbirth. The death of an infant that has breathed or shown other evidence of life, no matter for how short a period, should be reported as a live birth and an infant death.

FETAL DEATH RATES - the number of fetal deaths occurring in the twentieth week of gestation or later (required by law to be registered as fetal deaths) per 1,000 live births, usually expressed as an annual rate.

FERTILITY RATE - the number of live births to women aged 15-44 per 1,000 women in this age group, usually expressed as an annual rate.

ILLEGITIMATE BIRTH - a birth to an unwed mother, or to a mother whose husband did not father the infant.

ILLEGITIMATE FETAL DEATH - a fetal death occurring to an unwed mother, or a mother whose husband did not father the fetus.

INFANT DEATH - the death of a baby under one year of age, no matter how short a period of time the baby breathed or shown other evidence of life.

INFANT MORTALITY RATE - the number of infant deaths per 1,000 live births, usually expressed as an annual rate.

INTERNATIONAL LIST - a listing of disease classifications known as the "International Classification of Diseases Adapted For Use in the United States", published by the United States Department of Health, Education, and Welfare, used in the statistical coding and tabulation of specific disease morbidity and mortality.

LEGITIMATE BIRTH - a birth to a married woman whose husband fathered the infant.

LEGITIMATE FETAL DEATH - a fetal death occurring to a married woman whose husband fathered the fetus.

MATERNAL DEATH - a death of a woman occurring during the period of pregnancy or following delivery of the infant and related to the pregnancy or delivery of the infant.

MATERNAL MORTALITY RATE - the number of maternal deaths per 10,000 live births, usually expressed as an annual rate.

MORBIDITY - the relative incidence (number of cases) of disease, usually used with respect to specific disease conditions i.e. tuberculosis morbidity refers to the number of cases of tuberculosis.

MORTALITY - the number of deaths.

NEONATAL - of, relating to, or affecting the newborn and especially the human infant during the first month of life.

NEONATAL MORTALITY RATE - as used in this text, the number of deaths of infants under 28 days of age per 1,000 live births, per year.

NET MIGRATION - the difference in population resulting from persons attaining residency status, and persons dropping residency status, often referred to as in-migration and out-migration, respectively.

PERINATAL - of, relating to, or affecting the fetus and the newborn, especially the human infant during the first week of life.

PERINATAL MORTALITY RATE - the number of deaths of infants less than seven days of age, and registered fetal deaths per 1,000 live births plus registered fetal deaths.

RACE-SPECIFIC MORTALITY RATE - the number of deaths in a given ethnic group per 100,000 estimated population in that ethnic group.

SELECTED PLACES - as used in this report, cities, townships and municipalities with a population of 45,000 or more as of the 1970 census.

SEX-SPECIFIC MORTALITY RATE - the number of deaths of males/females per 100,000 estimated males/females in the population.

APPENDIX B
Selected Vital Events by Primary Service Area, 1973

	State Total	Area I	Area II	Area III	Area IV
Estimated Population	7,396,330	2,079,020	1,974,360	1,920,855	1,422,095
Resident Births	94,024	24,302	24,757	24,264	20,129
Rate per 1,000 Est. Pop.	12.7	11.7	12.5	12.6	
Marriages (by occurrence)	59,723	17,142	16,070	14,502	11,531
Rate per 1,000 Est. Pop.	8.1	8.2	8.1	7.5	8.1
Resident Deaths	68,605	19,765	18,424	16,552	13,819
Rate per 1,000 Est. Pop.	9.3	9.5	9.3	8.6	9.7
Infant Deaths	1,618	402	459	370	381
Rate per 1,000 Live Births	17.2	16.5	18.5	15.2	18.9
Fetal Deaths	1,183	340	313	261	263
Rate per 1,000 Live Births	12.6	14.0	12.6	10.8	13.1
Neonatal Deaths	1,223	307	349	279	284
Rate per 1,000 Live Births	13.0	12.6	14.1	11.5	14.1
Perinatal Deaths	2,263	615	618	505	516
Rate per 1,000 Live Births and Fetal Deaths	23.8	25.0	24.7	20.6	25.3
Principal Causes of Death					
Diseases of the Heart	29,167	8,654	7,697	6,674	6,132
Rate per 100,000 Est. Pop.	394.3	416.3	389.8	347.4	431.2
Malignant Neoplasms	14,077	4,168	3,711	3,576	2,615
Rate per 100,000 Est. Pop.	190.3	200.5	188.0	186.2	183.9
Cerebrovascular Diseases	6,499	1,802	1,723	1,700	1,272
Rate per 100,000 Est. Pop.	87.9	86.7	87.3	88.5	89.4
Accidents	2,994	758	819	707	701
Rate per 100,000 Est. Pop.	40.5	36.5	41.5	36.8	49.3
Diabetes	1,535	452	446	392	245
Rate per 100,000 Est. Pop.	20.8	21.7	22.6	20.4	17.2
Tuberculosis					
Cases	1,531	437	552	327	209
Rate per 100,000 Est. Pop.	20.7	21.0	28.0	17.0	14.7
Deaths	184	55	62	39	28
Rate per 100,000 Est. Pop.	2.5	2.6	3.1	2.0	2.0
Syphilis - All Stages	2,932	657	1,375	466	332
Rate per 100,000 Est. Pop.	39.6	31.6	69.6	24.3	23.3
Gonorrhea - Cases	17,181	3,337	7,696	3,499	1,636
Rate per 100,000 Est. Pop.	232.3	160.5	389.8	182.2	115.0

Note: State Vital Events Totals include events in State Institutions and Military Posts (not included in each area total).

APPENDIX C

DEATH RATES FOR SPECIFIED CAUSES, BY AGE GROUPS OVER 1 YEAR: UNITED STATES, 1972 and 1973
(Based on a 10-percent sample of deaths. Rates per 100,000 population in specified group)

APPENDIX C
DEATH RATES FOR SPECIFIED CAUSES, BY AGE GROUPS OVER 1 YEAR: UNITED STATES,
1972 and 1973
(based on 10-percent sample of deaths. Rates per 100,000 population in specified group)

CAUSE OF DEATH AND YEAR	ALL AGES	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209): 1973-----	168.4	5.6	7.2	15.4	54.9	181.4	428.6	778.2	1,208.1	1,457.7
1972-----	166.6	6.2	7.4	15.8	55.6	183.4	426.3	784.2	1,178.4	1,348.4
Malignant neoplasms of digestive organs and peritoneum (150-159):	46.5	0.1	0.4	2.2	8.8	37.0	108.6	226.5	401.4	556.4
1973-----	46.7	0.1	0.4	2.1	9.1	38.1	108.0	231.5	409.9	518.5
Malignant neoplasms of respiratory system (160-163):	37.3	0.1	0.1	1.0	10.6	49.7	122.7	193.6	191.6	128.2
1973-----	36.9	0.1	0.2	1.0	10.8	49.0	123.0	191.4	192.4	121.1
1972-----	15.2	-	0.1	1.7	10.7	26.4	43.0	58.6	77.3	106.7
Malignant neoplasms of breast (174):	14.9	-	0.1	1.7	10.0	27.0	39.7	57.7	77.5	116.9
Malignant neoplasms of genital organs (180-187):	20.2	-	0.9	2.2	6.3	18.4	38.7	89.9	190.3	243.6
1973-----	20.4	0.0	0.7	2.6	7.0	19.6	40.6	96.7	176.1	223.7
1972-----	17.4	0.1	0.4	1.7	4.4	11.4	33.1	82.0	171.1	227.0
Diabetes mellitus (250):	18.8	0.2	0.5	2.6	4.3	13.2	34.6	95.5	176.2	224.3
Major cardiovascular diseases (390-448):	494.4	1.6	4.0	14.3	73.3	268.1	762.6	1,914.5	5,229.4	12,914.7
1973-----	493.9	1.7	4.5	14.7	80.0	282.8	767.9	1,990.8	5,190.4	11,960.6
Diseases of heart (390-398,402,404,410-429):	359.5	0.9	2.4	9.9	56.0	222.0	621.3	1,452.2	3,634.3	8,382.2
1973-----	361.3	1.0	2.4	9.3	61.2	233.4	625.8	1,514.4	3,636.5	7,834.7
1972-----	102.3	0.6	1.2	3.6	13.5	36.5	107.7	356.7	1,229.7	3,266.3
Cerebrovascular diseases (430-438):	100.9	0.6	1.6	4.5	14.9	39.1	110.6	367.5	1,198.5	2,972.0
1973-----	16.3	0.2	0.3	0.4	4.4	11.2	28.2	66.8	162.6	327.6
1972-----	17.6	0.2	0.3	1.3	4.8	13.0	31.8	72.9	169.5	324.6
Cerebral hemorrhage (431):	26.8	0.0	0.0	0.1	0.6	3.8	21.3	91.6	356.0	973.0
1973-----	27.1	-	0.0	0.1	0.9	4.4	21.3	93.9	368.8	915.9
1972-----	15.9	-	0.0	0.0	0.1	1.1	6.3	34.4	193.1	910.4
Arteriosclerosis (440):	15.8	-	-	0.1	0.0	1.1	6.5	35.0	192.3	860.4
1973-----	29.1	2.2	2.0	3.7	7.6	14.6	31.0	79.9	288.3	875.5
1972-----	29.4	2.6	2.2	2.8	6.8	16.0	31.8	84.1	282.3	816.8
Influenza and pneumonia (470-474,480-486):	14.4	0.1	0.2	0.5	1.9	8.3	32.2	79.8	134.2	123.9
1973-----	13.8	0.3	0.2	0.7	1.8	8.0	31.1	82.9	117.7	106.8
1972-----	16.0	-	0.4	3.8	19.1	40.1	53.1	45.4	30.1	17.8
Bronchitis, emphysema, and asthma (490-493):	15.7	0.1	0.3	3.9	18.6	40.2	50.9	44.8	29.4	25.7
1973-----	54.8	24.1	71.0	51.6	45.3	49.2	52.2	75.2	157.0	404.9
1972-----	54.6	22.4	67.2	51.7	46.2	48.5	56.5	79.4	172.5	389.0
Girrhosis of liver (571):	26.5	10.5	48.2	30.9	23.8	24.2	22.3	28.4	42.0	36.2
1973-----	27.2	10.7	47.3	31.5	25.1	24.7	26.4	31.0	46.1	35.2
1972-----	28.3	13.6	22.8	20.8	21.5	25.1	29.9	46.8	115.1	368.7
All other accidents (E800-E807,E825-E949):	27.4	11.7	19.9	20.2	21.1	23.8	30.1	48.4	126.4	353.8
1973-----	11.6	0.4	10.4	14.2	15.4	19.8	19.7	19.8	18.8	19.6
1972-----	11.7	0.1	9.7	14.3	16.7	19.7	20.5	20.3	20.4	18.5
Suicide (E950-E959):	9.4	1.6	13.2	17.5	13.5	10.8	9.7	5.2	5.6	3.1
1973-----	9.1	0.9	12.4	18.3	16.3	11.1	7.7	4.4	2.5	4.8
1972-----										
Homicide (E960-E978):										
1973-----										
1972-----										

¹Includes deaths under 1 year of age.

Corrections made to
New Jersey, Essex County, Newark
and Livingston due to underreporting
by a funeral director

New Jersey Health Statistics



1973

NEW JERSEY STATE DEPARTMENT OF HEALTH

Resident Infant, Fetal, Neonatal and Perinatal Deaths

Counties and Selected Places, New Jersey: 1973

Place of Residence	Infant Deaths		Fetal Deaths		Neonatal Deaths		Perinatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
State Total	1,644	17.5	1,204*	12.8	1,249	13.3	2,453*	25.8
Atlantic County	54	19.8	38	14.0	40	14.7	78	28.3
Atlantic City	25	33.6	16	21.5	20	26.9	33	43.4
Bergen County	102	12.8	90	11.3	74	9.3	164	20.3
Burlington County	76	17.4	59	13.5	59	13.5	118	26.7
Camden County	131	19.2	88	12.9	97	14.2	185	26.7
Camden City	72	32.3	43	19.3	50	22.4	93	40.9
Cherry Hill Township	12	22.1	4	7.4	9	16.6	13	23.8
Cape May County	13	16.9	8	10.4	8	10.4	16	20.6
Cumberland County	51	24.3	39	18.6	40	19.1	79	37.0
Vineland City	23	28.6	10	12.4	19	23.6	29	35.6
Essex County	304	23.3	183	14.0	237	18.2	410	31.0
Bloomfield	8	14.9	7	13.0	7	13.0	14	26.3
East Orange	30	26.4	13	11.5	28	24.7	41	35.7
Irvington	6	9.5	7	11.1	6	9.5	13	20.4
Newark	205	27.8	123	16.7	150	20.4	273	36.5
Gloucester County	36	14.7	23	9.4	24	9.8	47	19.0
Hudson County	157	19.2	137	16.8	128	15.7	265	31.9
Bayonne	18	23.3	8	10.4	16	20.7	24	30.8
Hoboken	14	17.8	6	7.6	13	16.6	19	24.0
Jersey City	96	23.3	87	21.2	76	18.5	163	38.8
North Bergen Township	5	9.8	11	21.7	5	9.8	16	30.8
Union City	11	16.6	8	12.0	9	13.6	17	25.3
Hunterdon County	19	21.2	10	11.2	14	15.6	24	26.5
Mercer County	82	19.5	63	15.0	55	13.1	118	27.7
Hamilton Township	15	15.8	9	9.5	12	12.6	21	21.9
Trenton	50	27.1	40	21.6	29	15.7	69	36.5
Middlesex County	103	14.5	78	11.0	85	11.9	163	22.6
Edison Township	8	9.6	4	4.8	8	9.6	12	14.3
Madison Township	8	10.2	5	6.4	7	9.0	12	15.2
Woodbridge Township	10	12.2	7	8.6	8	9.8	15	18.2
Monmouth County	78	12.7	53	8.6	54	8.8	107	17.2
Middletown Township	10	15.3	5	7.6	6	9.2	11	16.7

Place of Residence	Infant Deaths		Fetal Deaths		Neonatal Deaths		Perinatal Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Morris County	58	11.8	51	10.3	45	9.1	96	19.3
Parsippany-Troy Hills	9	11.0	7	8.6	6	7.4	13	15.8
Ocean County	59	15.4	38	9.9	46	12.0	84	21.7
Passaic County	125	18.6	98	14.6	87	13.0	185	27.1
Clifton	14	19.6	8	11.2	12	16.8	20	27.7
Passaic City	16	17.4	17	18.5	12	13.0	29	30.9
Paterson	74	24.5	50	16.5	46	15.2	96	31.2
Wayne Township	5	11.5	5	11.5	4	9.2	9	20.5
Salem County	20	22.5	8	9.0	16	18.0	24	26.8
Somerset County	29	14.1	19	9.2	25	12.1	44	21.1
Sussex County	18	12.6	16	11.2	18	12.6	34	23.6
Union County	109	18.7	85	14.6	79	13.6	164	27.8
Elizabeth	40	24.1	27	16.3	27	16.3	54	32.0
Plainfield	19	24.4	12	15.4	14	17.9	26	32.8
Union Township	3	8.6	7	20.1	1	2.9	8	22.5
Warren County	14	14.4	14	14.4	14	14.4	28	28.3
State Institutions								
Military Posts	6	11.1	6	11.1	4	7.4	10	18.3

*Includes 5 deaths unknown as to race.

Note: Infant, fetal, and neonatal death rates are per 1,000 live births. Neonatal deaths include only deaths under 28 days. The perinatal death rate is the neonatal deaths plus fetal deaths per 1,000 deliveries (live births plus fetal deaths combined).

Prepared by the Public Health Statistics Program
 New Jersey State Department of Health
 September 27, 1976
 Revised October 5, 1976

TABLE : RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1973

CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	TOTAL 1973 1,674	Under 1 Day 770	1-6 Days 372	7-27 Days 443	28 Days but Under 1 Year
ALL CAUSES (000-8999)					
Diarrheal disease (009)	20		1	7	12
Whooping cough (003)	1				1
Meningococcal infection (036)	1				1
Tetanus (037)	24	2	8	11	3
Septicemia (038)	6			1	5
Viral diseases (040-079)					
Congenital syphilis (090)	4		1		3
Other infective and parasitic diseases-Remainder of (000-116)	1				1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	4				3
Benign neoplasms and neoplasms of unspecified nature (210-239)	4	1	1		2
Diseases of thymus gland (254)	1				1
Cystic fibrosis (273.0)	1		2	1	2
Diseases of blood and blood-forming organs (280-289)	5			3	9
Meningitis (320)	12				9
Other diseases of nervous system and sense organs (321-389)	5				5
Acute upper respiratory infections (460-465)	1			1	90
Bronchitis and bronchiolitis (466,490,491)	115	3	6	16	90
Influenza and pneumonia (470-474,480-486)					
Influenza (470-474)	115	3	6	16	90
Pneumonia (480-486)	/			/	
Other chronic interstitial pneumonia (517)	10	2	4		8
All other diseases of respiratory system (492,493,500-516,518,519)	13	5			4
Hernia and intestinal obstruction (550-553,560)	7	78	3	1	3
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin (535,561,563)	1				1
Other diseases of digestive system (520-534,536,537,540-543,562,564-577)	260		70	41	71
Congenital anomalies (740-759)	20	13	7	2	7
Anencephalus (740)	14	2	3	4	3
Spina bifida (741)	12	5		4	3
Congenital hydrocephalus (742)	10	4	3	1	2
Other congenital anomalies of central nervous system and eye (743,744)	102	11	35	20	36
Congenital anomalies of heart (746)	12	1	4	4	3
Other congenital anomalies of circulatory system (747)	7	4	2	1	8
Congenital anomalies of respiratory system (748)	17	3	4	2	8
Congenital anomalies of digestive system (749-751)	9	4	2	1	2
Congenital anomalies of genitourinary system (752,753)	23	12	6		4
Congenital anomalies of musculoskeletal system (754-756)	2	1		1	1
Down's disease (759.3)					

TABLE 1. RESIDENT INFANT DEATHS BY CAUSE, BY AGE, 1971 (Cont. Inland)

Showing International List (8th Revision) Code Numbers	CAUSE OF DEATH					
	TOTAL	Under 1 Day	1-6 Days	7-27 Days	28 Days but Under 1 Year	
Congenital anomalies (740-759)-Con't.						
Other congenital syndromes affecting multiple systems (759.0-759.2, 759.4-759.9)	26	16	3	3	4	
Other and unspecified congenital anomalies (745, 757, 758)	6	2	1	2	1	
Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-778)	457	609	287	46	11	
Chronic circulatory and genitourinary diseases in mother (760)						
Other maternal conditions unrelated to pregnancy (761)	1	3	4	1	1	
Syphilis (761.0)	9				1	
Diabetes mellitus (761.1)					1	
Rubella (761.3)	7	2	3	1	1	
All other maternal conditions unrelated to pregnancy (761.2, 761.4-761.7, 761.9)	2	1	1			
Toxemia of pregnancy (762)	4	2	2			
Maternal ante- and intrapartum infection (763)	8	6	1	1		
Difficult labor (764-768)	11	6	5			
With mention of birth injury (.0-.3)	1	1				
Without mention of birth injury (.4-.9)	10	5	5			
All other complications of pregnancy and childbirth (769.0-769.2, 769.4, 769.5, 769.9)	104	83	18	2	1	
Conditions of placenta (770)	34	27	5	1	1	
Conditions of umbilical cord (771)	8	5	3			
Birth injury without mention of cause (772)	47	17	21	9		
Hemolytic disease of newborn (774, 775)	16	10	5	1		
Nyaline membrane disease (776.1)	106	50	52	2	2	
Respiratory distress syndrome (776.2)	156	83	60	12	2	
Asphyxia of newborn, unspecified (776.9)	201	141	48	9	3	
All other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)						
Immaturity, unqualified (777)	18	6	11		1	
Postmaturity (778.1)	166	140	24	2		
Hemorrhagic disease of newborn (778.2)	10					
All other conditions of newborn (778.0, 778.3, 778.9)	58	39	8	2	104	
Symptoms and ill-defined conditions (780-796)	119	2	15	4	37	
Accidents (E800-E949)	44	4	2	3		
Inhalation and ingestion of food or other object causing obstruction or suffocation (E911, E912)						
Accidental mechanical suffocation (E913)	10	4		1	9	
Other accidental causes (E800-E910, E914-E949)	30	2		2	4	
Homicide (E960-E978)	29	1		2	4	
All other causes - Residual	1	5	2	3	24	
	30	28	7	3	1	
	28	5			20	