

NEW JERSEY HEALTH STATISTICS

1975

Joanne E. Finley, M. D., M. P. H.
State Commissioner of health

Martin Goldfield, M.D.
Assistant Commissioner
Division of Laboratories and Epidemiology

Ronald Altman, M.D.
State Epidemiologist

Public Health Statistics Program Staff

Alfred W. Iaci, Program Coordinator
Phyllis P. Spych, Principal Statistical Clerk
Lorraine B. Szul, Principal Clerk Typist
Frances P. Conte, Senior Clerk Typist

Graphic Arts Program
John E. Crutchfield, Graphic Artist



New Jersey State Department of Health



State of New Jersey

DEPARTMENT OF HEALTH

JOHN FITCH PLAZA

P.O. BOX 1540, TRENTON, N.J. 08625

JOANNE E. FINLEY, M.D., M.P.H.
COMMISSIONER

December 1976

For the fourteenth consecutive year, the State Department of Health has prepared its annual report of New Jersey Health Statistics, an invaluable resource for health planners, government, business and industry in the formation of public health policy.

Included in this report are detailed data on births, deaths, marriages, reportable diseases, and other vital statistics compiled during 1975. Analysis of these data can lead to a recognition of the health needs of the public, and can be of significant value in developing policies and programs to meet those needs.

It is especially important, in this period of rapidly rising health care costs, that the information contained in this report be scrutinized with an eye toward effective planning and management of our health resources. Knowledge of our rates of births and deaths, accidental deaths, infant mortality, and the like is indispensable to our efforts toward more rational utilization of our resources and, therefore, more affordable costs of health care.

I commend the contents of this report to your careful study and analysis.

Joanne E. Finley, M.D., M.P.H.
Joanne E. Finley, M.D., M.P.H.
State Commissioner of Health

TABLE OF CONTENTS

<u>Table No.</u>		<u>Page No.</u>
Report of the Public Health Statistics Program, Calendar Year, 1975 1		
VITAL EVENTS HISTORICAL DATA		
1.	Population Estimates, Resident Births, Marriages (by Occurrence) and Resident Deaths, Numbers and Rates per 1,000 Population: 1951 - 1975	20
2.	Infant, Fetal, Perinatal, Neonatal and Maternal Resident Deaths, Numbers and Rates: 1951 - 1975	21
3.	Cancer, Diabetes, Heart Disease and Cerebrovascular Disease Deaths, Numbers and Rates per 100,000 Estimated Population: 1951 - 1975	22
4.	Tuberculosis Cases and Deaths, Numbers and Rates per 100,000 Estimated Population: 1951 - 1975	23
5.	Cases of Syphilis by Stage, and Gonorrhea, Numbers and Rates per 100,000 Estimated Population (Civilian Cases Only): 1951 - 1975	24
6.	Accident, Homicide and Suicide Deaths, Numbers and Rates per 100,000 Estimated Population: 1951 - 1975	25
VITAL EVENTS DATA — TOTAL NEW JERSEY: 1975		
7.	Estimated Population by Age, by Race, by Sex	26
8.	Resident Births by Age of Mother, by Weight Group	27
9.	Resident Births by Age of Mother, by Race, by Sex	28
10.	Resident Births by Age of Mother, by Legitimacy, by Race	29
11.	Resident Births by Weight Group, by Race	30
12.	Marriages in New Jersey by Age of Husband, by Age of Wife	31
13.	Resident Infant Deaths by Cause, by Age	32
14.	Resident Maternal Deaths; Cause by Age, Cause by Race	34
15.	Resident Deaths by 3-Digit Cause by Sex and Age Groups	35
16.	Resident Deaths by Cause Group by Age, by Sex, by Race	53
17.	Principal Causes of Resident Death by Age, Numbers and Age-Specific Rates	62
18.	Motor Vehicle Deaths in New Jersey by Cause Group, by Age	64
19.	Accidental Resident Deaths by Cause Group, by Age, Numbers, and Age-Specific Rates per 100,000 Estimated Population	65

<u>Table No.</u>		<u>Page No.</u>
20.	Resident Deaths Due to Diseases of the Circulatory System by Age and Sex, Numbers, Age-Specific Rates, Sex-Specific Rates per 100,000 Estimated Population	66
21.	Resident Deaths Due to Neoplasms by Cause Group, by Age and Sex, Numbers, Age-Specific Rates, Sex-Specific Rates per 100,000 Estimated Population	67
22.	Resident Deaths from Selected Respiratory Diseases	68
23.	Serum and Infectious Hepatitis Resident Cases by Age, by Sex, Numbers and Age-Sex-Specific Rates per 100,000 Estimated Population	69
24.	Resident Cases of Syphilis by Stage, and Gonorrhea (Including Military), by Age and Sex, Numbers, Age-Specific Rates and Sex-Specific Rates per 100,000 Estimated Population	70
25.	Resident Tuberculosis Morbidity and Mortality by Age, by Sex, Numbers and Age-Sex-Specific Rates per 100,000 Estimated Population	71
 VITAL EVENTS DATA — COUNTIES AND SELECTED PLACES: 1975		
26.	Resident Births, Marriages (by Occurrence) and Resident Deaths, Numbers and Rates per 1,000 Estimated Population	72
27.	Resident Births by Sex, by Race	73
28.	Resident Births by Legitimacy, by Race	74
29.	Resident Births by Maturity	75
30.	Resident Births in 1975 by Month of Pregnancy Prenatal Care Began	76
31.	Resident Infant, Fetal, Neonatal, and Perinatal Deaths by Race, Numbers and Rates	77
32.	Resident Maternal Deaths by Race	80
33.	Resident Deaths by Age, by Race, by Sex	81
34.	Deaths from All Accidents, Cancer, Heart Diseases, Diabetes and Cerebrovascular Diseases, Numbers and Rates per 100,000 Estimated Population	90
35.	Accidental Resident Deaths by Selected Cause Groups, Numbers and Rates per 100,000 Estimated Population	91
36.	Resident Motor Vehicle Deaths by Cause Group	92
37.	Tuberculosis Morbidity and Mortality, Numbers and Rates per 100,000 Estimated Population	93
38.	Resident Circulatory Disease Deaths by Cause Group, Numbers and Rates per 100,000 Estimated Population	94

<u>Table No.</u>		<u>Page No.</u>
39.	Cases of Syphilis by Stage, and Gonorrhea, Numbers and Rates per 100,000 Estimated Population	95
40.	Annual Summary of Notifiable Disease Cases by County of Residence	96
	VITAL EVENTS DATA — MUNICIPALITIES: 1975	
41.	Estimated Population, Births, Marriages (by Occurrence), Deaths, Infant Deaths, Fetal Deaths and Neonatal Deaths - Residents of New Jersey	97
	APPENDIX A	
	Glossary of Terms	111
	APPENDIX B	
	Selected Vital Events by Primary Service Area, 1975	113
	APPENDIX C	
	Age - Specific and Age Adjusted Death Rates for Specified Causes: United States, 1974 and 1975 (For 1975, based on a 10-percent sample of deaths; and for 1974, based on final data, Rates per 100,000 population in specified group)	114

Report of the Public Health Statistics Program
Calendar Year, 1975

INTRODUCTION: The annual report of the Public Health Statistics Program for 1975 contains a summary of basic information regarding births, marriages, deaths, fetal deaths, disease morbidity and population, for the calendar year. Some additional detailed vital statistics data is available, but is not included in this publication due to size limitations. Some information can be obtained by contacting the Public Health Statistics Program directly.

Vital events data were tabulated from birth, marriage, death, and fetal death certificates filed with the State Registrar prior to May 1, 1976. In September 1976 additional reports of infant and fetal deaths involving, for the most part, Newark residents, during the years 1973, 1974 and 1975 were received by the State Registrar. All tabulations, including those for 1973 and 1974 were corrected to reflect this additional information. Birth rates, death rates, and fetal death rates are based on a tabulation of events occurring to residents of New Jersey, unless otherwise stated. Included in these tabulations are events involving residents of New Jersey irrespective of place of occurrence, and thus include events occurring out-of-state. Through a reciprocal arrangement between states, copies of birth, death and fetal death certificates (to be used for statistical purposes only) are interchanged, making a complete tabulation of resident information possible. Copies of marriage certificates are not interchanged between states. Marriage rates, as computed in this report are by place of occurrence rather than place of residence.

The Tuberculosis Services Program provided the tuberculosis morbidity data included in this report, while the Venereal Disease Control Program, which is responsible for the collection of confidential reports of syphilis and gonorrhea submitted data with respect to these diseases. Also included in this report is data generated by the Communicable Disease Control Program regarding other reportable diseases.

The Office of Business Economics, Department of Labor and Industry, was given the responsibility of providing annual estimates of the population of New Jersey and its 567 municipalities. These estimates are periodically revised to reflect the latest information available with respect to births, deaths and migration. The population estimates published on December 15, 1975 by that program were used in preparing the birth, marriage, mortality and morbidity rates appearing in this report. Natality, mortality, and morbidity rates have been adjusted for 1974 to reflect the latest population estimates appearing in that report. The rates for 1975 as presented in this report are provisional, and subject to change based on forthcoming revised population estimates. The Office of Business Economics also provided an estimate of the population breakdown by age, race, and sex for total New Jersey, and each county.

Included in the appendix to this report is a table presenting provisional mortality rates for 1974 and 1975 for the United States by selected cause groups by age. This table was prepared by the Department of Health, Education, and Welfare, Public Health Service, Health Resources Administration, National Center for Health Statistics and appears, as is, in the Monthly Vital Statistics Report, Annual Summary for 1975. Their cooperation in allowing us to reproduce this table is appreciated.

The joint efforts of personnel of the above mentioned programs and those of the Public Health Statistics Program, Data Processing and Graphic Arts Services made this report possible.

POPULATION: The provisional population estimate of New Jersey for July 1, 1975 was 7,433,920, an increase of 0.33 percent over the revised population estimate of 7,408,955 for July 1, 1974. Atlantic and Essex Counties showed slight decreases in population while all other counties showed slight increases. The population in New Jersey has increased continuously since 1944. However, the rate of increase for the 1974-1975 period is estimated to be the smallest for the 32 year period. There were 93,267 resident births and 65,683 resident deaths during the period July 1, 1974 through June 30, 1975, resulting in a natural increase of 27,584. However, 2,619 more people are estimated to have left New Jersey than came to New Jersey resulting in total net change in population size of 24,965. Based on final population estimates for July 1, 1973 and July 1, 1974 the net migration factor was +12,035, while the previous years net migration was estimated as +21,720. The estimated increasing migration out of New Jersey is consistent with the persistent high rate of unemployment in New Jersey over the past three years.

New Jersey covers a land area of 7,521 square miles. The latest provisional population estimate produces a population density of 988.4 persons per square mile. In 1970 the population density of New Jersey was exceeded only by that of the District of Columbia.

The latest estimate of the United States resident population for July 1, 1975 published by the Census Bureau in August, 1976, was 213,032,000. This estimate represents an increase of 0.78 percent over the estimated population of 211,389,000 for the previous year. Since the April, 1970 census of the United States, the population is estimated to have increased 4.8 percent. By contrast, New Jersey's population is estimated to have increased 3.7 percent over that same period.

<u>Year</u>	<u>Population</u>	<u>Net Change</u>	<u>Natural Increase</u>	<u>Net Migration</u>
1975	7,433,920	24,965	27,584	-2,619
1974	7,408,955	37,120	25,085	12,035
1973	7,371,835	49,150	27,430	21,720
1972	7,322,685			

VITAL EVENTS IN NEW JERSEY: During 1975 there were 89,041 births which took place in New Jersey compared with 91,852 births in 1974, a decrease of 3.1 percent. These figures include births to residents as well as nonresidents. A total of 88,864 births occurred in hospitals of which 393 (0.44%) were delivered by registered nurses. In 1974 91,624 births took place in hospitals, with registered nurses delivering 297 infants (0.32%). Of the total of 177 births occurring outside of hospitals in 1975, 84 occurred in homes while 93 occurred elsewhere. Midwives delivered 7 infants in 1975. Most births occurred during the months of July and August (7,959 and 7,911 respectively) and fewest occurred in November (6,806). On the average there were 244 births occurring each day in New Jersey.

A total of 64,083 persons died in New Jersey in 1975 compared with a corrected total of 65,851 in 1974, a decrease of 2.7 percent. There were more deaths per day in February (197) than in any other month and fewer deaths per day in September and October (165 and 167 respectively). The most dramatic monthly change occurred in March. In 1975 there were 5,720 deaths in this month, while one year earlier there were 6,241 deaths, representing a decrease of 8.3 percent.

<u>Month</u>	<u>Births</u>	<u>Deaths</u>	<u>Month</u>	<u>Births</u>	<u>Deaths</u>
TOTAL	89,041	64,083			
January	7,399	5,724	July	7,959	5,272
February	6,866	5,510	August	7,911	5,354
March	7,511	5,720	September	7,568	4,963
April	7,236	5,246	October	7,584	5,175
May	7,594	5,348	November	6,806	5,162
June	7,177	4,997	December	7,430	5,612

RESIDENT BIRTHS: During 1975 there were 91,457 resident births in New Jersey, the lowest figure since 1944, while the resulting birth rate of 12.3 represented the lowest recorded birth rate in New Jersey history, dating back to 1879. A total of 91,101 infants were born to women aged 15-44 resulting in a fertility rate of 56.6 per 1,000 women. During 1974 there were 94,242 births of which 93,882 were to women aged 15-44. The birth rate was 12.7 while the fertility rate was 61.6.

Information on race was again very poor in 1975. A reported 71,579 births occurred to white mothers while 18,248 nonwhite births took place. A total of 1,630 births were recorded with no information as to race. In 1974 there were 74,131 reported white births so that it is clear that the actual number of white births has declined, irrespective of the true classification of births for which race was unreported. The number of births reported as being nonwhite in 1974 was 18,485. Because of the large number of births unknown as to race it is impossible to determine whether the true number of nonwhite births has declined or not. Since racial information was not given on nearly two percent of all birth certificates, race-specific birth, infant death, and fetal death rates have not been computed and do not appear in this publication.

Provisional data for 1975 indicate a total of 3,149,000 births took place in the United States producing a birth rate of 14.8. Final data for 1974 show a total of 3,159,958 births with a rate of 14.9. The decrease of less than one percent resulted in a decline in the United States fertility rate from 68.4 to 66.7 births per 1,000 women aged 15-44. The National Center For Health Statistics which reported this data (HRA 76-1120 Vol. 24, No. 13, June 30, 1976) cited Census Bureau estimates indicating a two percent increase in the number of women of childbearing age during this time period, and projections of another ten percent increase by 1980. Should Census Bureau projections hold true, the number of births and the birth rate should begin to increase, unless dramatic decreases in the fertility rates (especially for women aged 20-29) are seen.

RESIDENT BIRTHS BY LEGITIMACY: In New Jersey, an illegitimate birth is defined as a birth to a woman who is not married, or a birth to a married woman whose husband did not father the child. An item on the New Jersey birth certificate requires an answer to the following: "Legitimate Yes No ". Tabulations are based on the answer given. The terms legitimate and illegitimate are used in this report in accordance with the above definition for lack or more convenient terminology.

The percentage of illegitimate births occurring in New Jersey has continuously increased since 1970. In 1970 there were 13,098 while in 1971 there were 12,874. These figures represented 10.9 and 11.6 percent respectively, of total births for those years. In 1972, 1973 and 1974 there were 12,805, 13,526, and 13,825 illegitimate births representing 12.9, 14.4, and 14.7 percent of total births. In 1975 there were 14,333 illegitimate births (15.7 percent of all births). Since 1970 the number of births has decreased 23.9 percent, while the number of illegitimate births has increased 9.4 percent. Of the total of 71,577 births reported as white, 7.4 percent were classified as illegitimate. Of the 18,248 nonwhite births reported 49.5 percent were classified as illegitimate. Most certificates without racial information, were classified as legitimate births, and complete racial information would tend to lower the percentage of illegitimate births by race, although not appreciably. In 1974, 6.2 percent of births classified as white were illegitimate, while 48.1 percent of births classified as nonwhite were illegitimate. A total of 6,705 illegitimate births (46.8 percent of illegitimate births) were to mothers under 20 years of age. In 1974 6,503 illegitimate births involved teenage mothers (47.0 percent of total illegitimate births).

RESIDENT BIRTHS BY BIRTH WEIGHT: In 1975 all but 1,733 birth certificates had information as to birth weight. Of these 6,973 (7.8 percent) were births classified as immature (2500 grams or less). The percentage of low birth weight infants has remained the same since 1973. A total of 4,555 white births were under 2500 grams (6.4 percent) while 2,415 nonwhite births were in this low weight group (13.2 percent). The percentage of low weight white births increased slightly (6.2 percent in 1974), while the percentage of low weight nonwhite births decreased (13.7 percent in 1974). Of the reported 12,566 births to teenage mothers 1,478 were 2500 grams or less (11.8 percent). There were 1,990 births of low birth weight classified as illegitimate (13.9 percent of illegitimate births). Illegitimate teenage pregnancies resulted in the delivery of 962 infants of low birth weight (14.3 percent of all teenage illegitimate births).

MARRIAGES: During the early 1950's the marriage rate in New Jersey dropped dramatically, from 9.6 marriages per 1,000 people in 1950 to 6.5 marriages per 1,000 people in 1959. During the 1960's and early 1970's the trend reversed, with more people marrying. By 1973 there were 8.1 marriages performed per 1,000 people living in New Jersey. In 1974 there were 5.5 percent fewer marriages than in the previous year (56,449 as compared with 59,723 in 1973), resulting in a rate of 7.6. In 1975 there were only 53,008 marriages performed, a decrease of 6.1 percent producing a rate of 7.1.

The downward trend in 1974 and 1975 reflects the nationwide experience. In 1974 marriage rates declined in all but nine states. In 1975 rates declined in all but seven states (Alaska, Colorado, North Dakota, Washington,

Kentucky, Arizona, and Idaho. Provisional data for the United States indicate that 2,126,000 marriages were performed in 1975 producing a rate of 10.0 per 1,000 population. The lowest rates were reported in the Northeast Region, with higher rates reported in the North Central Region, and the highest rates reported in the South and West Regions.

Most marriages occurred during June and August, while fewer marriages were performed in New Jersey during the winter months of December, January, February and March.

Marriages and Marriage Rates by Month, New Jersey 1974 and 1975
(Rates on an Annual Basis per 1,000 Population)

Month	Number		Annual Rate	
	1975	1974	1975	1974
Total	53,008	56,449	7.1	7.6
January	2,750	2,894	4.4	4.6
February	2,990	3,180	5.2	5.6
March	3,249	3,429	5.1	5.4
April	3,971	4,166	6.5	6.8
May	5,426	5,275	8.6	8.4
June	6,714	7,616	11.0	12.5
July	4,445	4,499	7.0	7.1
August	6,190	6,440	9.8	10.2
September	4,936	5,494	8.1	9.0
October	4,755	4,971	7.5	7.9
November	4,246	4,808	6.9	7.9
December	3,336	3,677	5.3	5.8

A certain trend has become apparent over the past three years 1973-1975. There has been a significant decrease in the number of single people (never previously married) going to the altar. By contrast, more marriages are being performed which involve at least one previously married person. The first phenomenon might reflect, although no positive proof is available, a change in attitude towards the institution of marriage by the so-called younger generation. The second phenomenon might be due to a liberalization of divorce laws. With substantially more divorces taking place, it is likely that more marriages involving at least one divorced person will occur. In 1973 there were 94,558 persons marrying for the first time. In 1974 88,107 persons married for the first time, a decrease of 6.8 percent. In 1975 81,278 persons married for the first time, a decrease of 7.8 percent. In 1973 46,691 men were married for the first time, while in 1974 43,353 men married for the first time, a decrease of 7.1 percent. In 1975 only 39,953 men with no previous marital history married for the first time, a decrease of 7.8 percent. Women followed a similar pattern with 47,867 marrying for the first time in 1973, 44,754 doing so in 1974 (a decrease of 6.5 percent) and only 41,325 doing so in 1975 (a decrease of 7.7 percent).

By contrast there were 19,346 persons remarrying in 1973, 19,624 remarrying in 1974 (an increase of 1.4 percent) and 19,881 remarrying in 1975 (an increase of 1.3 percent).

Previous Marital Status of Husband and Wife: 1975

Wife's Previous Marital Status	Total	Husband's Previous Marital Status		
		Single	Widowed	Divorced
Total	53,008	39,953	2,472	10,583
Single	41,325	35,972	443	4,910
Widowed	2,385	410	1,225	750
Divorced	9,298	3,571	804	4,923

A further evidence of changes in patterns regarding marriage is reflected in the average age at marriage which has steadily increased. In 1968 the average age of a bridegroom was 27.6 years, while the average age of brides was 25.0. In 1975 bridegrooms averaged 28.8 years of age while brides averaged 26.1 years of age. While no data is available on the age at first marriage, data is available which shows a decrease in the number of teenagers marrying, which might indicate that the average age of first marriages has probably increased. In 1973 there were 5,083 teenage grooms, while in 1974 there were only 4,456 teenage grooms, a decrease of 12.3 percent. In 1975 there were only 3,763 teenage grooms, a decrease of 15.6 percent. In 1973 13,290 teenage girls married while in 1974 11,882 were wed, a decrease of 10.6 percent. A further decline occurred in 1975 as only 10,250 marriages involved a teenage bride, a decrease of 13.7 percent.

Average Age at Marriage

Year	Total	Groom	Bride	Year	Total	Groom	Bride
1975	27.5	28.8	26.1	1970	26.4	27.6	25.1
1974	27.2	28.5	25.9	1969	26.4	27.6	25.2
1973	27.0	28.3	25.8	1968	26.3	27.6	25.0
1972	27.0	28.3	25.8	1967	26.6	27.9	25.3
1971	26.6	27.9	25.4	1966	26.7	28.1	25.3

RESIDENT DEATHS: The number of resident deaths in New Jersey has gradually declined each year since 1972 when 68,865 deaths were reported (9.4 per 1,000). In 1973 and 1974 there were 68,631 and 66,797 resident deaths reported producing mortality rates of 9.3 and 9.0 respectively. In 1975 there were 2.1 percent fewer deaths reported (65,422) than in 1974 resulting in the lowest mortality rate ever recorded in New Jersey (8.8).

The mortality rates remained higher among males than females, and among the white population as compared to the nonwhite population. There were 35,104 male deaths in 1975 compared to 36,013 in 1974, a decrease of 2.5 percent. A total of 30,318 female deaths were reported in 1975 compared with 30,784 in 1974, a decrease of 1.5 percent. The white male mortality rate

was 10.0 in 1975 based on 31,340 deaths, while in 1974, 32,149 deaths among white males produced a rate of 10.1. Among the white female population there were 27,435 deaths in 1975 (8.1 per 1,000) compared with 27,844 white female deaths in 1974 (8.2 per 1,000). Among the nonwhite population the percentage decreases in deaths among males (2.6) and females (1.9) were similar to those recorded among white males and females. The result was a more dramatic decrease in mortality rates. In 1975 there were 3,764 non-white male deaths while in 1974 there were 3,864 nonwhite male deaths. The mortality rate decreased from 9.7 per 1,000 in 1974 to 8.9 per 1,000 in 1975. Among nonwhite females there were 2,883 deaths in 1975 producing a rate of 6.1. In 1974 the nonwhite female mortality rate was 6.6 based on 2,940 deaths.

The decrease in the number of deaths and the overall mortality rate in New Jersey can be attributed to decreases in four of the five leading causes of death. In 1975 there were 27,378 deaths attributed to diseases of the heart compared with 28,160 in 1974, a decrease of 2.8 percent, producing rates of 368.3 and 380.1 per 100,000 in the two years, respectively. There were 8.2 percent fewer deaths due to cerebrovascular disease in 1975 (5,831 compared with 6,351 in 1974), resulting in a reduction in the mortality rate from 85.7 in 1974 to 78.4 per 100,000 in 1975. There were 4.6 fewer accidental deaths in 1975 (2,602) compared with 1974 (2,728). Finally, there were 7.4 percent fewer deaths as a result of influenza and pneumonia (1,616 in 1975 compared to 1,745 in 1974). The number of deaths due to malignant neoplasms continued to increase, however. In 1974 there were 13,999 deaths due to this disease producing a rate of 188.9 per 100,000. In 1975 there were 14,377, an increase of 2.7 percent resulting in a mortality rate of 193.4 per 100,000.

The estimated mortality rate in the United States dropped from 9.2 per 1,000 in 1974 to 9.0 per 1,000 in 1975 with a decrease in the number of deaths of approximately 1.3 percent based on provisional estimates of deaths for 1975. The number of deaths throughout the United States attributed to diseases of the heart decreased 2.1 percent with the mortality rate dropping from 349.2 per 100,000 in 1974 to 339.0 per 100,000 in 1975, considerably lower than rates reported for New Jersey. Cerebrovascular deaths throughout the United States decreased 5.7 percent, with the mortality rate dropping from 98.1 in 1974 to 91.8 per 100,000 in 1975. These rates were higher than those recorded in New Jersey. The United States accidental death rate dropped from 49.5 to 47.6 per 100,000 in 1975, as 3.1 percent fewer deaths were reported. The number of reported deaths and the mortality rates for the two remaining leading causes of death increased from 1974 to 1975. Deaths attributed to malignant neoplasms increased 3.1 percent with a 1975 provisional mortality rate of 174.4 reported. This rate was the highest ever recorded for the United States. New Jersey's crude rate still remains considerably higher, however. Five percent more deaths were attributed to "Influenza and pneumonia", with the major increase occurring in influenza deaths due to the early 1975 outbreak. There were 4,780 influenza deaths in 1975 compared with 2,201 in 1974. The number of pneumonia deaths remained virtually unchanged (52,740 in 1975 compared with 52,576 in 1974).

RESIDENT INFANT AND FETAL DEATHS: An infant death is defined as the death of a baby under one year of age, no matter how short a period of time the baby breathed or shown other evidence of life. A fetal death is defined as a death prior to complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy. Another term for fetal death is stillbirth. Fetal deaths brought about through use of some artificial mechanism are known as induced abortions, while natural fetal deaths are termed spontaneous abortions. In New Jersey, only fetal deaths occurring during or after completion of twenty or more weeks gestation are required, by law, to be reported to the state registrar, via the fetal death certificate. Fetal death statistics presented in this report are based on tabulations of these certificates and hence do not include induced abortions.

The infant mortality rate in New Jersey has continued to decrease since 1960 when 3,248 infant deaths (24.5 per 1,000 live births) were reported. Since 1970 the decrease in the number of infant deaths and the infant mortality rate itself has been most dramatic. In 1970 there were 2,406 infant deaths producing a rate of 20.0 per 1,000 live births. The infant mortality rates for 1971, 1972 and 1973 were 18.8, 18.3 and 17.5 respectively. In 1974 1,582 infant deaths produced a rate of 16.8. In 1975 9.4 percent fewer infant deaths (1,434) resulted in a mortality rate of 15.7.

Data for 1973, 1974 and 1975 were revised in September 1976 to reflect the receipt of additional information on a number of infant and fetal deaths occurring in Newark which were previously unreported. Among the more populated municipalities in New Jersey, the highest infant mortality rates were reported for Camden City (37.6) and Trenton (31.7). In fact, for both these municipalities the infant mortality rates were higher in 1975 than in 1974. By contrast, Newark reported 42.9 percent fewer infant deaths in 1975 than in 1974, after correction for the late reports were received. It is possible, and almost probable that additional infant deaths occurring in Newark during 1975 remain unreported, so that the apparent dramatic decrease in infant mortality in Newark (30.1 per 1,000 live births in 1974, 18.4 per 1,000 live births in 1975) is somewhat suspect. In Jersey City the infant death rate dropped from 28.9 to 21.5 per 1,000 live births, based on a reported 30.3 percent fewer infant deaths.

Neonatal deaths include all infant deaths occurring during the first twenty-eight days of life. There were 13.1 percent fewer neonatal deaths in 1975 than in 1974 resulting in a neonatal mortality rate of 11.4, the lowest ever recorded in New Jersey. As was the case with infant mortality, the neonatal mortality rate has also declined dramatically since 1970 when 1,915 neonatal deaths produced a rate of 15.9 deaths per 1,000 live births.

In 1970 there were 1,698 fetal deaths producing a rate of 14.1 per 1,000 live births. By 1975 there were 44.6 percent fewer fetal deaths (941) producing a rate of 10.3 per 1,000 live births. As was the case for neonatal and infant mortality, the fetal death rate was the lowest ever recorded in New Jersey. The highest fetal death rate among larger municipalities in New Jersey occurred in Middletown Township where a reported 16 fetal deaths produced a rate of 25.4. By contrast, in 1974 there were only

six fetal deaths reported in Middletown. In Jersey City there were 79 fetal deaths in 1974 (19.1 per 1,000) and only 52 in 1975 (13.5 per 1,000). These figures are consistent with the decrease in infant mortality in that city. In Parsippany-Troy Hills there was one fetal death reported in 1975.

Some question has arisen concerning the definition of perinatal mortality. Perinatal mortality is an artificial mechanism used to measure mortality occurring in the later stages of pregnancy or the early stages of life. The World Health Organization has offered two alternative methods of calculating perinatal mortality, both of which differ from that previous used by the Public Health Statistics Program and some other states. The first definition defines perinatal mortality to include fetal deaths of twenty-eight or more weeks of gestation plus infant deaths occurring in the first week of life. Data is not available to make this calculation possible. The second definition defines perinatal mortality to include fetal deaths of twenty or more weeks gestation plus neonatal deaths. This definition is the one used in this report. Perinatal mortality rates for prior years have been recalculated to reflect this definition.

As would be expected, the perinatal mortality rate reflects both infant and fetal mortality, as it too has gradually decreased each year. In 1951 there were 3,910 perinatal deaths producing a rate of 36.5 deaths per 1,000 live births plus fetal deaths. By 1967 the number of perinatal deaths had dropped to 3,883 resulting in a rate of 32.9. Since 1967 the perinatal mortality rate has dropped dramatically. In 1975 there were only 1,983 perinatal deaths, a decrease of 48.9 percent, producing a rate of 21.5.

In 1974 there were 1,052 white infant deaths and 530 nonwhite infant deaths. In 1975 there were 984 white infant deaths and 450 nonwhite deaths, representing decreases of 6.5 and 15.1 percent respectively. Infant and fetal death rates by race have not been included in any tables in this report due to the great number of births for which race was not given. There were 772 white and 298 nonwhite fetal deaths in 1974, compared with 663 white and 277 nonwhite fetal deaths in 1975, representing decreases of 14.1 and 7.0 percent respectively. There were 818 white and 381 nonwhite neonatal deaths in 1974 compared with 729 white and 313 nonwhite neonatal deaths in 1975. The decrease in white neonatal deaths was 10.9 percent while the number of nonwhite deaths decreased 17.8 percent. For the purposes of providing some method of comparing infant, fetal and neonatal mortality by race, births by race, used as the denominator in calculating rates, have been estimated. The assumption made was that the racial distribution of these births for which race was not given was the same as the distribution of births for which race was stated. The table below represents the computation of infant, fetal, and neonatal mortality rates using these artificial denominators.

Estimated Births, Infant, Neonatal and Fetal Deaths
Rates per 1,000 Live Births by Race

	1974		1975	
	White	Nonwhite	White	Nonwhite
Estimated Live Births	75,432	18,810	72,878	18,579
Infant Mortality Rate	13.9	28.1	13.5	24.2
Neonatal Mortality Rate	10.8	20.3	10.0	16.8
Fetal Death Rate	10.2	15.8	9.1	14.9

As can be seen from these estimates the infant, neonatal and fetal death rates appear to have decreased for both the white and nonwhite populations, although rates among the nonwhite population remain substantially higher.

While the number of fetal deaths has declined overall, the number of fetal deaths among teenage mothers remained almost constant. In 1975 there were 146 fetal deaths among teenagers producing a fetal death rate of 11.6. In 1974 there were 148 fetal deaths or 11.3 per 1,000 live births to teenage mothers. Among women 40 and older the fetal death rate was highest. In 1975 there were 33.7 deaths per 1,000 live births based on 33 fetal deaths. In 1974 there were 39.1 fetal deaths per 1,000 live births. The percentage of mature fetal deaths (fetal deaths of 2,501 grams or more) decreased only slightly (27.7 percent in 1974, 27.4 percent in 1975). In 1974 20.9 percent of fetal deaths were illegitimate. In 1975 25.3 percent were illegitimate.

PRINCIPAL CAUSES OF INFANT MORTALITY: The ten leading causes of infant death are listed in the table below. Congenital anomalies remain the leading cause of death. Included in this broad categories were deaths attributed to congenital anomalies of the heart (102) respiratory system (15), digestive system (14), musculoskeletal system (21), and congenital syndromes affecting multiple systems (35). Also included are deaths attributed to anencephalus (24). A complete breakdown is shown in Table 13.

	Under 1 Year		Under 28 Days	
	Number	Percent	Number	Percent
TOTAL	1,434	100.0	1,042	100.0
Congenital Anomalies (740-759)	269	18.8	175	16.8
Symptoms and Ill Defined Conditions (780-796)	147	10.3	18	1.7
Immaturity, Unqualified (777)	134	9.3	134	12.9
Asphyxia of Newborn (776.9)	131	9.1	127	12.2
Respiratory Distress Syndrome (776.2)	128	8.9	125	12.0
Complications of Pregnancy (762-769)	111	7.7	109	10.5
Hyaline Membrane Disease (776.1)	101	7.0	95	9.1
Pneumonia (480-486)	57	4.0	17	1.6
Birth Injury without Mention of Cause (772)	53	3.7	51	4.9
All other Conditions of Newborn (778.0,778.3,778.9)	47	3.3	45	4.3

The ten leading causes of death account for 82.1 percent of infant deaths and 86.0 percent of neonatal deaths. Of these only two showed increases over the number reported in 1974. There were 12.2 percent more deaths attributed to symptoms and ill-defined conditions than reported in 1974 (131), and 12.8 percent more deaths attributed to birth injury without mention of cause. By contrast the 134 deaths attributed to immaturity represented a 16.3 percent decrease from the reported 160 deaths in 1974, and the 128 respiratory distress syndrome deaths represented a 23.8 decrease from the number (168) reported in 1974.

MATERNAL MORTALITY: There were only 14 maternal deaths reported in New Jersey in 1975 producing a maternal mortality rate of 1.5 deaths per 10,000 live births. This rate is less than one-fourth the rate recorded in 1951 (6.6) when 69 resident maternal deaths were reported. Provisional U. S. figures indicate a mortality rate of 1.1 per 10,000 live births.

PRINCIPAL CAUSES OF RESIDENT DEATH: The 13 leading causes of resident death account for nearly 90 percent of all resident deaths in New Jersey. The following table gives a summary of the mortality rates for these 13 causes by race and sex. The rankings for each cause group represent the composite ranking for all races, both sexes.

Principal Causes of Resident Death
By Race and Sex: 1975

Rank Order	Cause	Males		Females	
		White	Nonwhite	White	Nonwhite
		Rate	Rate	Rate	Rate
	Total Deaths	995.6	894.5	808.3	611.8
1.	Diseases of the Heart	436.6	256.6	342.4	198.4
2.	Malignant Neoplasms	219.7	169.9	183.0	114.0
3.	Cerebrovascular Disease	69.0	59.2	91.7	63.2
4.	Accidents	46.1	77.7	20.6	26.5
5.	Influenza and Pneumonia	23.1	26.6	20.8	15.1
6.	Diabetes	15.3	16.4	22.5	22.1
7.	Cirrhosis of the Liver	21.6	28.8	10.8	14.6
8.	Other Diseases of the Arteries, Arterioles, Capillaries	14.6	8.3	8.5	5.9
9.	Certain Causes of Mortality in Early Infancy	9.6	32.8	7.2	24.8
10.	Arteriosclerosis	7.8	4.5	13.8	4.7
11.	Bronchitis, Asthma, Emphysema	14.4	6.9	4.9	3.4
12.	Suicide	12.9	9.3	4.6	2.5
13.	Homicide	5.4	49.0	2.1	15.5

Mortality rates for each of the 13 causes shown can be seen to vary appreciably by race and by sex. The rank order also changes by race and sex. A more complete discussion of race and sex specific mortality rates shown in the above table will be included in proceeding sections of this report when each cause group is examined separately. Table 16 of this report gives a more complete breakdown of the number of deaths occurring in each race-sex group by age.

Table 17 provides a breakdown of the principal causes of resident death by age.

There were 241 deaths in the age group 1-4 compared with 291 in 1974, a decrease of 17.2 percent. The age-specific mortality rate dropped from 59.3 to 57.5 deaths per 100,000 children in this age group. There were 94 accidental deaths in 1975 compared to 107 in 1974, producing rates of 22.4 and

21.8 respectively. The number of deaths attributed to congenital anomalies dropped from 44 to 37, while influenza and pneumonia deaths dropped from 26 to 14. There were only 11 deaths resulting from malignant neoplasms in 1975 compared with 23 in 1974. Of serious concern is the rise in the number of 1-4 year olds dying as the result of homicide. There were five such cases in 1974 compared with 14 reported in 1975, a three-fold increase.

The mortality rate for 5-14 year olds increased slightly as 381 deaths were reported in 1975 compared to 376 in 1974. Nearly 48 percent of deaths in this age group resulted from accidents, with the accidental death rate increasing from 11.7 to 13.9 deaths per 100,000 in 1975. Malignant neoplasms remained the second leading cause of death in this age group with the mortality rate not changing appreciably over the previous year.

Although there were more reported deaths in the age group 15-24 for 1975 as compared to 1974, the mortality rate decreased. In 1975 there were 1,256 deaths producing an age-specific rate of 93.9 per 100,000, while in 1974 a reported 1,239 deaths resulted in a rate of 106.8. The mortality rates for each of the leading causes of death in this age group decreased with one exception. There were 112 suicides in 1975 compared with 86 in 1974, an increase of 30.2 percent, producing a mortality rate of 8.4 per 100,000 in 1975 compared to 7.4 per 100,000 in 1974.

There were 4.0 percent fewer deaths among people aged 25-44 in 1975, producing a mortality rate of 176.8 per 100,000, compared to a rate of 183.2 per 100,000 in 1974. The mortality rate for malignant neoplasms, the principal cause of death increased slightly from 35.0 deaths per 100,000 in 1974 to 36.5 deaths per 100,000 in 1975. The mortality rates for diseases of the heart, accidents, cirrhosis of the liver, and homicide, the second, third, fourth, and fifth leading causes decreased slightly. Again of striking concern is the increase in suicides, the sixth leading cause. There were 199 suicides of persons aged 15-44 in 1975 compared to 175 in 1974, resulting in mortality rates of 11.1 and 9.7 per 100,000 respectively.

There were 3.2 percent fewer deaths among persons aged 45-64 in 1975 with a reduction in the mortality rate from 1009.0 to 947.8 per 100,000. The mortality rates for each of the principal causes of death were lower in 1975, with the most marked reduction occurring in the number of reported deaths due to diseases of the heart. There were 6,154 such deaths in 1975 compared to 6,606 in 1974. The 6.8 percent decrease produced a 1975 rate of 358.1 per 100,000 compared to a 1974 rate of 396.2 per 100,000.

Among persons 65 and older 42,646 deaths were reported in 1974 compared to 43,176 in 1975 producing a lower mortality rate (5604.4 per 100,000 in 1975 compared to 5993.7 per 100,000 in 1974). A reduction in the mortality rates for each principal cause of death was seen. The five leading causes of death in this age group were diseases of the heart, malignant neoplasms, cerebrovascular disease, influenza and pneumonia, and diabetes mellitus.

In summary, the mortality rate for diseases of the heart decreased for persons aged 25 and older. The mortality rate for malignant neoplasms decreased for persons 45 and older, persons under five, and persons aged 15-24, while increasing for all other age groups. The accidental death rate increased among younger people, and decreased among older people, and finally the number of suicides among the young have increased substantially.

MAJOR CARDIOVASCULAR DISEASES: Major cardiovascular diseases include 1) diseases of the heart, 2) hypertension, 3) cerebrovascular disease, 4) arteriosclerosis and 5) other diseases of the arteries, arterioles and capillaries. In 1974 there were 36,332 deaths attributed to major cardiovascular diseases while in 1975 34,978 such deaths occurred. The mortality rate dropped from 490.4 to 470.5 per 100,000 population. The rate for New Jersey residents still remained somewhat higher than the provisional rate of 459.4 reported for the United States.

Diseases of the heart continued to be the number one cause of death among New Jersey residents irrespective of race or sex, although race and sex specific mortality rates differ dramatically. There were 13,743 deaths among the white male population in 1975 producing a rate of 436.6 per 100,000. Among the nonwhite male population the mortality rate was 256.6 per 100,000 based on 1,080 deaths. Among white females there were 11,620 deaths (342.4 per 100,000) and among nonwhite females 935 deaths (198.4 per 100,000) occurred. Diseases of the heart were the principal cause of death among white males and nonwhite males 25 years of age and older, among white females 65 and older, and among nonwhite females 45 and older. Diseases of the heart could be subclassified into three groupings 1) acute myocardial infarction 2) chronic ischemic heart diseases and 3) all other diseases of the heart. In 1975 there were 12,069 deaths resulting from acute myocardial infarction (162.4 per 100,000 population) and 13,328 deaths resulting from ischemic heart disease (179.3 per 100,000). In 1974 the mortality rates for acute myocardial infarction, and ischemic heart disease were 172.0 and 182.6 per 100,000 based on 12,744 and 13,526 deaths, respectively.

Although cerebrovascular disease remained the third leading cause of death in New Jersey there were 8.2 percent fewer deaths caused by this disease in 1975 compared with the prior year. The mortality rate has steadily decreased since 1952 where there were 99.9 deaths per 100,000 population. In 1974, 6,351 persons died of cerebrovascular (85.7 per 100,000) while in 1975, 5,831 such deaths (78.4 per 100,000) population were reported. Cerebrovascular disease was the third leading cause of death among white males (69.0 per 100,000), white females (91.7 per 100,000) and nonwhite females (63.2 per 100,000). The mortality rate for nonwhite males was lower than that reported for others (59.2 per 100,000), making this disease the fourth leading cause of death. Nationwide the cerebrovascular disease mortality rates for 1974 and 1975 were 98.1 and 91.8 respectively. Included in the classification for cerebrovascular disease are deaths attributed to cerebral thrombosis (1,796), acute but ill-defined cerebrovascular disease (1,532), generalized ischemic cerebrovascular disease (1,046, cerebral hemorrhage (957), and subarachnoid hemorrhage (324).

Arteriosclerosis was the tenth leading cause of death among New Jersey residents in 1975. Most deaths due to this disease occur in the elderly. Of the total of 758 (10.2 per 100,000), 721 involved persons aged 65 and older. Mortality rates are higher in the female population, and among the white population compared with the nonwhite population. The mortality rate for white males was 7.8 per 100,000, and for white females, 13.8 per 100,000. Among nonwhite males there were 4.5 deaths per 100,000, while for nonwhite females there were 4.7 deaths per 100,000. Nationwide the mortality rate was higher with 13.7 deaths per 100,000 population reported, representing a decrease from the 1974 reported rate of 15.3 per 100,000. The mortality rate for New Jersey residents in 1974 was 10.1 per 100,000.

Other diseases of the arteries, arterioles and capillaries include aortic aneurysm (nonsyphilitic) (472 deaths in 1975), arterial embolism and thrombosis (156 deaths), and gangrene (100), plus some additional classifications. There were 810 total deaths (10.9 per 100,000) attributed to this, the eighth leading cause of death in New Jersey. A total of 871 deaths were reported in 1974 (11.8 per 100,000).

Hypertension caused the deaths of 201 New Jersey residents in 1974 and again in 1975, with the mortality rate also remaining unchanged (2.7). The United States mortality rate was estimated at 3.0 based on a provisional figure of 6,370 deaths.

CANCER: Deaths attributable to cancer continue to increase in New Jersey as well as throughout the United States. In New Jersey in 1975, there were 193.4 deaths per 100,000 people resulting from malignant neoplasms based on a reported 14,377 deaths. The mortality rate for the entire United States was 174.4, the highest ever recorded. Mortality rates differed markedly by race and sex. The mortality rate for white males was 219.7 (based on 6,915 deaths), while for nonwhite males 715 deaths produced a rate of 169.9. There were 6,210 white female deaths and 537 nonwhite female deaths, providing rates of 183.0 and 114.0 respectively. Malignant neoplasms were the second leading cause of death for New Jersey residents irrespective of race and sex.

Cancer of the buccal cavity and pharynx resulted in 258 deaths among men (7.2 per 100,000) and 96 deaths among females (2.5 per 100,000). Cancer of the digestive organs and peritoneum had the highest site specific mortality rate (58.3), with a slight difference in the male and female mortality rates observed. There were 2,255 male deaths (63.2 per 100,000), and 2,081 female deaths (53.8 per 100,000) reported. Of the 4,336 deaths attributed to cancer of the digestive organs and peritoneum there were 1,819 malignant neoplasms of the large intestine, 735 deaths due to cancer of the pancreas, 692 attributed to cancer of the stomach, 477 attributed to cancer of the rectum, 274 due to cancer of the esophagus, and 339 deaths due to other neoplasms of the digestive organs and peritoneum. There were 2,528 male deaths and 803 female deaths due to cancer of the respiratory system producing mortality rates of 70.8 and 20.8 per 100,000 respectively. Cancer of the trachea, bronchus and lung, a subclassification of the respiratory system was responsible for 2,377 male and 773 female deaths. Cancer of the breast was the highest single cause of cancer mortality among women with 35.0 deaths per 100,000 women reported in 1975 based on 1,353 deaths. There were 1,179

male and 1,134 female deaths due to malignant neoplasms of the genitourinary organs (33.0 and 29.3 deaths per 100,000) respectively. This category included 676 deaths due to cancer of the prostate among men. Female deaths in this category included 440 deaths due to cancer of the ovaries, fallopian tube and broad ligament, 252 deaths attributed to cancer of the uterus, and 185 deaths resulting from cancer of the cervix uteri. Also included in this broad category of cancers of the genitourinary organs were malignant neoplasms of the bladder (294 male deaths, 113 female deaths), and malignant neoplasms of other and unspecified urinary organs (184 male deaths, 105 female deaths).

Deaths Due to Malignant Neoplasms by Primary Site
Rate per 100,000 Population: 1973-1975

8th Revision Inter'l List #	Primary Site	1975	1974	1973
140-209	All Anatomical Sites	193.4	188.9	191.0
140-149	Buccal Cavity and pharynx	4.8	4.6	4.9
150-159	Digestive organs and peritoneum	58.3	58.9	57.8
160-163	Respiratory system	44.8	42.1	42.2
170-174	Bone, connective tissue, skin and breast	22.4	22.6	24.4
180-189	Genitourinary organs	31.1	29.3	30.9
190-199	Other and unspecified sites	16.4	15.0	14.8
200-209	Lymphatic and hematopoietic tissue	15.6	16.5	15.9

ACCIDENTS: There were 2,602 resident deaths in 1975 as the result of accidents compared with 2,728 in 1974, a decrease of 4.6 percent. This produced a slight decrease in the mortality rate with 36.8 deaths per 100,000 reported in 1974 and 35.0 deaths per 100,000 reported in 1975. Among the white male population accidents remained the fourth leading cause of death with 46.1 deaths per 100,000 reported based on 1,452 deaths. Among nonwhite males there were 327 deaths or 77.7 deaths per 100,000 population. The accident mortality rate was considerably lower in the female population. There were 698 white female and 125 nonwhite female deaths in 1975, with mortality rates of 20.6 and 26.5 respectively. The accident mortality rate in the United States decreased slightly but remained higher than the rate in New Jersey as 47.6 deaths per 100,000 were reported based on an estimated 101,400 deaths. There were 1,111 motor vehicle resident deaths in New Jersey in 1975 compared with 1,120 in 1974 with the mortality rate decreasing from 15.1 to 14.9. There were 19.7 percent fewer accidental poisonings with the mortality rate dropping from 4.0 to 3.2 per 100,000 population. There were 572 deaths due to falls in 1974, and 554 such deaths in 1975, with a 1975 mortality rate of 7.5. There were 10.3 percent more deaths resulting from fires (185 in 1974, 204 in 1975).

Accidents were the principal cause of death of persons under 25 years of age, although accidental mortality rates were highest in those aged 65 and older. There were 119 deaths of children under 5 years of age and 182 deaths

of children 5-14 years of age producing age-specific rates of 23.3 and 13.9 respectively. Among persons under 65 years of age the highest accident rates occurred among those 15-24 years of age as 630 deaths resulted in a mortality rate of 47.1. There were 513 deaths of persons aged 25-44 and 478 deaths of persons aged 45-64 with mortality rates of 28.6 and 27.8 respectively. Among the elderly, there were 680 deaths producing a rate of 89.4 deaths per 100,000 persons aged 65 and older. Most motor vehicle fatalities involved teenagers and young adults with 388 deaths occurring in the age group 15-24 producing a rate of 29.0 per 100,000. The motor vehicle fatality rate was also high in those 65 and older with 22.1 deaths per 100,000 reported based on 168 deaths. Of the 236 accidental deaths due to poisonings there were 94 deaths among those aged 15-24 (7.0 per 100,000), and 88 deaths among those 25-44 (4.9 per 100,000). Sixty-six percent of all deaths due to falls were of persons aged 65 and older. The mortality rate of 48.4 per 100,000 senior citizens was based on a reported 368 accidental deaths resulting from falls. Mortality due to fires was greatest among the very young (under 5), and the elderly, with 7.4 deaths per 100,000 children under 5, and 4.3 deaths per 100,000 adults aged 65 and older.

INFLUENZA AND PNEUMONIA: The fifth leading cause of death resulted in the deaths of 1,616 residents in 1975 compared to 1,745 in 1974 with a resulting mortality rate of 21.7 per 100,000 estimated population. The mortality rate for the white population was slightly higher than that for the non-white population, as 1,433 white deaths were reported (21.9 per 100,000) compared to 183 nonwhite deaths (20.5 per 100,000). There were 1,153 deaths among those 65+ (151.5 per 100,000), making this the fourth leading cause of death in that age group, 282 deaths among those 45-64 years of age (16.4 per 100,000), and 181 deaths among those under 45 years of age (5.4 per 100,000). The mortality rate for the United States was slightly higher as 27.0 deaths per 100,000 population were reported in 1975.

DIABETES MELLITUS: Diabetes, the sixth leading cause of New Jersey resident deaths claimed the lives of 1,416 persons in 1975 and 1,449 lives in 1974. The mortality rate declined from 19.6 to 19.0. Rates for the female population remained higher than those for the male population with no apparent differences seen with respect to race. There were 15.4 male deaths per 100,000 men in the population and 22.4 female deaths per 100,000 women in the population. There were 160 deaths in the male population 45-64 (19.7 per 100,000), and 163 deaths in the female population 45-64 (18.0 per 100,000). Among the elderly, there were 353 male deaths (117.3 per 100,000) and 672 female deaths (146.1 per 100,000). The United States mortality rates in 1974 and 1975 were 17.7 and 16.8 respectively, based on 37,329 deaths in 1974, and a provisional estimate of 35,890 deaths in 1975.

HOMICIDE: The number of New Jersey residents dying each year as the result of homicide has remained relatively constant since 1972 when 499 deaths were reported. In subsequent years, 1973, 1974 and 1975 a total of 523, 513, and 520 deaths were reported. The 1975 figure constitutes a rate of 7.0 per 100,000 population. Since 1951 the number of homicide deaths in New Jersey has increased more than four-fold, and the mortality rate has more than tripled. The homicide mortality rates differ markedly by race and sex. Among

the nonwhite male population there were 206 homicide deaths in 1975 producing a mortality rate of 49.0 per 100,000, and making homicide the fifth leading cause of nonwhite male deaths. Better than one in 20 nonwhite male deaths were the result of homicide. By contrast there were 169 white male deaths resulting from homicide (5.4 per 100,000), 72 white female deaths (2.1 per 100,000), and 73 nonwhite female deaths (15.5 per 100,000). There were 139 homicide deaths involving young people aged 15-24 (10.4 per 100,000), making homicide the second leading cause of death in this age group. The highest age-specific mortality rate occurred in the age group 25-44, with 205 deaths producing a rate of 11.4. The mortality rate among nonwhite males aged 15-24 was 66.6 per 100,000 based on 57 deaths. For those aged 25-44 the rate soared to 94.4 based on 96 deaths. The mortality rate due to homicide nationwide remained higher as an estimated 21,730 deaths produced a rate of 10.2 in 1975, the same as recorded for 1974.

SUICIDE: The suicide mortality rate has fluctuated over the past 25 years with the 1975 rate of 8.2 (based on 612 deaths) exceeding the 1974 rate of 7.7 (based on 572 deaths). The suicide rate was higher among men than women, and among the white population as compared to the nonwhite. There were 405 white male deaths in 1975 producing a mortality rate of 12.9 per 100,000. Thirty-nine nonwhite male deaths resulted in a rate of 9.3. Among the female population there were 156 white female deaths and 12 nonwhite female deaths producing rates of 4.6 and 2.5 respectively. The suicide rate was highest among those aged 65+ (12.5) with 95 deaths reported. There were 112 suicide victims aged 15-24 and 199 aged 25-44, with age-specific rates of 8.4 and 11.1 per 100,000 respectively. Among those 45-64 there were 205 deaths with a mortality rate of 11.9. The higher overall suicide rate can be attributed to the 30.2 percent increase in the number of suicides among young people aged 15-24, and the 13.7 percent increase in the number of suicides among persons aged 25-44. The national suicide mortality rate was considerably higher than New Jersey's rate with an estimated 26,960 deaths in 1975 producing a mortality rate of 12.6.

OTHER SELECTED CAUSES OF DEATH: Cirrhosis of the liver claimed the lives of 1,235 New Jersey residents in 1975, a decrease of 8.2 percent from the reported 1,346 deaths in 1974, producing an overall mortality rate of 16.6 per 100,000. The national figures in 1974 and 1975 were 15.8 and 15.1 respectively. Rates were twice as high among men, and slightly higher in the white population. There were 680 white male deaths and 365 white female deaths resulting in mortality rates of 21.6 and 10.8 respectively. Among nonwhite males 121 deaths were recorded, while 69 nonwhite female deaths occurred, producing rates of 28.8 and 14.6 respectively.

Bronchitis, emphysema and asthma resulted in the death of 664 New Jersey residents in 1975, 9.7 percent fewer than the reported 735 deaths in 1974. The mortality rate for 1975 was 8.9 per 100,000 compared with a rate of 9.9 for 1974. There were 322 deaths attributed to peptic ulcers in 1975, and 279 such deaths in 1974. A total of 296 deaths were due to nephritis and nephrosis in 1975 compared with 277 in 1974. The number of deaths resulting from hernia and intestinal obstruction dropped from 200 in 1974 to 174 in 1975.

NOTIFIABLE DISEASE MORBIDITY: The number of reported cases of syphilis decreased for the second consecutive year while the number of reported cases of gonorrhea increased sharply. In 1972 there were 2,636 new cases of syphilis reported in New Jersey, considerably less than that reported in 1971. The apparent dramatic decrease was largely the result of improvements made in the tabulation of data which effectively eliminated duplicate counts of cases which had previously been reported. In 1973, and 1974 there were 2,895, and 2,634 cases of syphilis reported, providing incidence rates of 39.3 and 35.6 cases (civilian only) per 100,000 estimated population. In 1975, 2,410 cases were reported with an incidence rate of 32.4. An additional 21 cases were reported by the military. Of the total of 2,431 cases reported, there were 771 cases of primary and secondary syphilis cases, 666 cases of early latent syphilis, 966 cases of late and late latent syphilis and 28 cases of congenital syphilis. The morbidity rate for primary and secondary syphilis was 10.4 compared with a rate of 11.5 reported in 1974. The early latent incidence rate increased from 8.5 in 1974 to 9.0 in 1975. The number of cases of late and late latent syphilis decreased 15.9 percent and reduced the incidence rate from 15.5 to 13.0. The gonorrhea incidence rate decreased in 1973 and 1974, but increased dramatically in 1975, when 17,261 reported cases produced an incidence rate of 232.2 per 100,000 population (excluding military). An additional 597 military cases produced an overall rate of 240.2. This dramatic increase in reported cases of gonorrhea might be indicative of an ever-growing problem, and is most probably indicative of improved surveillance resulting in fewer cases going undetected. The sharpest rise in reported cases of gonorrhea occurred in the age group 25-44 where 21.6 percent more cases were reported in 1975. The result was an increase in the age-specific rate from 238.9 to 292.2 cases per 100,000 population. The highest incidence rates however are still in the age groups 15-19 (680.7) and 20-24 (1,041.1). The highest age-specific incidence rates for syphilis also are seen in these age groups. The gonorrhea incidence rate for men in 1975 (326.8) was twice as great as that for women (160.3). Similarly, incidence of syphilis was higher among men (40.4) than among women (25.6). As might be expected, there is a large difference in the incidence rates for primary and secondary syphilis between men and women, while the incidence rates at later stages differ to a much smaller degree, due to the fact that syphilis in the male population is easier to detect at an early stage, while such detection among women is not as common.

The number of newly reported cases of tuberculosis has gradually decreased over the last twenty years. In 1955 there were 3,665 cases reported with a morbidity rate of 66.9 per 100,000 population. In 1975 there were 1,362 cases reported with an incidence rate of 18.3. Of this total there were 1,271 clinically active cases reported. No comparative figure for 1974 is available as the definitions in Diagnostic Standards of Tuberculosis and other Mycobacterial Diseases were changed in 1974 and became effective in 1975. Clinically active cases are now defined as cases with a culture positive for M.tG or those on two or more anti-tuberculosis drugs. The count includes those who were on no drugs or one drug prior to 1975, and whose drug regimen was increased to two or more anti-tuberculosis drugs in 1975.

The incidence of serum hepatitis increased in 1975 from that reported in 1974. The number of serum hepatitis cases increased 46.0 percent with 1,235 cases reported in 1975 compared with 846 in 1974. The incidence rate rose from 11.4 to 16.6 per 100,000 population. Infectious hepatitis incidence rose 3.3 percent as 952 cases in 1975 produced a rate of 12.8. In 1974 there were 922 cases with a rate of 12.4 per 100,000. There were 375 cases of hepatitis (unspecified) in 1975 compared with 299 cases in 1974 an increase of 25.4 percent. Incidence rates were highest in the age group 20-24, the same being true in 1974. There were 312 serum hepatitis cases, 235 infectious hepatitis cases and 107 cases of hepatitis (unspecified), producing an overall incidence of 106.7 cases per 100,000 persons aged 20-24. Incidence was higher among men than women with 1,503 cases of hepatitis reported among men (42.1 per 100,000), and 1,059 cases reported in the female population (27.4 per 100,000).

In 1974 there were 5,693 cases of measles (rubeola) reported. In 1975 there were only 477 such cases. There were 465 cases of mumps in 1975 compared with 784 cases in 1974. In 1974 there were 454 cases of shigellosis (bacillary dysentery) and only 255 cases in 1975. A total of 55 meningococcal infections and 94 cases of amebiasis were reported in 1974 compared with 24 cases of meningococcal infections and 81 cases of amebiasis in 1975. On the negative side, there were 151 cases of aseptic meningitis in 1974 and 345 cases in 1975. The number of reported cases of rubella (German measles) doubled with 465 cases in 1974 compared with 1,021 in 1975. There were 47 cases of trichinosis in 1975, and only 17 in 1974.

TABLE 1: POPULATION ESTIMATES, RESIDENT BIRTHS, MARRIAGES (by Occurrence) AND
RESIDENT DEATHS, NUMBERS AND RATES PER 1,000 POPULATION: 1951 - 1975

YEAR	JULY 1 ESTIMATED POPULATION	RESIDENT BIRTHS		MARRIAGES BY OCCURRENCE		RESIDENT DEATHS	
		Number	Rate	Number	Rate	Number	Rate
1951	4,989,000	105,218	21.1	44,564	8.9	50,098	10.0
1952	5,112,000	110,215	21.6	41,125	8.0	51,430	10.1
1953	5,236,000	112,522	21.5	40,886	7.8	52,794	10.1
1954	5,359,000	118,252	22.1	39,744	7.4	51,203	9.6
1955	5,482,000	120,969	22.1	40,327	7.4	54,055	9.9
1956	5,605,000	124,580	22.2	41,152	7.3	54,418	9.7
1957	5,728,000	129,257	22.6	40,367	7.0	57,171	10.0
1958	5,851,000	129,730	22.2	38,398	6.6	57,552	9.8
1959	5,974,000	130,660	21.9	38,659	6.5	58,039	9.7
1960	6,070,780	132,594	21.8	39,820	6.6	59,330	9.8
1961	6,222,160	135,320	21.7	40,699	6.5	61,814	9.8
1962	6,370,650	131,603	20.7	41,462	6.5	61,967	9.7
1963	6,503,190	132,606	20.4	43,353	6.7	63,797	9.8
1964	6,614,560	131,593	19.9	45,632	6.9	63,963	9.7
1965	6,720,300	125,104	18.6	46,281	6.9	64,942	9.7
1966	6,821,050	120,116	17.6	46,966	6.9	65,656	9.6
1967	6,917,450	116,091	16.8	49,132	7.1	65,594	9.5
1968	7,012,750	114,101	16.3	53,857	7.7	68,574	9.8
1969	7,103,310	117,232	16.5	55,692	7.8	67,770	9.5
1970	7,192,805	120,168	16.7	56,625	7.9	67,976	9.5
1971	7,261,440	111,376	15.3	56,531	7.8	67,680	9.3
1972	7,322,685	99,050	13.5	58,476	8.0	68,865	9.4
1973	7,371,835	94,024	12.8	59,723	8.1	68,631	9.3
1974	7,408,955	94,242	12.7	56,449	7.6	66,797	9.0
1975	7,433,920	91,457	12.3	53,008	7.1	65,422	8.8

**TABLE 2: INFANT, FETAL, PERINATAL, NEONATAL AND MATERNAL
RESIDENT DEATHS, NUMBERS AND RATES: 1951 - 1975**

YEAR	INFANT DEATHS		FETAL DEATHS		PERINATAL DEATHS		NEONATAL DEATHS		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1951	2,516	23.9	1,993	18.9	3,910	36.5	1,917	18.2	69	6.6
1952	2,633	23.9	2,002	18.2	3,965	35.3	1,963	17.8	70	6.4
1953	2,654	23.6	2,046	18.2	4,089	35.7	2,043	18.2	55	4.9
1954	2,789	23.6	1,933	16.3	4,011	33.4	2,078	17.6	59	5.0
1955	2,954	24.4	2,115	17.5	4,326	35.1	2,211	18.3	64	5.3
1956	3,050	24.5	2,110	16.9	4,434	35.0	2,324	18.7	39	3.1
1957	3,161	24.5	2,148	16.6	4,578	34.5	2,430	18.8	44	3.4
1958	3,160	24.4	2,185	16.8	4,619	35.0	2,434	18.8	54	4.2
1959	3,201	24.5	2,109	16.1	4,568	34.4	2,459	18.8	51	3.9
1960	3,248	24.5	2,201	16.6	4,659	34.6	2,458	18.5	44	3.3
1961	3,244	24.0	2,207	16.3	4,677	34.0	2,470	18.3	47	3.5
1962	3,149	23.9	2,137	16.2	4,569	34.2	2,432	18.5	43	3.3
1963	3,177	24.0	2,255	17.0	4,771	35.4	2,516	19.0	50	3.8
1964	3,118	23.7	2,136	16.2	4,532	33.9	2,396	18.2	48	3.6
1965	2,918	23.3	1,991	15.9	4,184	32.9	2,193	17.5	44	3.5
1966	2,688	22.4	1,865	15.5	3,912	32.1	2,047	17.0	41	3.4
1967	2,578	22.2	1,887	16.3	3,883	32.9	1,996	17.2	45	3.9
1968	2,469	21.6	1,584	13.9	3,499	30.2	1,915	16.8	32	2.8
1969	2,369	20.2	1,545	13.2	3,341	28.1	1,796	15.3	34	2.9
1970	2,406	20.0	1,698	14.1	3,613	29.6	1,915	15.9	38	3.2
1971	2,095	18.8	1,441	12.9	3,053	27.1	1,612	14.5	25	2.2
1972	1,809	18.3	1,232	12.4	2,626	26.2	1,394	14.1	23	2.3
1973	1,644	17.5	1,204	12.8	2,453	25.8	1,249	13.3	16	1.7
1974	1,582	16.8	1,071	11.4	2,270	23.8	1,199	12.7	16	1.6
1975	1,434	15.7	941	10.3	1,983	21.5	1,042	11.4	14	

Note: Infant, fetal and neonatal death rates are expressed per 1,000 live births. The maternal rate is expressed per 10,000 live births. The perinatal death rate represents neonatal plus fetal deaths per 1,000 births plus fetal deaths.

TABLE 3: CANCER, DIABETES, HEART DISEASE AND CEREBROVASCULAR DISEASE DEATHS
NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION: 1951 - 1975

YEAR	CANCER		DIABETES		HEART DISEASE		CEREBROVASCULAR DISEASE	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1951	8,775	175.9	1,120	22.4	21,243	425.8	4,824	96.7
1952	9,033	176.7	1,095	21.4	21,483	420.2	5,108	99.9
1953	9,350	178.6	1,077	20.6	22,710	433.7	5,219	99.7
1954	9,504	177.3	1,106	20.6	21,864	408.0	4,897	91.4
1955	9,806	178.9	1,139	20.8	23,476	428.2	5,022	91.6
1956	9,937	177.3	1,178	21.0	23,620	421.4	5,054	90.2
1957	10,423	182.0	1,200	20.9	24,623	429.9	5,230	91.3
1958	10,215	174.6	1,133	19.4	25,038	427.9	5,378	91.9
1959	10,635	178.0	1,181	19.8	25,315	423.8	5,289	88.5
1960	10,655	175.5	1,238	20.4	26,187	431.4	5,194	85.6
1961	11,194	179.9	1,360	21.9	26,499	425.9	5,503	88.4
1962	11,370	178.5	1,263	19.8	27,366	429.6	5,404	84.8
1963	11,624	178.7	1,351	20.8	27,987	430.4	5,733	88.2
1964	11,801	178.4	1,270	19.2	28,126	425.2	5,597	84.6
1965	12,063	179.5	1,304	19.4	28,414	422.8	5,678	84.5
1966	11,997	175.9	1,388	20.3	28,815	422.4	5,904	86.6
1967	12,189	176.2	1,360	19.7	28,829	416.8	5,979	86.4
1968	12,897	183.9	1,491	21.3	29,577	421.8	6,204	88.5
1969	12,941	182.2	1,499	21.1	29,709	418.2	5,942	83.7
1970	13,242	184.1	1,512	21.0	29,351	408.1	6,290	87.4
1971	13,085	180.2	1,524	21.0	29,345	404.1	6,262	86.2
1972	13,616	185.9	1,480	20.2	29,723	405.9	6,432	87.8
1973	14,077	191.0	1,535	20.8	29,167	395.7	6,499	88.2
1974	13,999	188.9	1,449	19.6	28,160	380.1	6,351	85.7
1975	14,377	193.4	1,416	19.0	27,378	368.3	5,831	78.4

TABLE 4: TUBERCULOSIS CASES AND DEATHS, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION: 1951 - 1975

YEAR	CASES		DEATHS	
	Number	Rate	Number	Rate
1951	3,246	65.1	1,022	20.5
1952	3,769	73.7	831	16.3
1953	4,189	79.9	693	13.2
1954	3,650	68.1	558	10.4
1955	3,665	66.9	570	10.4
1956	3,354	59.8	522	9.3
1957	3,543	61.9	519	9.1
1958	2,790	47.7	443	7.6
1959	2,909	48.7	433	7.2
1960	2,928	48.2	354	5.8
1961	3,120	50.1	389	6.3
1962	2,769	43.5	326	5.1
1963	2,867	44.1	364	5.6
1964	2,970	44.9	307	4.6
1965	2,705	40.3	293	4.4
1966	2,567	37.6	297	4.4
1967	2,493	35.0	261	3.8
1968	2,271	32.4	255	3.6
1969	2,015	28.4	214	3.0
1970	2,013	28.0	245	3.4
1971	2,118	29.2	217	3.0
1972	1,162	23.1	166	2.3
1973	1,531	20.8	184	2.5
1974	1,474	19.9	161	2.2
1975	1,362	18.3	122	1.6

TABLE 5: CASES OF SYPHILIS BY STAGE, AND GONORRHEA, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION (Civilian Cases Only): 1951 - 1975

YEAR	SYPHILIS							GONORRHEA			
	TOTAL CASES		PRIMARY & SECONDARY		EARLY LATENT						
	Number	Rate	Number	Rate	Number	Rate	Number				
1951	4,016	80.5	228	4.6	1,125	22.5	3,559	71.3			
1952	3,846	75.2	180	3.5	1,029	20.1	3,596	70.3			
1953	3,742	71.5	168	3.2	1,005	19.2	3,682	70.3			
1954	5,285	98.6	184	3.4	1,175	21.9	3,761	70.2			
1955	4,854	88.5	214	3.9	1,095	20.0	4,150	75.7			
1956	4,263	76.1	92	1.6	578	10.3	3,828	68.3			
1957	5,429	94.8	114	2.0	462	8.1	4,789	83.6			
1958	6,055	103.5	170	2.9	638	10.9	5,493	93.9			
1959	4,863	81.4	302	5.1	609	10.2	4,646	77.8			
1960	5,265	86.7	665	11.0	752	12.4	4,778	78.7			
1961	5,170	83.1	864	13.9	721	11.6	4,302	69.1			
1962	6,291	98.7	1,191	18.7	864	13.6	3,557	55.8			
1963	5,613	86.3	1,177	18.1	756	11.6	3,968	61.0			
1964	4,958	75.0	1,140	17.2	930	14.1	3,744	56.6			
1965	4,927	73.3	944	14.0	798	11.9	3,938	58.6			
1966	3,731	54.7	704	10.3	522	7.7	4,327	63.4			
1967	3,829	55.4	600	8.7	408	5.9	6,173	89.2			
1968	2,935	41.9	457	6.5	291	4.1	8,098	115.5			
1969	4,111	57.9	622	8.8	444	6.2	8,410	118.4			
1970	5,078	70.6	891	12.4	568	7.9	9,751	135.6			
1971	6,029	83.0	945	13.0	605	8.3	11,480	158.1			
1972	2,636	36.0	942	12.9	608	8.3	16,658	227.5			
1973	2,895	39.3	1,009	13.7	678	9.2	16,206	219.8			
1974	2,634	35.6	836	11.3	622	8.4	15,294	206.4			
1975	2,410	32.4	758	10.2	661	8.9	17,261	232.2			

Note: Data for 1951 through 1956 include all New Jersey resident cases plus all nonresident cases diagnosed in New Jersey, but exclude military cases. Data for 1957 to date include New Jersey resident cases only. Included in 1966 through 1970 and 1974 figures are cases occurring in the Job Corps Center. The sharp decrease in new cases of syphilis in 1972 reflects improved tabulation of data eliminating cases previously recorded in New Jersey or other states.

**TABLE 6: ACCIDENT, HOMICIDE AND SUICIDE DEATHS, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION: 1951 - 1975**

YEAR	ACCIDENT		HOMICIDE		SUICIDE	
	Number	Rate	Number	Rate	Number	Rate
1951	2,224	44.6	114	2.3	501	10.0
1952	2,363	46.2	121	2.4	464	9.1
1953	2,102	40.1	132	2.5	451	8.6
1954	2,096	39.1	115	2.1	470	8.8
1955	2,152	39.3	106	1.9	426	7.8
1956	2,184	39.0	107	1.9	430	7.7
1957	2,301	40.2	119	2.1	456	8.0
1958	2,158	36.9	133	2.3	513	8.8
1959	2,201	36.8	144	2.4	529	8.9
1960	2,217	36.5	158	2.6	486	8.0
1961	2,328	37.4	146	2.3	523	8.4
1962	2,390	37.5	183	2.9	571	9.0
1963	2,516	38.7	180	2.8	598	9.2
1964	2,731	41.3	186	2.8	516	7.8
1965	2,783	41.4	209	3.1	586	8.7
1966	2,910	42.7	240	3.5	548	8.0
1967	2,914	42.1	299	4.3	505	7.3
1968	2,933	41.8	369	5.3	538	7.7
1969	3,000	42.2	388	5.5	591	8.3
1970	2,982	41.5	418	5.8	487	6.8
1971	3,021	41.6	458	6.3	570	7.8
1972	2,878	39.3	499	6.8	617	8.4
1973	2,994	40.6	523	7.1	609	8.3
1974	2,728	36.8	513	6.9	572	7.7
1975	2,602	35.0	520	7.0	612	8.2

TABLE 7: ESTIMATED POPULATION BY AGE, BY RACE, BY SEX: 1975

TABLE 7: ESTIMATED POPULATION BY AGE, BY RACE, BY SEX: 1975

AGE GROUP	ALL RACES			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL AGES	7,433,920	3,568,601	3,865,319	6,541,873	3,147,792	3,394,081	892,047	420,809	471,238
Under 5	510,927	261,101	249,826	411,669	211,010	200,659	99,258	50,091	49,167
5 - 9	601,034	306,434	294,600	505,488	258,515	246,973	95,546	47,919	47,627
10 - 14	707,968	361,975	345,993	605,448	310,303	295,145	102,520	51,672	50,848
15 - 19	725,016	368,589	356,427	628,110	319,841	308,269	96,906	48,748	48,158
20 - 24	612,817	305,401	307,416	536,210	268,546	267,664	76,607	36,855	39,752
25 - 29	503,589	231,443	272,146	439,394	204,046	235,348	64,195	27,397	36,798
30 - 34	469,091	223,125	245,966	407,583	196,258	211,325	61,508	26,867	34,641
35 - 39	407,853	195,762	212,091	352,410	171,240	181,170	55,443	24,522	30,921
40 - 44	416,131	200,008	216,123	365,082	177,120	187,962	51,049	22,888	28,161
45 - 49	464,238	223,307	240,931	417,413	201,881	215,532	46,825	21,426	25,399
50 - 54	471,173	223,768	247,405	430,799	205,163	225,636	40,374	18,605	21,769
55 - 59	424,803	199,843	224,960	392,934	185,266	207,668	31,869	14,577	17,292
60 - 64	358,340	166,900	191,440	332,948	155,705	177,243	25,392	11,195	14,197
65 & over	760,940	300,945	459,995	716,385	282,898	433,487	44,555	18,047	26,508

26

TABLE 8: RESIDENT BIRTHS BY AGE OF MOTHER, BY WEIGHT GROUP: 1975

BIRTH WEIGHT GROUP	TOTAL All Ages	AGE GROUP OF MOTHER						Unknown
		10-14	15-19	20-24	25-29	30-34	35-39	
TOTAL	91,457	303	12,263	26,716	31,863	14,961	4,370	928
Over 11 lbs. (5001 or more grams)	136		9	30	42	37	14	4
Over 9 lbs. 14 ozs. - 11 lbs. (4501-5000 grams)	1,129	1	49	259	462	255	76	1
Over 8 lbs. 13 ozs. - 9 lbs. 14 ozs. (4001-4500)	6,270	8	475	1,648	2,384	1,233	434	84
Over 7 lbs. 11 ozs. - 8 lbs. 13 ozs. (3501-4000 grams)	23,570	46	2,480	6,812	8,694	4,103	1,173	243
Over 6 lbs. 9 ozs. - 7 lbs. 11 ozs. (3001-3500 grams)	34,677	113	4,858	10,379	12,144	5,404	1,480	283
Over 5 lbs. 8 ozs. - 6 lbs. 9 ozs. (2501-3000 grams)	16,969	82	2,928	5,280	5,421	2,377	718	156
Over 4 lbs. 6 ozs. - 5 lbs. 8 ozs. (2001-2500 grams)	4,607	28	903	1,387	1,322	678	218	69
Over 3 lbs. 4 ozs. - 4 lbs. 6 ozs. (1501-2000 grams)	1,318	8	290	367	356	210	67	19
Over 2 lbs. 3 ozs. - 3 lbs. 4 ozs. (1001-1500 grams)	507	11	114	140	130	80	25	7
2 lbs. 3 ozs. or less (1000 grams or less)	541	5	119	150	153	78	25	9
Weight not stated	1,733	1	38	264	755	506	140	28

TABLE 9: RESIDENT BIRTHS BY AGE OF MOTHER, BY RACE, BY SEX: 1975

AGE OF MOTHER	TOTAL		WHITE		NONWHITE		UNKNOWN		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
ALL AGES	91,457	47,155	44,302	71,579	37,023	34,556	18,248	9,298	8,950
Less than 15	303	147	156	86	44	42	216	102	114
15 - 19	12,263	6,335	5,928	7,131	3,721	3,410	5,099	2,600	2,499
20 - 24	26,716	13,814	12,902	20,675	10,707	9,968	5,813	2,992	2,821
25 - 29	31,863	16,470	15,393	27,066	14,028	13,038	4,076	2,062	2,014
30 - 34	14,961	7,639	7,322	12,413	6,356	6,057	2,061	1,040	1,021
35 - 39	4,370	2,255	2,115	3,453	1,787	1,666	785	401	384
40 - 44	928	471	457	714	364	350	188	95	93
45 - 49	50	23	27	39	16	23	10	6	4
50 or more	3	1	2	2		2			1
Unknown									1

TABLE 10: RESIDENT BIRTHS BY AGE OF MOTHER, BY LEGITIMACY, BY RACE: 1975

TABLE 10: RESIDENT BIRTHS BY AGE OF MOTHER, BY LEGITIMACY, BY RACE: 1975

AGE OF MOTHER	TOTAL				LEGITIMATE				ILLEGITIMATE				UNKNOWN			
	Total	White	Non-White	Unk.	Total	White	Non-White	Unk.	Total	White	Non-White	Unk.	Total	White	Non-White	Unk.
ALL AGES	91,457	71,579	18,248	1630	77,119	66,303	9,221	1,595	14,333	5,274	9,026	33	5	2	1	2
Less than 15	303	86	216	1	12	9	3	291	77	213	1					
15 - 19	12,263	7,131	5,099	33	5,849	4,996	829	24	6,414	2,135	4,270	9				
20 - 24	26,716	20,675	5,813	228	22,080	18,946	2,913	221	4,634	1,727	2,900	7	2	2		
25 - 29	31,863	27,066	4,076	721	29,965	26,230	3,024	711	1,897	836	1,052	9	1			1
30 - 34	14,961	12,413	2,061	487	14,226	12,064	1,678	484	734	349	382	3	1			
35 - 39	43,370	3,453	785	132	4,076	3,330	618	128	293	123	167	3	1			1
40 - 44	928	714	188	26	866	689	151	26	62	25	37					
45 - 49	50	39	10	1	43	37	5	1	7	2	5					
50 or more									1							1
Unknown	3	2			1	2	2									

TABLE 11: RESIDENT BIRTHS BY WEIGHT GROUP, BY RACE: 1975

BIRTH WEIGHT GROUP	All Races	White	Nonwhite	Unknown
TOTAL	91,457	71,579	18,248	1,630
Over 11 lbs. (5001 or more grams)	136	111	25	
Over 9 lbs. 14 ozs. - 11 lbs. (4501-5000 grams)	1,129	1,022	107	
Over 8 lbs. 13 ozs. - 9 lbs. 14 ozs. (4001-4500 grams)	6,270	5,591	678	1
Over 7 lbs. 11 ozs. - 8 lbs. 13 ozs. (3501-4000 grams)	23,570	20,203	3,364	3
Over 6 lbs. 9 ozs. - 7 lbs. 11 ozs. (3001-3500 grams)	34,677	27,644	7,019	14
Over 5 lbs. 8 ozs. - 6 lbs. 9 ozs. (2501-3000 grams)	16,969	12,340	4,624	5
Over 4 lbs. 6 ozs. - 5 lbs. 8 ozs. (2001-2500 grams)	4,607	3,069	1,537	1
Over 3 lbs. 4 ozs. - 4 lbs. 6 ozs. (1501-2000 grams)	1,318	843	475	
Over 2 lbs. 3 ozs. - 3 lbs. 4 ozs. (1001-1500 grams)	507	311	196	
2 lbs. 3 ozs. or less (1000 grams or less)	541	332	207	2
Weight not stated	1,733	113	16	1,604

TABLE 12: MARRIAGES IN NEW JERSEY BY AGE OF HUSBAND, BY AGE OF WIFE: 1975

Wife's Age Group	All Ages	Husband's Age Group										55-59	60-64	65-69	70+	
		<15	15	16	17	18	19	20-24	25-29	30-34	35-39					
All Ages	53,008	37	274	1,199	2,253	21,343	12,865	5,142	2,647	1,892	1,558	1,240	953	653	469	483
< 15	42	4	2	10	3	20	2	1								
15	197	4	25	36	44	72	15	1								
16	707	10	65	158	149	270	45	5	2							
17	1,420	6	63	249	337	646	105	12	1							
18	3,515	8	75	380	656	1,962	337	70	17	5	2					1
19	4,369	3	19	196	547	2,867	597	101	23	11	3	2				
20-24	23,252	2	25	149	476	13,945	6,711	1,439	332	105	51	13	2			1
25-29	8,678	13	30	1,296	14,118	1,956	731	326	134	56	12	3	2			1
30-34	3,663	6	9	207	702	1,102	760	475	261	91	29	14	7			
35-39	1,991	2	1	44	170	322	502	433	280	149	58	21	3			6
40-44	1,456	1	10	50	100	184	328	346	249	123	45	12	8			
45-49	1,204		2	8	25	71	140	303	316	206	77	42	14			
50-54	961		2		7	21	52	134	237	243	149	78	38			
55-59	671			2	1	3	13	32	100	182	174	102	62			
60-64	455				1			9	20	68	126	127	104			
65-69	257					2			7	23	33	77	113			
70+	170						2		4	11	18	135				

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1975

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1975

	CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	TOTAL	Under 1 Day	1-6 Days	7-27 Days	7-27 Days but Under 1 Year
ALL CAUSES (000-E999)		1,434	602	299	141	392
Diarrheal disease (009)		24		5	12	7
Whooping cough (003)						
Meningococcal infection (036)						
Tetanus (037)		21	1	9	5	6
Septicemia (038)						
Viral diseases (040-079)						
Congenital syphilis (090)						
Other infective and parasitic diseases-Remainder of (000-136)		3				
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)		4				
Benign neoplasms and neoplasms of unspecified nature (210-239)		2	1			
Diseases of thymus gland (254)						
Cystic fibrosis (273.0)						
Diseases of blood and blood-forming organs (280-289)		11	2	3	1	5
Meningitis (320)			8		2	6
Other diseases of nervous system and sense organs (321-389)		7				
Acute upper respiratory infections (460-465)		3				
Bronchitis and bronchiolitis (466,490,491)		5				
Influenza and pneumonia (470-474,480-486)		57	5	6	1	40
Influenza (470-474)						
Pneumonia (480-486)		57	5	6	6	40
Other chronic interstitial pneumonia (517)						
All other diseases of respiratory system (492,493,500-516,518,519)		5				
Hernia and intestinal obstruction (550-553,560)		4				
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin, (535,561,563)				2		
Other diseases of digestive system (520-534,536,537,540-543,562,564-577)						
Congenital anomalies (740-759)		6				
Anencephalus (740)		269	77	2	2	2
Spina bifida (741)		24	19	2	36	94
Congenital hydrocephalus (742)		7	2	2	2	1
Other congenital anomalies of central nervous system and eye (743,744)		14	2	2	1	2
Congenital anomalies of heart (746)		11	3	4		4
Other congenital anomalies of circulatory system (747)		102	5	36	15	46
Congenital anomalies of respiratory system (748)		15	1	1	3	10
Congenital anomalies of digestive system (749-751)		14	8	1	3	2
Congenital anomalies of genitourinary system (752,753)		9	1	1	3	5
Congenital anomalies of musculoskeletal system (754-756)		21	6	1	1	1
Down's disease (759.3)		4	12	3	3	3
Other congenital syndromes affecting multiple systems (759.0-759.2,759.4-759.9)		35	17	1	2	2
Other and unspecified congenital anomalies (745,757,758)		4				3

TABLE 13: RESIDENT INFANT DEATHS BY CAUSE, BY AGE: 1975 (Continued)

CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	TOTAL	Under 1 Day	1-6 Days	7-27 Days	28 Days but Under 1 Year
Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	802	513	208	56	25
Chronic circulatory and genitourinary diseases in mother (760)	9	7	2		
Other maternal conditions unrelated to pregnancy (761)					
Syphilis (761.0)					
Diabetes mellitus (761.1)					
Rubella (761.3)					
All other maternal conditions unrelated to pregnancy (761.2, 761.4-761.7,761.9)	2	2	2	1	1
Toxemia of pregnancy (762)	3	2			
Maternal ante- and intrapartum infection (763)	1	1			
Difficult labor (764-768)	2	1			
With mention of birth injury (.0-.3)					
Without mention of birth injury (.4,.9)	2	1			1
All other complications of pregnancy and childbirth (769.0-769.2,769.4,769.5,769.9)	105	80	18	6	1
Conditions of placenta (770)	19	14	5		
Conditions of umbilical cord (771)	9	8	1		
Birth injury without mention of cause (772)	53	11	32	8	2
Hemolytic disease of newborn (774,775)	13	8	3		2
Hyaline membrane disease (776.1)	101	32	49	14	6
Respiratory distress syndrome (776.2)	128	65	47	13	3
Asphyxia of newborn, unspecified (776.9)	131	100	23	4	4
All other anoxic and hypoxic conditions not elsewhere classifiable (776.0,776.3,776.4)	21	12	6		3
Immaturity, unqualified (777)	134	130	4		
Postmaturity (778.1)					
Hemorrhagic disease of newborn (778.2)	26	6	13	6	1
All other conditions of newborn (778.0,778.3,778.9)	47	36	5	4	2
Symptoms and ill-defined conditions (780-796)	147	1	1	16	129
Accidents (E800-E949)	25			2	23
Inhalation and ingestion of food or other object causing obstruction or suffocation (E911,E912)	12			2	10
Accidental mechanical suffocation (E913)	4				4
Other accidental causes (E800-E910,E914-E949)	9				9
Homicide (E960-E978)	5			1	4
A11 other causes - Residual	26	2	1	1	22

TABLE 14: RESIDENT MATERNAL DEATHS; CAUSE BY AGE, CAUSE BY RACE: 1975

CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	Total	RACE	AGE GROUP								
			White	Nonwhite	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TOTAL MATERNAL DEATHS (630-678)	14	7	7	4	2	2	3	1	1	1	1
Complications of Pregnancy (630-634) Infections of Genital Tract During Pregnancy (630)	1	1	1	1							
Ectopic Pregnancy (631)											
Hemorrhage of Pregnancy (632)											
Anemia of Pregnancy (633)											
Other Complications of Pregnancy (634)	1		1	1							
Urinary Infections and Toxemias of Pregnancy and the Puerperium (635-639)	1		1	1							
Urinary Infections Arising During Pregnancy and the Puerperium (635)											
Toxemias of Pregnancy and the Puerperium Except Abortion with Toxemia (636-639)	1		1	1							
Abortion (640-645)											
Abortion Induced For Legal Indications (640-641)											
Abortion Induced For Other Reasons (642)											
Spontaneous Abortion (643)											
Other and Unspecified Abortions (644-645)											
Delivery (650-662)	7	4	3	1	1	1	1	3	1		
Delivery Without Mention of Complication (650)											
Anesthetic Death In Uncomplicated Delivery (662)											
Delivery Complicated By Placenta Previa or Antepartum Hemorrhage (651)	3	1	2						2	1	
Delivery Complicated By Retained Placenta (652)											
Delivery Complicated By Other Postpartum Hemorrhage (653)	1	1	1								
All Other Complications of Delivery (654-661)											
Complications of the Puerperium (670-678)	3	2	1	1	1	1	1	1	1	1	
Sepsis of Childbirth and the Puerperium (670)	5	3	2	1	1	1	1	1	1	1	
Puerperal Phlebitis and Thrombosis (671)	1	1	1	1	1	1	1	1	1	1	
Puerperal Pulmonary Embolism (673)	1	1	1	1	1	1	1	1	1	1	
Cerebral Hemorrhage In the Puerperium (674)	1	1	1	1	1	1	1	1	1	1	
All Other Complications of Puerperium (Not Specified Above) (672, 675-678)	1	1	1	1	1	1	1	1	1	1	

36f

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+UP
000-E999	ALL CAUSES	65,422	35,104	30,318*	1,434	241	3811	1,256	3,176	16,288	42,646
000	CHOLERA										
001	TYPHOID FEVER										
002	PARATYPHOID FEVER										
003	OTHER SALMUNELLA INFECTIONS	5	2	3			1				
004	RACILLARY ULCEROSITY										
005	FOOD POISONING (BACTERIAL)										
006	AMEBIASIS										
007	OTHER PROTOZOAL INTESTINAL DISEASES										
008	ENTERITIS DUE TO OTHER SPECIFIED ORGANISM	6	3	3	2	1				1	2
009	DIARRHEAL DISEASE	83	29	34	24	3	.1		2	8	25
010	SILECOTUBERCULOSIS										
011	PULMONARY TUBERCULOSIS	85	62	23						7	33
012	OTHER RESPIRATORY TUBERCULOSIS	9	7	2	1					2	6
013	TUBERCULOSIS OF MENINGEAL AND CENTRAL NERVOUS SYSTEM										
014	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS	1		1							1
015	TUBERCULOSIS OF BONES AND JOINTS										
016	TUBERCULOSIS OF GENITOURINARY SYSTEM	3	3								3
017	TUBERCULOSIS OF OTHER ORGANS	3	1	2						1	1
018	DISSEMINATED TUBERCULOSIS	4	3	1						1	3
019	LATE EFFECTS OF TUBERCULOSIS	17	10	7						8	9
020	PLAQUE										
021	TULAREMIA										
022	ANTHRAX										
023	BRUCELLOSIS										
024	GLANDERS										
025	MELILOIDIOSIS										
026	RAT-BITE FEVER										
027	OTHER ZOONOTIC BACTERIAL DISEASES	5	2	3							2
030	LEPROSY										3
031	OTHER DISEASES DUE TO MYCOBACTERIA										
032	DIPHTHERIA										
033	WHOPPING COUGH										
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER										
035	ERYSTIPLAS										
036	MENINGOCOCCAL INFECTION	3	2	1			1				2
037	TETANUS	1	1								1
038	SEPTICEMIA	197	96	101	21	1			2	11	40
039	OTHER BACTERIAL DISEASES	22	11	11					1	3	122
040	ACUTE PARALYTIC POLIOMYELITIS SPECIFIED AS BULBAR										
041	ACUTE POLIOMYELITIS WITH OTHER PARALYSIS										
042	ACUTE NONPARALYTIC POLIOMYELITIS										
043	ACUTE POLIOMYELITIS, UNSPECIFIED										
044	LATE EFFECTS OF ACUTE POLIOMYELITIS	1	1								
045	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS	1	1								1
046	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM	2	2								1
050	SHALLPOX										
051	COWPOX										
052	CHICKENPOX										
053	HERPES ZOSTER	1	1	4							1
054	HERPES SIMPLEX	3	3								4
055	MEASLES										
056	PURELLA										
057	OTHER VIRAL EXANTHEM										
060	YELLOW FEVER										
061	DENGUE										

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+JP
062	MOSQUITO-BORNE VIRAL ENCEPHALITIS	2	1	1						1	1
063	TICK-BORNE VIRAL ENCEPHALITIS										
064	VIRAL ENCEPHALITIS TRANSMITTED BY OTHER ARTHROPOD										
065	VIRAL ENCEPHALITIS, UNSPECIFIED	7	4	3					3	2	1
066	LATE EFFECTS OF VIRAL ENCEPHALITIS	1	1							1	
067	ARTHROPOD-BORNE HEMORRHAGIC FEVER										
068	OTHER ARTHROPOD-BORNE VIRAL DISEASES										
070	INFECTIOUS HEPATITIS	26	15	11						2	8
071	RABIES										
072	MUMPS										
073	PSITTACOSIS										
074	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS										
075	INFECTIOUS MONONUCLEOSIS	1		1						1	
076	TRACHOMA, ACTIVE										
077	LATE EFFECTS OF TRACHOMA										
078	OTHER VIRAL DISEASES OF THE CONJUNCTIVA										
079	OTHER VIRAL DISEASES	8	3	5							
080	EPIDEMIC LUSSIE-BORNE TYPHUS										
081	OTHER TYPHUS										
082	TICK-BORNE RICKETTSIOSIS										
083	OTHER RICKETTSIOSIS										
084	MALARIA										
085	LEISHMANIASIS										
086	AMERICAN TRYPANOSOMIASIS										
087	OTHER TRYPANOSOMIASIS										
088	RELAPSING FEVER										
089	OTHER ARTHROPOD-BORNE DISEASES										
090	CONGENITAL SYPHILIS										
091	EARLY SYPHILIS, SYMPTOMATIC										
092	EARLY SYPHILIS, LATENT										
093	CARDIOVASCULAR SYPHILIS	2	2								
094	SYPHILIS OF CENTRAL NERVOUS SYSTEM	1	1								
095	OTHER FORMS OF LATE SYPHILIS, WITH SYMPTOMS										
096	LATE SYPHILIS, LATENT										
097	OTHER SYPHILIS AND NOT SPECIFIED	1	1								
098	GONOCOCCAL INFECTIONS										
099	OTHER VENEREAL DISEASE										
100	LEPTOSPIROSIS	1		1						1	
101	VINCENT'S ANGINA										
102	YAWS										
103	PINTA										
104	OTHER SPIRUCHELAL INFECTON										
110	DERMATOPHYTOSIS										
111	DERMATOPHYTOSIS, OTHER AND UNSPECIFIED										
112	MONILIASIS	3	1	2							
113	ACTINOMYCOSIS										
114	COCCIDIODIDOMYCOSIS										
115	HISTOPLASMOSIS										
116	PLASTOMYCOSIS	3	3								
117	OTHER SYSTEMIC MYCOSIS	1	1								
120	SCHISTOSOMIASIS	1		1							
121	OTHER TREMATODE INFESTATION										
122	HYDATIDOSIS										
123	OTHER CESTODE INFESTATION										
124	TRICHINIASIS										
125	FILARIAL INFESTATION										
126	ANCYLOSTOMIASIS										

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE OF DEATH, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					0-1	1-4	5-14	15-24	25-44	45-64	65+JP
127	OTHER INTESTINAL HELMINTHIASIS										
128	OTHER AND UNSPECIFIED HELMINTHIASIS										
129	INTESTINAL PARASITISM, UNSPECIFIED										
130	TOXOPLASMOSIS										
131	TRICHOMONIASIS UROGENITALIS										
132	PEDICULOSIS										
133	ACARIASIS										
134	OTHER INFESTATION										
135	SARCINOSIS	15	5	10						8	5
136	OTHER AND UNSPECIFIED INFECTIVE AND PARASITIC DISEASES	4	1	3		1				1	2
140	MALIGNANT NEOPLASM OF LIP	3	3							1	2
141	MALIGNANT NEOPLASM OF TONGUE	72	53	19						35	37
142	MALIGNANT NEOPLASM OF SALIVARY GLAND	31	19	12				1	2	8	20
143	MALIGNANT NEOPLASM OF GUM	9	4	5						1	4
144	MALIGNANT NEOPLASM OF FLOOR OF MOUTH	37	29	8						1	20
145	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH	49	34	15						1	24
146	MALIGNANT NEOPLASM OF OROPHARYNX	51	36	15						2	28
147	MALIGNANT NEOPLASM OF NASOPHARYNX	20	14	6						1	13
148	MALIGNANT NEOPLASM OF HYPOPHARYNX	21	18	3						12	9
149	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED	61	48	13						1	27
150	MALIGNANT NEOPLASM OF ESOPHAGUS	274	200	74						5	133
151	MALIGNANT NEOPLASM OF STOMACH	692	397	295					1	15	487
152	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM	24	10	14				1		1	8
153	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM	1,819	877	942				2	39	538	1,240
154	MALIGNANT NEOPLASM OF RECTUM AND RECTOSTOMOID JUNCTION	477	243	234					11	126	340
155	MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY	87	63	24				2	8	28	49
156	MALIGNANT NEOPLASM OF GALLBLADDER AND BILE DUCTS	152	49	103						4	30
157	MALIGNANT NEOPLASM OF PANCREAS	735	376	359						19	261
158	MALIGNANT NEOPLASM OF PERITONEUM AND RETROPERITONEAL TISSUE	38	26	12					2	13	23
159	MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS	38	14	24						1	6
160	MALIGNANT NEOPLASM OF NOSE, NASAL CANALIFERS, MIDDLE EAR, AND ACCESSORY SINUSES	14	10	4							10
161	MALIGNANT NEOPLASM OF LARYNX	127	110	17					2	66	59
162	MALIGNANT NEOPLASM OF TRACHEA, BRONCHIA, AND LUNG	3,150	2,377	773				1	104	1,347	1,698
163	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS	40	31	9					1	1	15
170	MALIGNANT NEOPLASM OF BONE	57	36	21				2	7	7	21
171	MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE	48	29	19				2	5	6	13
172	MALIGNANT MELANOMA OF SKIN	153	94	59				2	33	67	51
173	OTHER MALIGNANT NEOPLASM OF SKIN	47	28	19					2	13	32
174	MALIGNANT NEOPLASM OF BREAST	1,360	7	1,353				1	107	635	617
180	MALIGNANT NEOPLASM OF CERVIX UTERI	185		185					27	96	62
181	CHORIONEPITHELIOMA	1		1						1	
182	OTHER MALIGNANT NEOPLASM OF UTERUS	252		252					7	77	158
183	MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT	440		440				1	29	213	197
184	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	38		38				1	2	11	24
185	MALIGNANT NEOPLASM OF PROSTATE	676	676						1	78	597
186	MALIGNANT NEOPLASM OF TESTIS	20	20					4	13	3	
187	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS	5	5								5
188	MALIGNANT NEOPLASM OF BLADDER	407	294	113					2	91	314
189	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED URINARY ORGANS	289	184	105	2			2	13	119	153

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP							
					-1	1-4	5-14	15-24	25-44	45-64	65+UP	
190	MALIGNANT NEOPLASM OF EYE	15	8	7		1	3			1	2	8
191	MALIGNANT NEOPLASM OF BRAIN	277	142	135	1	1	11	6	22	141	95	
192	MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM	70	41	29	1	3	6	3	8	39	10	
193	MALIGNANT NEOPLASM OF THYROID GLAND	49	17	32					1		19	29
194	MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS	21	12	9				1	1	5	6	8
195	MALIGNANT NEOPLASM OF ILL-DEFINED SITES	107	48	59					1	1	31	74
196	SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES	8	3	5							3	5
197	SECONDARY MALIGNANT NEOPLASM OF RESPIRATORY AND DIGESTIVE SYSTEMS	255	133	122						10	67	178
198	OTHER SECONDARY MALIGNANT NEOPLASM	92	47	45						3	36	53
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	325	143	182					2	16	111	196
200	LYMPHOSARCOMA AND RETICULUM-CELL SARCOMA	226	125	101		1	3	3	16	86	117	
201	HODGKINS DISEASE	109	54	55			1	8	40	33	27	
202	OTHER NEOPLASMS OF LYMPHOID TISSUE	127	66	61		1	4	1	12	43	66	
203	MULTIPLE MYELOMA	169	86	83					4	73	92	
204	LYMPHATIC LEUKEMIA	138	75	63		2	14	8	6	25	83	
205	MYELOID LEUKEMIA	212	116	96		1	3	15	20	69	104	
206	MONOCYTIC LEUKEMIA	10	3	7					1	2	7	
207	OTHER AND UNSPECIFIED LEUKEMIA	121	77	44		1	8	3	17	30	62	
208	POLYCYTHEMIA VERA	12	3	9						3	9	
209	MYEOFIBROSIS	35	17	18					1	3	8	23
210	RENIGN NEOPLASM OF BUCCAL CAVITY AND PHARYNX									2	7	
211	RENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM	9	7	2								
212	RENIGN NEOPLASM OF RESPIRATORY SYSTEM	1	1								1	
213	RENIGN NEOPLASM OF BONE AND CARTILAGE											
214	LIPOMA											
215	OTHER BENIGN NEOPLASM OF MUSCULAR AND CONNECTIVE TISSUE											
216	BENIGN NEOPLASM OF SKIN	1		1							1	
217	BENIGN NEOPLASM OF BREAST											
218	UTERINE FIBROMA	4		4						3	1	
219	OTHER BENIGN NEOPLASM OF UTERUS	1		1					1		1	
220	BENIGN NEOPLASM OF OVARY	3		3					1	1	2	
221	BENIGN NEOPLASM OF OTHER FEMALE GENITAL ORGANS											
222	BENIGN NEOPLASM OF MALE GENITAL ORGANS											
223	BENIGN NEOPLASM OF KIDNEY AND OTHER URINARY ORGANS	1	1								1	
224	RENIGN NEOPLASM OF EYE											
225	RENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	37	12	25					3	24	10	
226	RENIGN NEOPLASM OF ENDOCRINE GLANDS	4	3	1				1	1	2		
227	HEMANGIOMA AND LYMPHANGIOMA	3	3			1		1	1	4	1	
228	RENIGN NEOPLASM OF OTHER AND UNSPECIFIED ORGANS AND TISSUES	10	8	2					1	4	5	
229	NEOPLASM OF UNSPECIFIED NATURE OF DIGESTIVE ORGANS	8	2	6						1	7	
231	NEOPLASM OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS	18	10	8			1			5	12	
232	NEOPLASM OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM											
233	NEOPLASM OF UNSPECIFIED NATURE OF AREAST	1		1							1	
234	NEOPLASM OF UNSPECIFIED NATURE OF UTERUS	2		2						2		
235	NEOPLASM OF UNSPECIFIED NATURE OF OVARY	1		1							1	
236	NEOPLASM OF UNSPECIFIED NATURE OF OTHER FEMALE GENITAL ORGANS											
237	NEOPLASM OF UNSPECIFIED NATURE OF OTHER GENITOURINARY ORGANS	3	2	1				2	2	2	1	
238	NEOPLASM OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM	52	30	22				2	2	27	19	

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65 & UP
239	NEOPLASM OF UNSPECIFIED NATURE OF OTHER AND UNSPECIFIED ORGANS	4	3	1	1						3
240	SIMPLE GOITER	1		1							1
241	NONTOXIC NODULAR GOITER										
242	THYROTOXICOSIS WITH OR WITHOUT GOITER	7	2	5							3 4
243	CRETINISM OF CONGENITAL ORIGIN	1		1			1				
244	MYXEDEMA	19	5	14							6 13
245	THYROIDITIS	1	1								1
246	OTHER DISEASES OF THYROID GLAND										
250	DIABETES MELLITUS	1,416	550	866					10	58	323 1,025
251	DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS	8	4	4					1	2	5
252	DISEASES OF PARATHYROID GLAND	4	1	3							2 2
253	DISEASES OF PITUITARY GLAND	6	2	4							2 4
254	DISEASES OF THYMUS GLAND										
255	DISEASES OF ADRENAL GLANDS	12	6	6	1						7 4
256	OVARIAN DYSFUNCTION										
257	TESTICULAR DYSFUNCTION										
258	POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS	11	3	8	2				1	5	3
260	VITAMIN A DEFICIENCY										
261	THIAMINE DEFICIENCY										
262	NIACIN DEFICIENCY										
263	OTHER VITAMIN B DEFICIENCY										
264	ASCORBIC ACID DEFICIENCY										
265	VITAMIN D DEFICIENCY										
266	OTHER VITAMIN DEFICIENCY STATES										
267	PROTEIN MALNUTRITION	1	1								1
268	NUTRITIONAL MARASMUS	14	8	6							2 12
269	OTHER NUTRITIONAL DEFICIENCY	55	31	24	2						8 45
270	CONGENITAL DISORDERS OF AMINO-ACID METABOLISM										
271	CONGENITAL DISORDERS OF CARBOHYDRATE METABOLISM										
272	CONGENITAL DISORDERS OF LIPID METABOLISM	5	4	1			1		1	3	
273	OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM	16	8	8		2	5	7	1	1	
274	GOUT	8	6	2							1 7
275	PLASMA PROTEIN ABNORMALITIES	8	2	6							2 6
276	AMYLOIDOSIS	9	6	3							1 5 3
277	OBESITY NOT SPECIFIED AS OF ENDOCRINE ORIGIN	23	6	17					4	12	7
278	OTHER HYPERALIMENTATION										
279	OTHER AND UNSPECIFIED METABOLIC DISEASES	17	12	5	2	1		2	2	3	7
280	IRON DEFICIENCY ANEMIAS	5	3	2							5
281	OTHER DEFICIENCY ANEMIAS	13	3	10							1 12
282	HEREDITARY HEMOLYTIC ANEMIAS	14	4	10	2	1	1	1	2	3	4
283	ACQUIRED HEMOLYTIC ANEMIAS	7	2	5	1				2	1	3
284	APLASTIC ANEMIA	37	18	19				2	2	5	5 23
285	OTHER AND UNSPECIFIED ANEMIAS	28	12	16	1				3	5	19
286	COAGULATION DEFECTS	17	7	10	5	1		1	2	4	4
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	17	8	9	2	1			2	4	8
288	AGRANULOCYTOSIS	9	3	6							1 3 5
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	9	5	4					2	3	4
290	SENILE AND PRESENILE DEMENTIA	26	14	12							9 17
291	ALCOHOLIC PSYCHOSIS	8	8						2	4	
292	PSYCHOSIS ASSOCIATED WITH INTRACRANIAL INFECTION										
293	PSYCHOSIS ASSOCIATED WITH OTHER CEREBRAL CONDITION										
294	PSYCHOSIS ASSOCIATED WITH OTHER PHYSICAL CONDITIONS										

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS. NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP							
					0-1	1-4	5-14	15-24	25-44	45-64	65 & UP	
295	SCHIZOPHRENIA	4	2	2					1		2	1
296	AFFECTIVE PSYCHOSES	2		2								2
297	PARANOID STATES											2
298	OTHER PSYCHOSES											
299	UNSPECIFIED PSYCHOSIS	1	1									
300	NEUROSES	4	2	2						1		1
301	PERSONALITY DISORDERS											3
302	SEXUAL DEVIATION											
303	ALCOHOLISM											
304	DRUG DEPENDENCE	94	70	24						5	18	56
305	PHYSICAL DISORDERS OF PRESUMABLY PSYCHOGENIC ORIGIN	22	18	4						11	10	1
306	SPECIAL SYMPTOMS NOT ELSEWHERE CLASSIFIED	1		1							1	
307	TRANSIENT SITUATIONAL DISTURBANCES											3
308	BEHAVIOR DISORDERS OF CHILDHOOD											
309	MENTAL DISORDERS NOT SPECIFIED AS PSYCHOTIC ASSOCIATED WITH PHYSICAL CONDITIONS	9	3	6								3
310	BORDERLINE MENTAL RETARDATION											
311	MILD MENTAL RETARDATION											
312	Moderate mental retardation											
313	Severe mental retardation											
314	PROFOUND MENTAL RETARDATION	4	3	1					4			
315	UNSPECIFIED MENTAL RETARDATION											
320	MENINGITIS	6	2	4			2			3		1
321	PHEGLITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	40	19	21	6	4	2	1	6	6	6	13
322	INTRACRANIAL AND INTRASPINAL ABSCESS	1	1									1
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	7	4	3	1				1	2	1	2
324	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION											
330	HEREDITARY NEUROMUSCULAR DISORDERS	15	13	2	1				9	3	2	
331	HEREDITARY DISEASES OF THE STRIATOPALLIDAL SYSTEM	7	4	3					9	3	6	1
332	HEREDITARY ATAXIA											
333	OTHER HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM	2	2						1	1	2	4
340	MULTIPLE SCLEROSIS	8	5	3								
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM	60	19	41					3	9	35	13
342	PARALYSIS AGITANS	2	2						1		1	
343	CEREBRAL SPASTIC INFANTILE PARALYSIS	119	65	54							12	107
344	OTHER CEREBRAL PARALYSIS	20	10	10	1	3	6	3	6	1		
345	EPILEPSY	9	6	3		1				1	2	5
346	MIGRAINE	70	47	23		3	3	6	30	21	7	
347	OTHER DISEASES OF BRAIN	57	27	30	2	5	5	3	5	14	23	
348	MOTOR NEURONE DISEASE	80	48	32	1				2	6	34	37
349	OTHER DISEASES OF SPINAL CORD	7	4	3					2	2	2	3
350	FACIAL PARALYSIS											
351	TRIGEMINAL NEURALGIA											
352	BRACHIAL NEURITIS											
353	SCIATICA											
354	POLYNEUROPATHY AND POLYRADICULITIS	1	1									1
355	OTHER AND UNSPECIFIED FORMS OF NEURALGIA AND NEURITIS	5	2	3							4	1
356	OTHER DISEASES OF CRANIAL NERVES											
357	OTHER DISEASES OF PERIPHERAL NERVES EXCEPT AUTONOMIC	2	2									2
358	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM											
360	CONJUNCTIVITIS AND OPHTHALMIA											
361	BLEPHARITIS											
362	HORDEOLUM											
363	KERATITIS											

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65 & UP
364	TRITIS										
365	CHOROIDITIS										
366	OTHER INFLAMMATION OF UVEAL TRACT										
367	INFLAMMATION OF OPTIC NERVE AND RETINA										
368	INFLAMMATION OF LACRIMAL GLANDS AND DUCTS										
369	OTHER INFLAMMATORY DISEASES OF EYE										
370	REFRACTIVE ERRORS										
371	CORNAL OPACITY										
372	PTERYGUM										
373	STRABISMUS										
374	CATARACT	1	1								1
375	GLAUCOMA	1	1								1
376	DETACHMENT OF RETINA	2	1	1						1	1
377	OTHER DISEASES OF RETINA AND OPTIC NERVE										
378	OTHER DISEASES OF EYE										
379	BLINDNESS										
380	OTITIS EXTERNA										
381	OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS	3	2	1	1						2
382	OTITIS MEDIA WITH MASTOIDITIS										
383	MASTOIDITIS WITHOUT MENTION OF OTITIS MEDIA	2	2								1
384	OTHER INFLAMMATORY DISEASES OF EAR										
385	MENIERE'S DISEASE										
386	OTOSCLEROSIS										
387	OTHER DISEASES OF EAR AND MASTOID PROCESS										
388	DEAF MUTISM										
389	OTHER DEAFNESS										
390	RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT	1		1						1	
391	RHEUMATIC FEVER WITH HEART INVOLVEMENT	8	5	3					1	2	1
392	CHDRA										
393	DISEASES OF PERICARDIUM	1	1								1
394	DISEASES OF MITRAL VALVE	144	43	101			2		11	63	68
395	DISEASES OF AORTIC VALVE	154	86	68			1	4	10	55	84
396	DISEASES OF MITRAL AND AORTIC VALVES	44	25	19			2	1	5	22	14
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	29	9	20					4	9	16
398	OTHER HEART DISEASE, SPECIFIED AS RHEUMATIC	175	54	121			3		8	65	99
400	MALIGNANT HYPERTENSION	24	11	13					7	9	8
401	ESSENTIAL BENIGN HYPERTENSION	28	12	16					2	6	20
402	HYPERTENSIVE HEART DISEASE	240	116	124					1	11	165
403	HYPERTENSIVE RENAL DISEASE	149	72	77						15	134
404	HYPERTENSIVE HEART AND RENAL DISEASE	106	48	58					6	12	88
410	ACUTE MYOCARDIAL INFARCTION	12,069	7,360	4,709			2		279	3,558	8,230
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	41	25	16					1	11	29
412	CHRONIC ISCHEMIC HEART DISEASE	13,328	6,514	6,814	1		1	2	130	2,048	11,146
413	ANGINA PECTORIS	2	2						1		1
414	ASYMPTOMATIC ISCHEMIC HEART DISEASE										
420	ACUTE PERICARDITIS, NONRHEUMATIC	1		1							1
421	ACUTE AND SUBACUTE ENDOCARDITIS	23	14	9			1	2	1	11	8
422	ACUTE MYOCARDITIS	13	6	7	1			4	4	4	4
423	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC	9	6	3			1		4	3	1
424	CHRONIC DISEASE OF ENDOCARDIUM	35	15	20					2	10	23
425	CARDIOMYOPATHY	97	63	34	1			3	17	52	24
426	PULMONARY HEART DISEASE	16	8	8				1	4	9	2
427	SYMPTOMATIC HEART DISEASE	750	376	374	4	2		5	28	135	576

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65&UP
428	OTHER MYOCARDIAL INSUFFICIENCY	44	20	24				1	5	10	28
429	ILL-DEFINED HEART DISEASE	48	27	21	1		1	1	5	12	28
430	SURARACHNID HEMORRHAGE	324	126	198	1	2	4	14	60	155	88
431	CEREBRAL HEMORRHAGE	957	423	534	1		1	3	51	238	663
432	OCLUSION OF PRECEREBRAL ARTERIES	66	37	29					3	17	46
433	CEREBRAL THROMBOSIS	1,796	742	1,054			1	1	7	156	1,631
434	CEREBRAL EMBOLISM	37	22	15						12	25
435	TRANSIENT CEREBRAL ISCHEMIA	2		2							2
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	1,532	666	866					19	198	1,315
437	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	1,046	370	676					2	41	1,003
438	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	71	36	35			3	1	3	11	53
440	ARTERIOSCLEROSIS	758	266	492					1	36	721
441	AORTIC ANEURYSM (NONSYPHILITIC)	472	351	121			3	6	104	359	
442	OTHER ANEURYSM	22	7	15			1	1	11	9	
443	OTHER PERIPHERAL VASCULAR DISEASE	27	11	16					1	7	19
444	ARTERIAL EMBOLISM AND THROMBOSIS	156	62	94					1	26	129
445	GANGRENE	100	49	51						6	94
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	20	7	13			1	1	4	5	9
447	OTHER DISEASES OF ARTERIES AND ARTERIOLES	13	7	6						7	6
448	DISEASES OF CAPILLARIES										
450	PULMONARY EMBOLISM AND INFARCTION	480	231	249			3	22	133	322	
451	PHLEBITIS AND THROMBOPHLEBITIS	89	39	50			5	29	55		
452	PORTAL VEIN THROMBOSIS	1		1							1
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	15	11	4			3	4	8		
454	VARICOSE VEINS OF LOWER EXTREMITIES	3	2	1						1	2
455	HEMORRHOIDS	3	2	1							3
456	VARICOSE VEINS OF OTHER SITES	18	11	7					1	9	8
457	NONINFECTIVE DISEASE OF LYMPHATIC CHANNELS	1		1							1
458	OTHER DISEASES OF CIRCULATORY SYSTEM	14	8	6				2	6	6	
460	ACUTE NASOPHARYNGITIS										
461	ACUTE SINUSITIS										
462	ACUTE PHARYNGITIS										
463	ACUTE TONSILLITIS										
464	ACUTE LARYNGITIS AND TRACHEITIS	3	2	1	2	1					
465	ACUTE UPPER RESPIRATORY INFECTION OF MULTIPLE OR UNSPECIFIED SITES	5	3	2	1				2	2	
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	28	17	11	2	4		4	7	11	
470	INFLUENZA, UNQUALIFIED	18	6	12					1	17	
471	INFLUENZA WITH PNEUMONIA	25	11	14					4	21	
472	INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS	5	3	2					2	3	
473	INFLUENZA WITH DIGESTIVE MANIFESTATIONS	1		1							1
474	INFLUENZA WITH NERVOUS MANIFESTATIONS										
480	VIRAL PNEUMONIA	33	16	17	3		1	1	2	9	17
481	PNEUMOCOCCAL PNEUMONIA	142	80	62	1		1		14	34	92
482	OTHER BACTERIAL PNEUMONIA	43	19	24	2	1			4	12	24
483	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISM	2	2								2
484	ACUTE INTERSTITIAL PNEUMONIA	10	6	4	1	2		1	2	2	2
485	BRONCHOPNEUMONIA, UNSPECIFIED	685	373	312	18	4	3	11	28	110	511
486	PNEUMONIA, UNSPECIFIED	652	323	329	32	7	7	5	30	108	463
490	BRONCHITIS, UNQUALIFIED	15	6	9	2	2	1		1	2	7
491	CHRONIC BRONCHITIS	124	85	39	1				2	25	96
492	EMPHYSEMA	476	365	111					12	121	343
493	ASTHMA	49	26	23			1	4	9	19	16
500	HYPERTROPHY OF TONSILS AND ADENOIDS	1	1				1				
501	PERITONSILLAR ABSCESS										

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY -CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+JP
502	CHRONIC PHARYNGITIS AND NASOPHARYNGITIS										
503	CHRONIC SINUSITIS	3	1	2					1		2
504	DEFLECTED NASAL SEPTUM										
505	NASAL POLYP										
506	CHRONIC LARYNGITIS										
507	HAY FEVER										
508	OTHER DISEASES OF UPPER RESPIRATORY TRACT	5	3	2	1	1				2	1
510	FMPYFMA	11	8	3							6
511	PLEURISY	3	2	1	1						2
512	SPONTANEOUS PNEUOTHORAX	8	7	1						1	2
513	ABSCESS OF LUNG	20	17	3					1	1	9
514	PULMONARY CONGESTION AND HYPOSTASIS	14	4	10	1		1	2	4	2	4
515	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES	23	23						2	6	15
516	OTHER PNEUMOCONIOSES AND RELATED DISEASES										
517	OTHER CHRONIC INTERSTITIAL PNEUMONIA	97	67	30		1	1		1	25	69
518	BROCHIECTASIS	21	11	10					1	2	4
519	OTHER DISEASES OF RESPIRATORY SYSTEM	577	425	152	2	2	1	2	15	148	407
520	DISORDERS OF TEETH DEVELOPMENT AND ERUPTION										
521	DISEASES OF HARD TISSUES OF TEETH										
522	DISEASES OF PULP AND PERIAPICAL TISSUES										
523	PERIODONTAL DISEASES										
524	DENTO-FACIAL ANOMALIES INCLUDING MALOCCLUSION										
525	OTHER DISEASES AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES	3	1	2			1			1	1
526	DISEASES OF THE JAWS										
527	DISEASES OF THE SALIVARY GLANDS	2		2							1
528	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE										
529	DISEASES OF THE TONGUE AND OTHER ORAL CONDITIONS										
530	DISEASES OF ESOPHAGUS	28	16	12	2					2	6
531	ULCER OF STOMACH	136	86	50					1	6	38
532	ULCER OF DUODENUM	146	95	51					1	5	36
533	PEPTIC ULCER, SITE UNSPECIFIED	40	31	9					1	2	14
534	GASTROJEJUNAL ULCER	11	4	7						2	9
535	GASTRITIS AND DUODENITIS	24	18	6					1	1	7
536	DISORDERS OF FUNCTION OF STOMACH	1		1					1		
537	OTHER DISEASES OF STOMACH AND DUODENUM	5	2	3					1		4
540	ACUTE APPENDICITIS	18	10	8	1	1			1	5	10
541	APPENDICITIS, UNQUALIFIED	2		2					1		1
542	OTHER APPENDICITIS										
543	OTHER DISEASES OF APPENDIX										
550	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION	5	5								5
551	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION	24	9	15	2					1	21
552	INGUINAL HERNIA WITH OBSTRUCTION	16	10	6						4	12
553	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION	28	9	19						4	24
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	101	34	67	2	1		4	1	10	83
561	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN										
562	DIVERTICULA OF INTESTINE	126	51	75					1	31	94
563	CHRONIC ENTERITIS AND ULCERATIVE COLITIS	32	17	15				1	1	5	10
564	FUNCTIONAL DISORDERS OF INTESTINES	1		1							1
565	ANAL FISSURE AND FISTULA										
566	ABSCESS OF ANAL AND RECTAL REGIONS	3	2	1						2	1
567	PERITONITIS	25	18	7						12	13

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP							
					-1	1-4	5-14	15-24	25-44	45-64	65&UP	
568	PERITONEAL ADHESIONS	1		1							1	
569	OTHER DISEASES OF INTESTINES AND PERITONEUM	115	62	53	1					6	28	80
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	10	3	7					1	2	3	4
571	CIRRHOSIS OF LIVER	1,235	801	434			2	7	207	655	364	
572	SUPPURATIVE HEPATITIS AND LIVER ABSCESS	6	3	3						2	4	
573	OTHER DISEASES OF LIVER	90	54	36	2				1	12	38	37
574	CHOLELITHIASIS	55	29	26						1	13	41
575	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULUS	47	24	23					2	12	33	
576	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS	20	11	9						1	3	16
577	DISEASES OF PANCREAS	101	67	34					1	18	53	29
580	ACUTE NEPHRITIS	66	34	32	1				1	2	8	54
581	NEPHROTIC SYNDROME	11	8	3	1						3	7
582	CHRONIC NEPHRITIS	197	106	91			2	1	19	63	112	
583	NEPHRITIS, UNQUALIFIED	18	9	9			1				7	10
584	RENAL SCLEROSIS, UNQUALIFIED	4	3	1							1	3
590	INFECTIONS OF KIDNEY	121	46	75			2	1	5	15	98	
591	HYDRONEPHROSIS	5	3	2						2	3	
592	CALCULUS OF KIDNEY AND URETER	17	6	11						2	15	
593	OTHER DISEASES OF KIDNEY AND URETER	210	117	93			1	2	11	51	145	
594	CALCULUS OF OTHER PARTS OF URINARY SYSTEM	2	2								2	
595	CYSTITIS	3	2	1							3	
596	OTHER DISEASES OF BLADDER	5	3	2					1		4	
597	URETHRITIS (NONVENEREAL)											
598	STRICTURE OF URETHRA	1	1									1
599	OTHER DISEASES OF URINARY TRACT	110	62	48					1	1	16	92
600	HYPERTROPHY OF PROSTATE	59	59							2	57	
601	PROSTATITIS	1	1								1	
602	OTHER DISEASES OF PROSTATE	3	3									3
603	HYDROCELE											
604	ORCHITIS AND EPIDIDYMITS											
605	REDUNDANT PREPUCE AND PHIMOSIS											
606	STERILITY, MALE											
607	OTHER DISEASES OF MALE GENITAL ORGANS	12	12							1	1	10
610	CHRONIC CYSTIC DISEASE OF BREAST											
611	OTHER DISEASES OF BREAST											
612	ACUTE SALPINGITIS AND DOPHORITIS											
613	CHRONIC SALPINGITIS AND DOPHORITIS											
614	SALPINGITIS AND DOPHORITIS, UNQUALIFIED	3		3						3		
615	OTHER DISEASES OF OVARY AND FALLOPIAN TUBE	1		1							1	
616	DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE)	1		1							1	
620	INFECTIVE DISEASES OF CERVIX UTERI											
621	OTHER DISEASES OF CERVIX											
622	INFECTIVE DISEASES OF UTERUS (EXCEPT CERVIX), VAGINA, AND VULVA	2		2						1		1
623	UTEROVAGINAL PROLAPSE	2		2								2
624	HALPOSITION OF UTERUS											
625	OTHER DISEASES OF UTERUS	1		1								
626	DISORDERS OF MENSTRUATION											
627	MENOPAUSAL SYMPTOMS											
628	STERILITY, FEMALE											
629	OTHER DISEASES OF FEMALE GENITAL ORGANS	3		3							1	2
630	INFECTIONS OF GENITAL TRACT DURING PREGNANCY											
631	ECTOPIC PREGNANCY											
632	HEMORRHAGE OF PREGNANCY											
633	ANEMIA OF PREGNANCY											

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY -CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					0-1	1-4	5-14	15-24	25-44	45-64	65+JP
634	OTHER COMPLICATIONS OF PREGNANCY	1		1					1		
635	URINARY INFECTIONS ARISING DURING PREGNANCY AND THE Puerperium										
636	RENAL DISEASE ARISING DURING PREGNANCY AND THE Puerperium										
637	PRE-ECLAMPSIA, ECLAMPSIA, AND TOXEMIA, UNSPECIFIED	1		1					1		
638	HYPEREMESIS GRAVIDARUM										
639	OTHER TOXEMIAS OF PREGNANCY AND THE Puerperium										
640	ABORTION INDUCED FOR MEDICAL INDICATIONS										
641	ABORTION INDUCED FOR OTHER LEGAL INDICATIONS										
642	ABORTION INDUCED FOR OTHER REASONS										
643	SPONTANEOUS ABORTION										
644	ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS										
645	OTHER ABORTION										
650	DELIVERY WITHOUT MENTION OF COMPLICATION										
651	DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE	3		3						3	
652	DELIVERY COMPLICATED BY RETAINED PLACENTA										
653	DELIVERY COMPLICATED BY OTHER POSTPARTUM HEMORRHAGE	1		1					1		
654	DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS										
655	DELIVERY COMPLICATED BY FETOPELVIC DISPROPORTION										
656	DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS										
657	DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN	1		1						1	
658	DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION										
659	DELIVERY WITH RUPTURE OF UTERUS										
660	DELIVERY WITH OTHER OBSTETRICAL TRAUMA	1		1						1	
661	DELIVERY WITH OTHER COMPLICATIONS	1		1						1	
662	ANESTHETIC DEATH IN UNCOMPLICATED DELIVERY										
670	SEPSIS OF CHILDBIRTH AND THE Puerperium	1		1							1
671	PUERPERAL PHLEBITIS AND THROMBOSIS	1		1						1	
672	PYREXIA OF UNKNOWN ORIGIN DURING THE Puerperium										
673	PUERPERAL PULMONARY EMBOLISM	1		1						1	
674	CEREBRAL HEMORRHAGE IN THE Puerperium	1		1						1	
675	PUERPERAL BLOOD DYSCRASIAS										
676	ANEMIA OF THE Puerperium										
677	OTHER AND UNSPECIFIED COMPLICATIONS OF THE Puerperium	1		1						1	
678	MASTITIS AND OTHER DISORDERS OF LACTATION										
680	ROIL AND CARBUNCLE										
681	CELLULITIS OF FINGER AND TOE										
682	OTHER CELLULITIS AND ABSCESS	11	5	6						2	3
683	ACUTE LYMPHADENITIS										
684	IMPETIGO										
685	PILONIDAL CYST										
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	3	1	2						1	1
690	SEBORRHEIC DERMATITIS										
691	INFANTILE ECZEMA AND RELATED CONDITIONS										
692	OTHER ECZEMA AND DERMATITIS										
693	DERMATITIS HERPETIFORMIS										
694	PEMPHIGUS	4	2	2						1	3
695	FRYTHEMATOUS CONDITIONS	9		9						1	7

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					0-1	1-4	5-14	15-24	25-44	45-64	65 & UP
696	PSORIASIS AND SIMILAR DISORDERS	1		1							1
697	LICHEN										
698	PRURITUS AND RELATED CONDITIONS										
700	CORNS AND CALLOSITIES										
701	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN										
702	OTHER DERMATUSES										
703	DISEASES OF NAIL										
704	DISEASES OF HAIR AND HAIR FOLLICLES										
705	DISEASES OF SWEAT GLANDS										
706	DISEASES OF SEBACEOUS GLANDS										
707	CHRONIC ULCER OF SKIN	74	23	51							
708	URTICARIA	2	1	1							
709	OTHER DISEASES OF SKIN										
710	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS	3	3								
711	ACUTE NONPYOGENIC ARTHRITIS										
712	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS	35	7	28							
713	OSTEOMAARTHROSIS AND ALLIED CONDITIONS	10	3	7							
714	OTHER SPECIFIED FORMS OF ARTHRITIS	3	2	1							
715	ARTHRITIS, UNSPECIFIED	2	1	1							
716	POLYMYOSITIS AND DERMATOMYOSITIS	8	4	4							
717	OTHER NONARTICULAR RHEUMATISM	1		1							
718	RHEUMATISM, UNSPECIFIED										
720	OSTEOMYELITIS AND PERIOSTITIS	6	5	1							
721	OSTEITIS DEFIRMANS	6	3	3							
722	OSTEOPHONDROSIS										
723	OTHER DISEASES OF BONE	12	3	9							
724	INTERNAL DERANGEMENT OF JOINT										
725	DISPLACEMENT OF INTERVERTEBRAL DISC										
726	AFFECTION OF SACROILIAC JOINT										
727	ANKYLOSIS OF JOINT										
728	VERTEBROGENIC PAIN SYNDROME	1		1							
729	OTHER DISEASES OF JOINT	2	1	1							
730	BUNION										
731	SYNOVITIS, BURSITIS, AND TENDOSYNOVITIS										
732	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA										
733	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA	10	6	4							
734	DIFFUSE DISEASES OF CONNECTIVE TISSUE	60	15	45							
735	CURVATURE OF SPINE	12	3	9							
736	FLAT FOOT										
737	HALLUX VALGUS AND VARUS										
738	OTHER DEFORMITIES										
740	ANENCEPHALUS	25	10	15	24	1					
741	SPINA BIFIDA	9	3	6	7						
742	CONGENITAL HYDROCEPHALUS	26	11	15	14	3	7	1			
743	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	20	9	11	11	2	2	2			
744	CONGENITAL ANOMALIES OF EYE										
745	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK	1	1		1						
746	CONGENITAL ANOMALIES OF HEART	180	102	78	102	25	11	13	11	13	5
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	38	18	20	15	2	2	3	3	9	4
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	15	8	7	14						
749	CLEFT PALATE AND CLEFT LIP										
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	2	1	1	1						
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	11	7	4	8	2					

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65&UP
752	CONGENITAL ANOMALIES OF GENITAL ORGANS	1		1		1					
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	19	11	8		8				2	5
754	CLUBFOOT (CONGENITAL)										4
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1		1		1					
756	OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	24	19	5		20		1		3	
757	CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS	1		1		1					
758	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	4	2	2		2				1	1
759	CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	54	34	20		39		2	2	5	3
760	CHRONIC CIRCULATORY AND GENITOUREINARY DISEASES IN MOTHER										
761	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	9	5	4		9					
762	TOXEMIA OF PREGNANCY	3	3			3					
763	MATERNAL ANTE- AND INTRAPARTUM INFECTION	1	1			1					
764	DIFFICULT LABOR WITH ABNORMALITY OF RONES, ORGANS, OR TISSUES OF PELVIS										
765	DIFFICULT LABOR WITH DISPROPORTION, BUT NO MENTION OF ABNORMALITY OF PELVIS										
766	DIFFICULT LABOR WITH MALPOSITION OF FETUS	2	2			2					
767	DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF LABOR										
768	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS										
769	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	105	56	49		105					
770	CONDITIONS OF PLACENTA	19	9	10		19					
771	CONDITIONS OF UMBILICAL CORD	9	4	5		9					
772	BIRTH INJURY WITHOUT MENTION OF CAUSE	53	31	22		53					
773	TERMINATION OF PREGNANCY	2	2			2					
774	HEMOLYTIC DISEASE OF NEWBORN WITH KERNICTERUS										
775	HEMOLYTIC DISEASE OF NEWBORN WITHOUT MENTION OF KERNICTERUS	13	10	3		13					
776	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	381	209	172		381					
777	IMMATURE, UNQUALIFIED	134	72	62		134					
778	OTHER CONDITIONS OF FETUS OR NEWBORN	73	39	34		73					
779	FETAL DEATH OF UNKNOWN CAUSE										
780	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES										
781	OTHER SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES	2		2					1	1	
782	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM	17	8	9		1					4
783	SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM	3	1	2				1		1	1
784	SYMPTOMS REFERABLE TO UPPER GASTROINTESTINAL TRACT	2	1	1							2
785	SYMPTOMS REFERABLE TO ABDOMEN AND LOWER GASTROINTESTINAL TRACT	4	3	1					1	1	2
786	SYMPTOMS REFERABLE TO GENITOUREINARY SYSTEM										
787	SYMPTOMS REFERABLE TO LIMBS AND JOINTS										
788	OTHER GENERAL SYMPTOMS	3	2	1		2					1
789	ABNORMAL URINARY CONSTITUENTS OF UNSPECIFIED CAUSE										
790	NERVOUSNESS AND DEBILITY										
791	HEADACHE										
792	IREMIA										
793	OBSESSION, WITHOUT NEED FOR FURTHER MEDICAL CARE										
794	SENILITY WITHOUT MENTION OF PSYCHOSIS	16	3	13							16
795	SUDDEN DEATH (CAUSE UNKNOWN)	147	75	72		135	6		1	4	

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE AND SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+JP
796	OTHER TLL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	214	131	83	9	3	4	23	34	50	91
E800	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK										
E801	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT										
E802	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION										
E803	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, BURNING										
E804	FALL IN, ON, OR FROM TRAIN	1	1								1
E805	HIT BY ROLLING STOCK	13	12	1		1	4	6		1	1
E806	OTHER SPECIFIED RAILWAY ACCIDENT										
E807	RAILWAY ACCIDENT OF UNSPECIFIED NATURE	1		1							1
E810	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN	7	6	1				4	1	2	
E811	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH STREET CAR										
E812	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	387	276	111	1	5	11	144	92	78	56
E813	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE	25	23	2		1	14	5		4	1
E814	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN	256	183	73	1	10	43	44	37	56	65
E815	OTHER MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION	113	92	21			1	49	29	23	11
E816	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL	243	186	57		2	6	116	73	31	15
E817	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING	1	1								1
E818	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT	11	9	2	1			6	2	2	
E819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	32	19	13		2	1	9	7	4	9
E820	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT	24	18	6		2	6	3	1	4	8
E821	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT	3	2	1				2			1
E822	MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING										
E823	MOTOR VEHICLE NONTRAFFIC ACCIDENT OF OTHER AND UNSPECIFIED NATURE	5	4	1				3	1		1
E825	STREET CAR ACCIDENT										
E826	PEDAL CYCLE ACCIDENT	2	2					1			1
E827	OTHER NONMOTOR ROAD VEHICLE ACCIDENT	2		2				1	1	1	
E830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	23	20	3		1	2	4	9	4	3
E831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY	2	1	1				1			1
E832	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT	9	9					3	2	3	1
E833	FALL ON STAIRS OR LADDERS IN WATER TRANSPORT										
E834	OTHER FALL FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT	1	1								1
E835	OTHER AND UNSPECIFIED FALL IN WATER TRANSPORT										
E836	MACHINERY ACCIDENT IN WATER TRANSPORT										
E837	EXPLOSION, FIRE, BURNING, AND IN WATER TRANSPORT	1		1				1			
E838	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENT	4	3	1				1	1	1	1
E840	ACCIDENT TO POWERED AIRCRAFT AT TAKE-OFF OR LANDING	2	2							2	
E841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	20	20					1	2	11	6
E842	ACCIDENT TO UNPOWERED AIRCRAFT										
E843	FALL IN, ON, OR FROM, AIRCRAFT										
E844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS										
E845	ACCIDENT INVOLVING SPACECRAFT										

TABLE 15 1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					0-1	1-4	5-14	15-24	25-44	45-64	65+JP
E850	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES										
E851	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES	4	1	3					2		2
E852	ACCIDENTAL POISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTS	1	1						1		
E853	ACCIDENTAL POISONING BY ANALGESICS AND ANTI-PYRETICS	58	51	7		1		32	22	2	1
E854	ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS	43	31	12		2		19	14	7	1
E855	ACCIDENTAL POISONING BY AUTONOMIC NERVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS	9	6	3			1	2	3	2	1
E856	ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS										
E857	ACCIDENTAL POISONING BY CARDIOVASCULAR DRUGS										
E858	ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS										
E859	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	38	30	8			1	18	15	3	1
E860	ACCIDENTAL POISONING BY ALCOHOL	6	5	1					1		2
E861	ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS									3	2
E862	ACCIDENTAL POISONING BY DISINFECTANTS										
E863	ACCIDENTAL POISONING BY PAINTS AND VARNISHES										
E864	ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS										
E865	ACCIDENTAL POISONING BY PESTICIDES, FERTILIZERS OR PLANT FOOD	1		1					1		
E866	ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES								1		
E867	ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS, NOT ELSEWHERE CLASSIFIED	1		1					1		
E868	ACCIDENTAL POISONING BY NOXIOUS FOODSTUFFS AND POISONOUS PLANTS										
E869	ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	41	31	10					12	23	4
E870	ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE										
E871	ACCIDENTAL POISONING BY LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS										
E872	ACCIDENTAL POISONING BY OTHER UTILITY GAS										
E873	ACCIDENTAL POISONING BY MOTOR VEHICLE EXHAUST GAS	14	10	4					1	7	2
E874	ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS										
E875	ACCIDENTAL POISONING BY OTHER CARBON MONOXIDE	11	9	2			1	1	1	2	3
E876	ACCIDENTAL POISONING BY OTHER GASES AND VAPORS	7	7			1			3	2	1
E877	ACCIDENTAL POISONING BY UNSPECIFIED GASES AND VAPORS	1	1		1						
E880	FALL ON OR FROM STAIRS OR STEPS	69	45	24	1	1	1	1	9	19	37
E881	FALL ON OR FROM LADDERS OR SCAFFOLDING	16	14	2					4	8	4
E882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	39	28	11	1	4	3	6	7	12	6
E883	FALL INTO HOLE OR OTHER OPENING IN SURFACE	5	4	1			1	1	1	2	
E884	OTHER FALL FROM ONE LEVEL TO ANOTHER	47	28	19		2		6	3	7	29
E885	FALL ON SAME LEVEL FROM SLIPPING, STUMBLING OR TRIPPING	16	5	11					1		15
E886	FALL ON SAME LEVEL FROM COLLISION, PUSHING OR SHOVING BY OR WITH OTHER PERSON	1	1								1
E887	OTHER AND UNSPECIFIED FALL	356	147	209		4	1	6	19	53	273
E890	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING	172	91	81	2	34	41	14	22	35	24
E891	ACCIDENT CAUSED BY CONFLAGRATION IN OTHER BUILDING OR STRUCTURE	6	5	1				2		4	
E892	ACCIDENT CAUSED BY CONFLAGRATION NOT IN BUILDING OR STRUCTURE										

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

TABLE 15

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+UP
E893	ACCIDENT CAUSED BY IGNITION OF CLOTHING	4		4					1	1	2
E894	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL	5	4	1			2		2		1
E895	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING	2	2							2	
E896	ACCIDENT CAUSED BY CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE										
E897	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE										
E898	ACCIDENT CAUSED BY OTHER SPECIFIED FIRES OR FLAMES	9	7	2			2		1	3	5
E899	ACCIDENT CAUSED BY UNSPECIFIED FIRE	6	4	2					1	2	1
E900	EXCESSIVE HEAT	9	4	5					2	2	5
E901	EXCESSIVE COLD	5	5							3	2
E902	HIGH AND LOW AIR PRESSURE										
E903	EFFECTS OF TRAVEL AND MOTION								2	2	6
E904	HUNGER, THIRST, EXPOSURE, AND NEGLECT	10	7	3					2		
E905	BITES AND STINGS OF VENOMOUS ANIMALS AND INSECTS										
E906	OTHER ACCIDENTS CAUSED BY ANIMALS	1	1			1				1	
E907	LIGHTNING	1	1								
E908	CATACLYSM										
E909	ACCIDENT DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS										
E910	ACCIDENTAL DROWNING AND SUBMERSION	122	108	14		13	25	45	24	6	9
E911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OR SUFFOCATION	82	50	32	9	1		8	14	21	29
E912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	11	9	2	3			1	3		4
E913	ACCIDENTAL MECHANICAL SUFFOCATION	15	10	5	4	3	1	4	2	1	
E914	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADNEXA								1	1	2
E915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE	5	2	3					1	1	1
E916	STRUCK ACCIDENTALLY BY FALLING OBJECT	14	14					1	1	7	1
E917	STRIKING AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS	12	11	1				1	3	1	6
E918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS	6	6					1	1	3	1
E919	OVEREXERTION AND STRENUOUS MOVEMENTS	1	1								1
E920	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENTS										
E921	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL							5	9	4	2
E922	ACCIDENT CAUSED BY FIREARM MISSILES	20	18	2					2	2	2
E923	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL	6	6								
E924	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, AND STEAM	8	4	4							1
E925	ACCIDENT CAUSED BY ELECTRIC CURRENT	21	18	3				3	7	6	4
E926	ACCIDENT CAUSED BY RADIATION										1
E927	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	1	1						2	2	2
E928	MACHINERY ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	6	6								
E929	OTHER AND UNSPECIFIED ACCIDENTS	35	19	16		1	1	3	7	8	15
E930	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES	10	3	7					1	3	1
E931	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES	2	1	1							2
E932	COMPLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURES	1		1							
E933	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTERIAL VACCINES										
E934	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES										
E935	COMPLICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES										
E936	COMPLICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES										

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65+JP
E940	LATE EFFECT OF MOTOR VEHICLE ACCIDENT	4	4					3			1
E941	LATE EFFECT OF OTHER TRANSPORT ACCIDENT	1	1							1	
E942	LATE EFFECT OF ACCIDENTAL POISONING	1		1							1
E943	LATE EFFECT OF ACCIDENTAL FALL	5	1	4						2	3
E944	LATE EFFECT OF ACCIDENT CAUSED BY FIRE										
E945	LATE EFFECT OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS										
E946	LATE EFFECT OF OTHER ACCIDENTS	8	8			1		1		4	2
E947	LATE EFFECT OF SURGICAL OPERATION	2	2								2
E948	LATE EFFECT OF IRRADIATION	1		1						1	
E949	LATE EFFECT OF OTHER SURGICAL AND MEDICAL PROCEDURES										
E950	SUICIDE AND SELF-INFILCTED POISONING BY SOLID OR LIQUID SUBSTANCES	92	40	52				13	30	34	15
E951	SUICIDE AND SELF-INFILCTED POISONING BY GASES IN DOMESTIC USE	1	1							1	
E952	SUICIDE AND SELF-INFILCTED POISONING BY OTHER GASES	99	64	35				23	34	34	8
E953	SUICIDE AND SELF-INFILCTED INJURY BY HANGING, STRANGULATION AND SUFFOCATION	149	113	36			1	24	40	55	29
E954	SUICIDE AND SELF-INFILCTED INJURY BY SUBMERSION (DROWNING)	19	9	10					1	6	5
E955	SUICIDE AND SELF-INFILCTED INJURY BY FIREARMS AND EXPLOSIVES	195	174	21				40	72	56	27
E956	SUICIDE AND SELF-INFILCTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	12	9	3					2	5	5
E957	SUICIDE AND SELF-INFILCTED INJURY BY JUMPING FROM HIGH PLACE	29	19	10				6	9	10	4
E958	SUICIDE AND SELF-INFILCTED INJURY BY OTHER AND UNSPECIFIED MEANS	16	15	1				5	5	6	
E959	LATE EFFECT OF SELF-INFILCTED INJURY										
E960	FIGHT, BRAWL, OR RAPE	5	4	1				2	2	1	
E961	ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCES, EXCEPT POISONING										
E962	ASSAULT BY POISONING	1		1			1				
E963	ASSAULT BY HANGING AND STRANGULATION	21	5	16	1	2	3	4	8	1	2
E964	ASSAULT BY SUBMERSION (DROWNING)	2	1	1			2				
E965	ASSAULT BY FIREARMS AND EXPLOSIVES	239	186	53		1	4	71	110	46	7
E966	ASSAULT BY CUTTING AND PIERCING INSTRUMENTS	155	114	41	1	1	2	46	58	36	11
E967	ASSAULT BY PUSHING FROM HIGH PLACE	2	2			1					1
E968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	93	61	32	3	9	4	15	26	26	10
E969	LATE EFFECT OF INJURY PURPOSELY INFILCTED BY OTHER PERSON										
E970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS	2	2						1	1	
E971	INJURY DUE TO LEGAL INTERVENTION BY EXPLOSIVES										
E972	INJURY DUE TO LEGAL INTERVENTION BY GAS										
E973	INJURY DUE TO LEGAL INTERVENTION BY ALIANT OBJECT										
E974	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENTS										
E975	INJURY DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS										
E976	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS										
E977	LATE EFFECT OF INJURIES DUE TO LEGAL INTERVENTION										
E978	LEGAL EXECUTION										
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	42	17	25				11	17	13	1
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted										
E982	Poisoning by other gases, undetermined whether accidentally or purposely inflicted	16	11	5				3	6	7	

TABLE 15

1975 RESIDENT DEATHS BY 3-DIGIT CAUSE BY SEX AND AGE GROUPS, NEW JERSEY

-CONTINUED

INTERNATIONAL LIST NO.	CAUSE OF DEATH	TOTAL	MALE	FEMALE	AGE GROUP						
					-1	1-4	5-14	15-24	25-44	45-64	65&UP
E983	HANGING AND STRANGULATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	12	9	3			1	4	1	5	1
E984	SURMERSION (DROWNING), UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	16	11	5		1	1	1	3	7	3
E985	INJURY BY FIREARMS AND EXPLOSIVES/ UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	19	18	1				4	10	1	4
E986	INJURY BY CUTTING AND PIERCING INSTRUMENTS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	1	1								1
E987	FALLING FROM HIGH PLACE/ UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	12	10	2		1			1	5	2
E988	INJURY BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	64	45	19	5	4			8	17	20
E989	WHETHER ACCIDENTALLY OR PURPOSELY INFILCTED	1	1							1	
E990	INJURY DUE TO WAR OPERATIONS BY FIRES AND CONFLAGRATIONS										
E991	INJURY DUE TO WAR OPERATIONS BY BULLETS AND FRAGMENTS										
E992	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MARINE WEAPONS										
E993	INJURY DUE TO WAR OPERATIONS BY OTHER EXPLOSION										
E994	INJURY DUE TO WAR OPERATIONS BY DESTRUCTION OF AIRCRAFT										
E995	INJURY DUE TO WAR OPERATIONS BY OTHER AND UNSPECIFIED FORMS OF CONVENTIONAL WARFARE										
E996	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS										
E997	INJURY DUE TO WAR OPERATIONS BY OTHER FORMS OF UNCONVENTIONAL WARFARE										
E998	INJURY DUE TO WAR OPERATIONS BUT MCCRURING AFTER CESSATION OF HOSTILITIES										
E999	LATE EFFECT OF INJURY DUE TO WAR OPERATIONS										

52

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

ALL RACES, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP							
			-1	1-4	5-14	15-24	25-44	45-64	65+	
000-E999	ALL CAUSES	65,422	1,434	241	381	1,256	3,176	16,288	42,646	
004-C06	RACILLARY DYSENTERY AND AMEBIASIS									
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	69	26	4	1			2	9	27
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	94	1					7	35	51
013-C19	TUBERCULOSIS, OTHER FORMS	28						1	11	16
033	WHOOPING COUGH									
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER									
036	MENINGOCOCCAL INFECTION	3		1					2	
038	SEPTICEMIA	197	21	1		2	11	40	122	
040-C43	ACUTE POLIOMYELITIS									
055	MEASLES									
090-097	SYPHILIS AND ITS SEQUELAE	4							1	3
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	119		2	5	5	28	36	43	
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	14,377	4	11	59	84	656	5,206	8,357	
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	163	2		4	3	8	74	72	
250	DIABETES MELLITUS	1,416				10	58	323	1,025	
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	70	2					10	58	
280-285	ANEMIAS	104	4	1	3	3	12	15	66	
320	MENTINGITIS	40	8	4	2	1	6	6	13	
390-398,402, 404-10-429	DISEASES OF HEART	27,378	8	3	11	28	539	6,154	20,635	
400,401,403	HYPERTENSION	201				2	7	30	162	
430-438	CEREBROVASCULAR DISEASE	5,831	2	2	9	19	145	828	4,826	
440	ARTERIOSCLEROSIS	758					1	36	721	
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	810			1	5	13	166	625	
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	28	2	4		4		7	11	
470-474	INFLUENZA	49						7	42	
480-486	PNEUMONIA	1,567	57	14	12	18	80	275	1,111	
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	139	3	2	1		3	27	103	
492	EMPHYSEMA	476						12	121	343
493	ASTHMA	49			1	4	9	19	16	
531-533	PEPTIC ULCER	322			1	2	13	88	218	
540-543	APPENDICITIS	20	-1	1		1	1	5	11	
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	174	4	1		4	1	19	145	
571	CIRRHOSIS OF LIVER	1,235			2	7	207	655	364	
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHolangitis	102					3	25	74	
580-584	NEPHRITIS AND NEPHROSIS	296	2		4	1	21	82	186	
590	INFECTIONS OF KIDNEY	121			2	1	5	15	98	
600	HYPERPLASIA OF PROSTATE	59						2	57	
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium	14				6	7		1	
740-759	CONGENITAL ANOMALIES	431	269	37	25	21	30	33	16	
760-769,772, 769-774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	804	802							
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	408	147	9	5	26	39	56	126	
E810-E823, E940	MOTOR VEHICLE ACCIDENTS	1,111	3	22	82	388	243	205	168	
E880-F887, E943	ACCIDENTAL FALLS	554	2	11	6	20	44	103	368	
E890-E897, E895-E949	ALL OTHER ACCIDENTS	937	20	61	94	222	226	170	144	
E950-E959	SUICIDE	612			1	112	199	205	95	
E960-E978	HOMICIDE AND LEGAL INTERVENTION	520	5	14	16	139	205	110	31	
E980-E999	OTHER EXTERNAL CAUSES	183	5	6	2	32	60	55	23	
	ALL OTHER CAUSES	3651	34	30	32	86	274	1,022	2,073	

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

ALL RACES. MALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	35,104	794	125	238	928	2,053	10,213	20,753
004,006	CAPILLARY DYSENTERY AND AMERIASIS	32	15	1			2	5	8
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	69	1				5	24	39
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	17					6	11	
013-019	TUBERCULOSIS, OTHER FORMS								
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER							2	
036	MEINGUOCOCAL INFECTION	2					6	18	57
038	SEPTICEMIA	96	14	1					
040-043	ACUTE POLIOMYELITIS								
055	MEASLES							1	3
090-097	SYPHILIS AND ITS SEQUELAE	4					2	15	16
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	60					5		22
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	7,630		8	35	55	298	2,686	4,548
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	82	1		3	1	2	36	39
250	DIABETES MELLITUS	550					4	33	160
260-269	VITAMINUSES AND OTHER NUTRITIONAL DEFICIENCY	40	1						7
280-285	ANEMIAS	42		1	2	2	3	10	24
320	ENINGITIS	19	4	1	1	1	4	4	4
390-398,402, 404,410-429	DISEASES OF HEART	14,823	4	3	4	18	409	4,542	9,843
400,401,403	HYPERTENSION	95					1	5	12
430-438	CEREBROVASCULAR DISEASE	2,422	1		3	14	66	437	1,901
440	ARTERIOSCLEROSIS	266					1	26	239
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	694				2	7	117	368
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	17	1	1		4		4	7
470-474	INFLUENZA	20						4	16
480-486	PNEUMONIA	819	33	7	6	12	47	160	554
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	91				1		1	18
492	EMPHYSEMA	365						9	71
493	ASTHMA	26					2	7	8
531-533	PEPTIC ULCER	212			1	1	12	59	139
540-543	APPENDICITIS	10					1	4	4
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	67	1			1	1	1	57
571	CIRRHOSIS OF LIVER	801				5	128	431	236
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHolangitis	53						17	36
580-584	NEPHRITIS AND NEPHROSIS	160	2		3	1	13	49	92
590	INFECTIONS OF KIDNEY	46					3	5	38
600	HYPERPLASIA OF PROSTATE	59						2	57
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium								
740-759	CONGENITAL ANOMALIES	236	153	16	11	13	18	16	9
760-769,2, 769-46-121 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	441	441						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	224	77	4		21	29	38	55
E910-F823, F940	MOTOR VEHICLE ACCIDENTS	823	2	15	66	302	197	136	105
E980-E887, F943	ACCIDENTAL FALLS	273	1	7	3	17	39	79	127
E800-E907, E825-E877, E890-E949	ALL OTHER ACCIDENTS	683	14	36	67	187	184	121	74
E950-E959	SUICIDE	444				1	91	142	145
E960-E978	HOMICIDE AND LEGAL INTERVENTION	375	3	6	9	96	156	86	19
E980-E999	OTHER EXTERNAL CAUSES	123	5	2	2	25	44	30	15
	ALL OTHER CAUSES	1993	20	15	17	47	160	593	1,135

TABLE 16 1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY ALL RACES, FEMALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	30,318	640	116	143	328	1,123	6,075	21,893
004-C06	PARASITARY DYSENTERY AND AMERIASIS								
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	37	11	3	1			3	19
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	25					2	11	12
013-C19	TUBERCULOSIS, OTHER FORMS	11					1	5	5
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	1		1					
038	SEPTICEMIA	101	7			2	5	22	65
040-C43	ACUTE POLIOMYELITIS								
055	MEASLES								
090-C97	SYPHILIS AND ITS SEQUELAE								
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	59		2	3		13	20	21
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,747	4	3	24	29	358	2,520	3,809
210-239	NONMALIGNANT NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	81	1		1	2	6	38	33
250	DIABETES MELLITUS	866				6	25	163	672
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	30	1					3	26
280-285	ANEMIAS	62	4		1	1	9	5	42
320	MEMINGITIS	21	4	3	1		2	2	9
390-398,402, 404-410-429	DISEASES OF HEART	12,555	4		7	10	130	1,612	10,792
400-401,403	HYPERTENSION	106				1	2	18	85
430-438	CEREBROVASCULAR DISEASE	3,409	1	2	6	5	79	391	2,925
440	ARTERIOSCLEROSIS	492						10	482
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	316			1	3	6	49	257
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	11	1	3				3	4
470-474	INFLUENZA	29							3
480-486	PNEUMONIA	748	24	7	6	6	33	115	557
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	48	3	2			2	9	32
492	EMPHYSEMA	111						3	77
493	ASTHMA	23				1	2	2	8
531-533	PEPTIC ULCER	110				1	1	1	29
540-543	APPENDICITIS	10	1					1	7
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	107	3	1			3	12	88
571	CIRRHOSIS OF LIVER	434			1	2	79	224	128
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHIANGITIS	49					3	8	38
580-584	NEPHRITIS AND NEPHROSIS	136			1		8	33	94
590	INFECTIONS OF KIDNEY	75			2	1	2	10	60
600	HYPERTROPHIA OF PROSTATE								
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium	14				6	7		1
740-759	CONGENITAL ANOMALIES	196	116	21	14	8	12	17	7
760-769,2, 769-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	361	361						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	184	70	5	5	5	10	18	71
E810-E823, F940	MOTOR VEHICLE ACCIDENTS	288	1	7	16	86	46	69	63
E880-E887, F943	ACCIDENTAL FALLS	281	1	4	3	3	5	24	241
E800-E807, E825-E873, E890-E949	ALL OTHER ACCIDENTS	254	6	25	27	35	42	49	70
E950-E959	SUICIDE	168				21	57	60	30
E960-E978	HOMICIDE AND LEGAL INTERVENTION	145	2	8	7	43	49	24	12
E990-E999	OTHER EXTERNAL CAUSES	60		4		7	16	25	8
	ALL OTHER CAUSES	1,558	14	15	15	39	108	429	938

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

WHITE, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	58,776	984	155	267	978	2,241	14,145	40,005
004-C06	MICILLARY DYSENTERY AND AMEBIASIS	53	15	4	1		2	4	27
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	68					1	22	45
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	22					7	15	
013-C19	TUBERCULOSIS, OTHER FORMS								
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	3		1				2	
038	SEPTICEMIA	160	11	1		2	8	27	111
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-C97	SYPHILIS AND ITS SEQUELAE	2							2
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	83			2	2	2	26	37
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOETIC TISSUES	13,125	4	7	52	71	548	4,638	7,805
210-239	DENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	148	2		3	2	6	65	70
250	DIABETES MELLITUS	1,243				7	38	261	937
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	60	1					8	51
280-285	ANEMIAS	87	4		1	3	8	10	61
320	MENINGITIS	25	4	1	2	1	4	3	10
390-398-402, 404-410-425	DISEASES OF HEART	25,363	3	2	4	20	387	5,450	19,497
400-401-403	HYPERTENSION	171				1	5	24	141
430-438	CEREBROVASCULAR DISEASE	5,284	2	1	6	13	95	673	4,494
440	ARTERIOSCLEROSIS	717					1	31	685
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	747			1	4	10	151	581
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	23	2	2		2		6	11
470-474	INFLUENZA	47						7	40
480-486	PNEUMONIA	1,386	33	11	7	14	49	223	1,049
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	134	2	2	1		2	25	102
492	EMPHYSEMA	452					6	112	334
493	ASTHMA	33				2	6	12	13
491-533	PEPTIC ULCER	293			1	2	9	75	206
540-543	APPENDICITIS	14	1	1			1	2	9
550-553-560	HERNIA AND INTESTINAL OBSTRUCTION	157	3			2		17	135
571	CIRRHOSIS OF LIVER	1,045			1	3	124	575	342
574-575	CHOLELIASIS, CHOLECYSTITIS AND CHLANGITIS	98					3	23	72
580-584	NEPHRITIS AND NEPHROSIS	234	1		3	1	12	52	165
590	INFECTIONS OF KIDNEY	108			2		3	13	90
600	HYPERPLASIA OF PROSTATE	54						2	52
630-678	COMPLICATIONS OF PREGNANCY, PARTURITION AND THE Puerperium	7				3	3		1
740-759	CONGENITAL ANOMALIES	363	219	32	19	18	28	31	16
760-762-764, 769-774-776	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	547	547						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	302	85	5	4	15	26	47	120
E810-E823, E940	MOTOR VEHICLE ACCIDENTS	970	3	17	60	358	204	171	157
E880-E887, F93	ACCIDENTAL FALLS	482		6	2	15	27	79	353
E890-E897, E892-E894, E890-E949	ALL OTHER ACCIDENTS	698	13	27	57	170	157	138	136
E950-E959	SUICIDE	561			1	102	172	194	92
E960-E978	HOMICIDE AND LEGAL INTERVENTION	241	4	8	9	59	78	57	26
E980-E999	OTHER EXTERNAL CAUSES	138	2	1	1	25	42	46	21
	ALL OTHER CAUSES	3,027	23	24	27	61	162	836	1,894

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

WHITE, MALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	31,340	662	82	177	738	1,440	8,922	19,429
004-C06	BACILLARY DYSENTERY AND AMEBIASIS								
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	23	9	1			2	3	8
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	50							
013-C19	TUBERCULOSIS, OTHER FORMS	14							
033	WHOOPING COUGH							4	10
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	2							2
038	SEPTICEMIA	78	7	1			4	12	54
040-043	ACUTE POLIOMYELITIS								
055	MEASLES								
090-C97	SYPHILIS AND ITS SEQUELAE	2							2
	PALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	44				1	2	9	12
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,915		6	31	47	249	2,363	4,219
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	76	1		3	1	2	31	38
250	DIABETES MELLITUS	481				4	20	131	326
260-269	VITAMINUSES AND OTHER NUTRITIONAL DEFICIENCY	33						6	27
280-285	ANEMIAS	33			1	2	2	6	22
320	MENINGITIS	9	1		1	1	2	1	3
390-398,402, 404,410-429	DISEASES OF HEART	13,743	2	2	2	13	307	4,106	9,311
400,401,403	HYPERTENSION	81					4	10	67
430-438	CEREBROVASCULAR DISEASE	2,173	1		1	11	43	359	1,758
440	ARTERIOSCLEROSIS	247					1	22	224
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	459				2	5	108	344
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	14	1	1		2		3	7
470-474	INFLUENZA	19				2		4	15
480-486	PNEUMONIA	708	21	5	4	9	24	129	516
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	89			1			18	70
492	EMPHYSEMA	347					4	84	259
493	ASTHMA	17				1	4	7	5
531-533	PEPTIC ULCER	189			1	1	8	49	130
540-543	APPENDICITIS	6		1			1	2	2
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	62	1			1		6	54
571	CIRRHOSIS OF LIVER	680			1	1	76	381	221
574-575	CHOLELITHIASIS, CHOLECYSTITIS AND CHolangitis	51						16	35
580-584	NEPHRITIS AND NEPHROSIS	124	1		3	1	5	33	81
590	INFECTIONS OF KIDNEY	41					2	5	34
600	HYPERPLASIA OF PROSTATE	54						2	52
630-678	COMPLICATIONS OF PREGNANCY, PARTURITION, AND THE Puerperium								
740-759	CONGENITAL ANOMALIES	202	126	14	9	10	18	16	9
760-769, 769-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	303	303						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	168	48	2		12	21	33	52
E810-E823, E940	MOTOR VEHICLE ACCIDENTS	713	2	12	49	277	166	112	95
E880-E887, E943	ACCIDENTAL FALLS	223		3	1	13	24	59	123
E890-E897, E895-E899	ALL OTHER ACCIDENTS	516	9	17	45	146	134	96	69
E950-E959	SUICIDE	405			1	83	118	140	63
E960-E978	HOMICIDE AND LEGAL INTERVENTION	169	3	4	6	39	60	41	16
E980-E999	OTHER EXTERNAL CAUSES	90	2		1	21	27	24	15
	ALL OTHER CAUSES	1,687	14	13	15	38	98	470	1,039

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

WHITE, FEMALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	27,435	432	73	90	240	801	5,223	20,576
004-C06	RACILLARY DYSENTERY AND AMEBIASIS								
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	30	6	3	1			1	19
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	18					1	6	11
013-C19	TUBERCULOSIS, OTHER FORMS	8						3	5
033	WHOOPING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION	1		1					
038	SEPTICEMIA	82	4			2	4	15	57
040-C43	ACUTE POLIOMYELITIS								
055	MEASLES								
090-C97	SYPHILIS AND ITS SEQUELAE								
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	39		2	1		5	14	17
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	6,210	4	1	21	24	299	2,275	3,586
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	72	1			1	4	34	32
250	DIABETES MELLITUS	762				3	18	130	611
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	27	1					2	24
280-285	ANEMIAS	54	4			1	6	4	39
320	MENINGITIS	16	3	1	1		2	2	7
390-398,402, 404-410-429	DISEASES OF HEART	11,620	1		2	7	80	1,344	10,186
400,401-403	HYPERTENSION	90					1	1	74
430-438	CEREBROVASCULAR DISEASE	3,111	1	1	5	2	52	314	2,736
440	ARTERIOSCLEROSIS	470						9	461
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	288			1	2	5	43	237
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	9	1	1				3	4
470-474	INFLUENZA	28						3	25
480-486	PNEUMONIA	678	12	6	3	5	25	94	533
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	45	2	2			2	7	32
492	EMPHYSEMA	105					2	28	75
493	ASTHMA	16				1	2	5	8
531-533	PEPTIC ULCER	104				1	1	26	76
540-543	APPENDICITIS	8	1						7
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	95	2			1		11	81
571	CIRRHOSIS OF LIVER	365				2	48	194	121
574,575	CHOLELIHTIASIS, CHOLECYSTITIS AND CHOLANGITIS	47					3	7	37
580-584	NEPHRITIS AND NEPHROSIS	110					7	19	84
590	INFECTIONS OF KIDNEY	67			2		1	8	56
600	HYPERPLASIA OF PROSTATE								
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium	7				3	3		1
740-759	CONGENITAL ANOMALIES	161	93	18	10	8	10	15	7
760-769-772, 769-772-778 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	244	244						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	134	37	3	4	3	5	14	68
E90-E923, E940	MOTOR VEHICLE ACCIDENTS	257	1	5	11	81	36	59	62
E920-E987, E943	ACCIDENTAL FALLS	259		3	1	2	3	20	230
E800-E807, E825-E877, E890-E949	ALL OTHER ACCIDENTS	162	4	10	12	24	23	42	67
E950-E959	SUICIDE	156				19	54	54	29
E960-E978	HOMICIDE AND LEGAL INTERVENTION	72	1	4	3	20	18	16	10
E990-E999	OTHER EXTERNAL CAUSES	48		1		4	15	22	6
	ALL OTHER CAUSES	1,340	9	11	12	23	64	366	855

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY NONWHITE, BOTH SEXES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP					
			-1	1-4	5-14	15-24	25-44	45-64
000-E999	ALL CAUSES	6,647	450	86	114	278	935	2,143
004-C06	MALARIAL DYSENTERY AND AMEBIASIS							2,641
008-C09	ENTERITIS AND OTHER DIARRHEAL DISEASES	16	11					5
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	26	1				6	13
013-C19	TUBERCULOSIS, OTHER FORMS	6					1	4
033	WHOPPING COUGH							1
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER							
036	MENINGOCOCCAL INFECTION							
038	SEPTICEMIA	37	10				3	13
040-C43	ACUTE POLIOMYELITIS							11
055	"MEASLES							
090-C97	SYPHILIS AND ITS SEQUELAE	2						1
	PARALYSIS OF OTHER INFECTIVE AND PARASITIC DISEASES	36			3	3	14	10
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	1,252		4	7	13	108	568
210-239	NONMALIGNANT NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	15			1	1	2	9
250	DIABETES MELLITUS	173				3	20	62
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	10	1					2
280-285	ANEMIAS	17		1	2		4	5
320	MENINGITIS	15	4	3			2	3
390-398,402, 404-410-429	DISEASES OF HEART	2,015	5	1	7	8	152	704
400-401,403	HYPERTENSION	30				1	2	6
430-438	CEREBROVASCULAR DISEASE	547		1	3	6	50	155
440	ARTERIOSCLEROSIS	41						36
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	63				1	3	15
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	5		2		2		1
470-474	INFLUENZA	2						2
480-486	PNEUMONIA	181	24	3	5	4	31	52
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	5	1				1	2
492	EMPHYSEMA	24					6	9
493	ASTHMA	16			1	2	3	3
531-533	PEPTIC ULCER	29					4	13
540-543	APPENDICITIS	6				1		3
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	17	1	1		2	1	2
571	CIRRHOSIS OF LIVER	190			1	4	83	80
574-575	CHOLELITHIASIS, CHOLECYSTITIS AND CHolangitis	4						2
580-584	NEPHRITIS AND NEPHROSIS	62	1		1		9	30
590	INFECTIONS OF KIDNEY	13				1	2	2
600	HYPERPLASIA OF PROSTATE	5						5
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE Puerperium	7				3	4	
740-759	CONGENITAL ANOMALIES	68	50	5	6	3	2	2
760-769,729, 780-772, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	255	255	5	6	3	2	2
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	106	62	4	1	11	13	9
E810-F823, F940	MOTOR VEHICLE ACCIDENTS	141		5	22	30	39	34
E880-E887, E943	ACCIDENTAL FALLS	72	2	5	4	5	17	24
E800-E807, E825-E877, E890-E849	ALL OTHER ACCIDENTS	239	7	34	37	52	69	32
E950-E959	SUICIDE	51				10	27	11
E960-E978	HOMICIDE AND LEGAL INTERVENTION	279	1	6	7	90	127	53
E980-E999	OTHER EXTERNAL CAUSES	45	3	5	1	7	18	9
	ALL OTHER CAUSES	524	11	6	5	25	112	166
								179

TABLE 16 1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY NONWHITE, MALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP						
			-1	1-4	5-14	15-24	25-44	45-64	65+
000-E999	ALL CAUSES	3,764	242	43	61	190	613	1,291	1,324
004,006	PARASITIC DISEASES	9	6					3	
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	9	6					3	
010-C12	TUBERCULOSIS OF RESPIRATORY SYSTEM	19	1				5	8	5
013-C19	TUBERCULOSIS, OTHER FORMS	3						2	1
033	WHEEZING COUGH								
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER								
036	MENINGOCOCCAL INFECTION								
038	SEPTICEMIA	18	7				2	6	3
040-C43	ACUTE POLIOMYELITIS								
055	MEASLES								
090-097	SYPHILIS AND ITS SEQUELAE	2						1	1
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	16			1	3	6	4	2
140-209	MALIGNANT NEOPLASMS, INCLUDING MELANOMA OF LYMPHATIC AND HEMATOPOIETIC TISSUES	715		2	4	8	49	323	329
210-239	PENNY NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	6						5	1
250	DIABETES MELLITUS	69					13	29	27
260-269	AVITAMINOSIS AND OTHER NUTRITIONAL DEFICIENCY	7	1					1	5
280-285	ANEMIAS	9			1	1		1	2
320	MENINGITIS	10	3	1			2	3	1
390-398,402, 404-410-429	DISEASES OF HEART	1,080	2	1	2	5	102	436	532
400-401-403	HYPERTENSION	14					1	1	2
430-438	CEREBROVASCULAR DISEASE	249			2	3	23	78	143
440	ARTERIOSCLEROSIS	19						4	15
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	35					2	9	24
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	3				2		1	
470-474	INFLUENZA	1							1
480-486	PNEUMONIA	111	12	2	2	3	23	31	38
490-491	CHRONIC AND UNQUALIFIED BRONCHITIS	2					1		1
492	EMPHYSEMA	18					5	6	7
493	ASTHMA	9					1	3	2
531-533	PEPTIC ULCER	23					4	10	9
540-543	APPENDICITIS	4						2	2
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	5					1	1	3
571	CIRRHOSIS OF LIVER	121				4	52	50	15
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS	2						1	1
580-584	NEPHRITIS AND NEPHROSIS	36	1				8	16	11
590	INFECTIONS OF KIDNEY	5					1		4
600	HYPERPLASIA OF PROSTATE	5							5
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE Puerperium								
740-759	CONGENITAL ANOMALIES	34	27	2	2	3			
760-769,770, 774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	138	138						
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	56	29	2		9	8	5	3
E90-E823, F940	"OTOR VEHICLE ACCIDENTS	110		3	17	25	31	24	10
E880-F887, F943	ACCIDENTAL FALLS	50	1	4	2	4	15	20	4
E890-E907, E895-E977, E890-E949	ALL OTHER ACCIDENTS	167	5	19	22	41	50	25	5
E950-E959	SUICIDE	39				8	24	5	2
E960-E978	HOMICIDE AND LEGAL INTERVENTION	206		2	3	57	96	45	3
E980-E999	OTHER EXTERNAL CAUSES	33	3	2	1	4	17	6	
	ALL OTHER CAUSES	306	6	2	2	9	68	123	96

TABLE 16

1975 RESIDENT DEATHS BY CAUSE GROUP BY AGE, NEW JERSEY

NONWHITE, FEMALES

CAUSE GROUP	CAUSE OF DEATH	TOTAL	AGE GROUP					
			-1	1-4	5-14	15-24	25-44	45-64
000-E999	ALL CAUSES	2,883	208	43	53	88	322	852
004,006	DIARRHEAL DISEASES			5				2
008,009	ENTERITIS AND OTHER DIARRHEAL DISEASES	7						
010-012	TUBERCULOSIS OF RESPIRATORY SYSTEM	7					1	5
013-019	TUBERCULOSIS, OTHER FORMS	3					1	2
033	WHIMPERING COUGH							
034	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER							
036	MENINGOCOCCAL INFECTION							
038	SEPTICEMIA	19	3				1	7
040-043	ACUTE POLIOMYELITIS							
055	MEASLES							
090-097	SYPHILIS AND ITS SEQUELAE							
	BALANCE OF OTHER INFECTIVE AND PARASITIC DISEASES	20			2		8	6
140-209	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	537		2	3	5	59	245
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	9			1	1	2	4
250	DIABETES MELLITUS	104				3	7	33
260-269	AVITAMINOSSES AND OTHER NUTRITIONAL DEFICIENCY	3						1
280-285	ANEMIAS	8			1		3	1
320	MENINGITIS	5	1	2				2
390-398,402, 404,410-429	DISEASES OF HEART	935	3		5	3	50	268
400,401,403	HYPERTENSION	16					1	4
430-438	CEREBROVASCULAR DISEASE	298		1	1	3	27	77
440	ARTERIOSCLEROSIS	22						1
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	28					1	6
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	2		2				
470-474	INFLUENZA	1						1
480-486	PNEUMONIA	70	12	1	3	1	8	21
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	3	1					2
492	EMPHYSEMA	6					1	3
493	ASTHMA	7			1	1		5
531-533	PEPTIC ULCER	6						3
540-543	APPENDICITIS	2						3
550-553,560	HERNIA AND INTESTINAL OBSTRUCTION	12	1	1		2		1
571	CIRRHOSIS OF LIVER	69			1		31	30
574,575	CHOLELITHIASIS, CHOLECYSTITIS AND CHLAMIGITIS	2						1
580-584	NEPHRITIS AND NEPHROSIS	26			1		1	14
590	INFECTIONS OF KIDNEY	8				1	1	2
600	HYPERPLASIA OF PROSTATE							4
630-678	COMPLICATIONS OF PREGNANCY, CHLOROBIRTHS, AND THE Puerperium	7				3	4	
740-759	CONGENITAL ANOMALIES	34	23	3	4		2	2
760-769,772, 769,774-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	117	117					
780-796	SYMPOTMS AND ILL-DEFINED CONDITIONS	50	33	2	1	2	5	4
E810-F823, F940	MOTOR VEHICLE ACCIDENTS	31		2	5	5	8	10
E880-F887, F943	ACCIDENTAL FALLS	22	1	1	2	1	2	4
E890-F897, E892-E897, E890-E899	ALL OTHER ACCIDENTS	72	2	15	15	11	19	7
E950-E959	SUICIDE	12				2	3	6
E960-E978	HOMICIDE AND LEGAL INTERVENTION	73	1	4	4	23	31	8
E980-E999	OTHER EXTERNAL CAUSES	12		3	3	1	3	2
	ALL OTHER CAUSES	218	5	4	3	16	44	63

**TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1975**

ALL AGES

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATE PER 100,000 EST. POP.
	TOTAL DEATHS	65,422	880.0
1.	Diseases of heart (390-398,402,404,410-429)	27,378	368.3
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	14,377	193.4
3.	Cerebrovascular disease (430-438)	5,831	78.4
4.	Accidents (E800-E949)	2,602	35.0
5.	Influenza and pneumonia (470-474,480-486)	1,616	21.7
6.	Diabetes mellitus (250)	1,416	19.0
7.	Cirrhosis of liver (571)	1,235	16.6
8.	Other diseases of arteries, arterioles and capillaries (441-448)	810	10.9
9.	Certain causes of mortality in early infancy (760-769.2,769.4-772,774-778)	802	10.8
10.	Arteriosclerosis (440)	758	10.2
11.	Bronchitis, emphysema and asthma (490-493)	664	8.9
12.	Suicide (E950-E959)	612	8.2
13.	Homicide and legal intervention (E960-E978)	520	7.0
	All other causes	6,801	91.5

1 - 4 YEARS

	TOTAL DEATHS	241	57.5
1.	Accidents (E800-E949)	94	22.4
2.	Congenital anomalies (740-759)	37	8.8
3.	Influenza and pneumonia (470-474,480-486)	14	3.3
4.	Homicide and legal intervention (E960-E978)	14	3.3
5.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	11	2.6
	All other causes	71	16.9

5 - 14 YEARS

	TOTAL DEATHS	381	29.1
1.	Accidents (E800-E949)	182	13.9
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	59	4.5
3.	Congenital anomalies (740-759)	25	1.9
4.	Homicide and legal intervention (E960-E978)	16	1.2
5.	Influenza and pneumonia (470-474,480-486)	12	0.9
6.	Diseases of heart (390-398,402,404,410-429)	11	0.8
	All other causes	76	5.8

**TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1975 (Continued)**

15 - 24 YEARS

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATE PER 100,000 EST. POP.
	TOTAL DEATHS	1,256	93.9
1.	Accidents (E800-E949)	630	47.1
2.	Homicide and legal intervention (E960-E978)	139	10.4
3.	Suicide (E950-E959)	112	8.4
4.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	84	6.3
5.	Congenital anomalies (740-759)	21	1.6
6.	Cerebrovascular disease (430-438)	19	1.4
7.	Influenza and pneumonia (470-474,480-486)	18	1.3
	All other causes	233	17.4

25 - 44 YEARS

	TOTAL DEATHS	3,176	176.8
1.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	656	36.5
2.	Diseases of heart (390-398,402,404,410-429)	539	30.0
3.	Accidents (E800-E949)	513	28.6
4.	Cirrhosis of liver (571)	207	11.5
5.	Homicide and legal intervention (E960-E978)	205	11.4
6.	Suicide (E950-E959)	199	11.1
7.	Cerebrovascular disease (430-438)	145	8.1
8.	Influenza and pneumonia (470-474,480-486)	80	4.5
9.	Diabetes mellitus (250)	58	3.2
	All other causes	574	31.9

45 - 64 YEARS

	TOTAL DEATHS	16,288	947.8
1.	Diseases of heart (390-398,402,404,410-429)	6,154	358.1
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	5,206	302.9
3.	Cerebrovascular disease (430-438)	828	48.2
4.	Cirrhosis of liver (571)	655	38.1
5.	Accidents (E800-E949)	478	27.8
6.	Diabetes mellitus (250)	323	18.8
7.	Influenza and pneumonia (470-474,480-486)	282	16.4
8.	Suicides (E950-E959)	205	11.9
9.	Bronchitis, emphysema and asthma (490-493)	167	9.7
10.	Other diseases of arteries, arterioles and capillaries (441-448)	166	9.7
	All other causes	1,824	106.1

**TABLE 17: PRINCIPAL CAUSES OF RESIDENT DEATH BY AGE,
NUMBERS AND AGE-SPECIFIC RATES: 1975 (Continued)**

65 YEARS AND OVER

RANK ORDER	CAUSE AND CODE NUMBERS (8th REVISION)	NUMBER OF DEATHS	RATE PER 100,000 EST. POP.
	TOTAL DEATHS	42,646	5,604.4
1.	Diseases of heart (390-398,402,404,410-429)	20,635	2,711.8
2.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	8,357	1,098.2
3.	Cerebrovascular disease (430-438)	4,826	634.2
4.	Influenza and pneumonia (470-474,480-486)	1,153	151.5
5.	Diabetes mellitus (250)	1,025	134.7
6.	Arteriosclerosis (440)	721	94.8
7.	Accidents (E800-E949)	680	89.4
8.	Other diseases of arteries, arterioles and capillaries (441-448)	625	82.1
9.	Bronchitis, emphysema and asthma (490-493)	462	60.7
10.	Cirrhosis of liver (571)	364	47.8
	All other causes	3,798	499.1

Note: Rates may not add to total death rates due to rounding.

TABLE 18: MOTOR VEHICLE DEATHS IN NEW JERSEY BY CAUSE GROUP, BY AGE: 1975

PRIMARY CAUSE	ALL AGES	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65 & over
TOTAL	1,111	4	19	77	396	247	205	163
Collision with:								
Railway train	7				4	2	1	
Pedestrian	281	1	12	46	45	42	63	72
Pedal cyclist	26		1	15	5		4	1
Other motor vehicle	394	2	5	9	146	94	79	59
Horse or horse-drawn vehicle								
Fixed object	115				49	30	26	10
Non-collision	267	1	1	6	140	74	30	15
Other and unspecified	17			1	4	5	2	5
Late effects	4				3			1

**TABLE 19: ACCIDENTAL RESIDENT DEATHS BY CAUSE GROUP, BY AGE,
NUMBERS AND AGE-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975**

ACCIDENT GROUP	Total		AGE GROUP											
	All Ages Number	All Ages Rate	Under 5		5 - 14		15 - 24		25 - 44		45 - 64		65+ Number	65+ Rate
			Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate		
STATE TOTAL	2,602	35.0	119	23.3	182	13.9	630	47.1	513	28.6	478	27.8	680	89.4
Railway Accidents (E800-E807)	15	0.2	1	0.2	4	0.3	6	0.4			3	0.2	1	0.1
Motor Vehicle Traffic Accidents (E810-E819, E940)	1,079	14.5	23	4.5	76	5.8	380	28.4	241	13.4	201	11.7	158	20.8
Motor Vehicle Non-Traffic Accidents (E820-E823)	32	0.4	2	0.4	6	0.5	8	0.6	2	0.1	4	0.2	10	1.3
Other Road Vehicle Accidents (E825-E827)	4	0.1			1	0.1	1	0.1	1	0.1	1	0.1		
Water Transport Accidents (E830-E838, E941)	41	0.6	1	0.2	4	0.3	9	0.7	13	0.7	9	0.5	5	0.7
Air and Space Transport Accidents (E840-E845)	22	0.3			1	0.1	2	0.1	13	0.7	6	0.3		
Poisonings-Drugs and Medicaments (E850-E859, E942)	154	2.1	3	0.6	1	0.2	74	5.5	54	3.0	14	0.8	7	0.9
Poisonings-Other Solids and Liquids (E860-E869)	49	0.7					15	1.1	23	1.3	7	0.4	4	0.5
Poisonings-Gases and Vapors (E870-E877)	33	0.4	2	0.4	1	0.1	5	0.4	11	0.6	7	0.4	7	0.9
Falls (E880-E887, E943)	554	7.5	13	2.5	6	0.5	20	1.5	44	2.4	103	6.0	368	48.4
Fires and Flames (E890-E899, E944)	204	2.7	38	7.4	43	3.3	18	1.3	28	1.6	44	2.6	33	4.3
Accidents Due to Natural and Environmental Factors (E900-E909)	26	0.3	1	0.2			3	0.2	4	0.2	11	0.6	7	0.9
Other Accidents (E910-E936, E946-E948)	389	5.2	35	6.9	38	2.9	89	6.7	79	4.4	68	4.0	80	10.5

Note: Addition of individual cause group rates may not add to total rates due to rounding.

TABLE 20: RESIDENT DEATHS DUE TO DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND SEX,
NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

TABLE 20: RESIDENT DEATHS DUE TO DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND SEX,
NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

AGE AND SEX	TOTAL (390-458)	Active Rheumatic Fever (390-392)		Chronic Rheumatic Heart (393-398)		Hypertensive Disease (400-406)		Ischemic Heart (410-414)		Other Diseases of Heart (420-422)		Cerebro- vascular Disease (430-438)		Other Diseases of Arteries, etc. (440-448)		Diseases of Veins & Lymphatics & Other Dis. of Circulatory System (450-458)		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
ALL AGES	35,602	438.9	9	0.1	547	7.4	547	7.4	25,440	342.2	1,036	13.9	5,831	78.4	1,568	21.1	624	8.4
Under 5	15	2.9						1	0.2	10	2.0	4	0.8					
5 - 9	5	0.8		1	0.2							4	0.7	1	0.1			
10 - 14	16	2.3		7	1.0			1	0.1	2	0.3	5	0.7					
15 - 19	20	2.8	1	0.1	1	0.1				7	1.0	8	1.1	2	0.3	1	0.1	
20 - 24	37	6.0		4	0.7	3	0.5	4	0.7	10	1.6	11	1.8	3	0.5	2	0.3	
25 - 29	56	11.1	2	0.4	7	1.4	2	0.4	10	2.0	10	2.0	16	3.2	2	0.4	7	1.4
30 - 34	86	18.3		6	1.3	2	0.4	34	7.2	15	3.2	19	4.1	3	0.6	7	1.5	
35 - 39	192	47.1		10	2.5	8	2.0	112	27.5	15	3.7	35	8.6	5	1.2	7	1.7	
40 - 44	404	97.1	1	0.2	15	3.6	12	2.9	255	61.3	30	7.2	75	18.9	4	1.0	12	2.9
45 - 49	805	173.4		24	5.2	7	1.5	583	125.6	36	7.8	106	22.8	20	4.3	29	6.2	
50 - 54	1,475	313.0		42	8.9	24	5.1	1,106	234.7	54	11.5	181	38.4	25	5.3	43	9.1	
55 - 59	2,133	502.1	1	0.2	60	14.1	26	6.1	1,637	385.4	75	17.7	220	51.8	54	12.7	60	14.1
60 - 64	2,983	832.4		89	24.8	48	13.4	2,291	639.3	81	22.6	321	89.6	103	28.7	50	14.0	
65+	27,375	3597.5	4	0.5	281	36.9	415	54.5	19,406	2550.3	691	90.8	4,826	634.2	1,346	176.9	406	53.4
Sex																		
Male	18,404	515.7	5	0.1	218	6.1	259	7.3	13,901	389.5	535	15.0	2,422	67.9	760	21.3	304	8.5
Female	17,198	444.9	4	0.1	329	8.5	288	7.5	11,239	298.5	501	13.0	3,409	88.2	808	20.9	320	8.3

Note: Addition of individual cause group rates may not add to total rates due to rounding.

TABLE 21: RESIDENT DEATHS DUE TO NEOPLASMS BY CAUSE GROUP, BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

TABLE 21: RESIDENT DEATHS DUE TO NEOPLASMS BY CAUSE GROUP, BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES, SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

AGE AND SEX	ALL NEOPLASMS (140-239)	MALIGNANT										Benign or Unspecified (210-239)									
		Buccal Cavity and Pharynx (140-149)	Digestive and Peritoneum (150-159)	Respiratory System (160-163)	Bone, Connec- tive Tissue, Skin & Breast (170-174)	Genito- Urinary Organs (180-189)	Other and Unspecified (190-199)	Lymphatic and Hema. Tissue (200-209)	Number	Rate	Number	Rate	Number	Rate							
ALL AGES	14,540	195.6	14,377	193.4	354	4.8	4,336	58.3	3,331	44.8	1,665	22.4	2,313	31.1	1,219	16.4	1,159	15.6	163	2.2	
Under 5	17	3.3	15	2.9							2	0.3		2	0.4	7	1.4	6	1.2	2	0.4
5 - 9	33	5.5	31	5.2							2	0.3		12	2.0	17	2.8	2	0.3		
10 - 14	30	4.2	28	4.0		1	0.1				2	0.3		9	1.3	16	2.3	2	0.3		
15 - 19	42	5.8	41	5.7		2	0.3	1	0.1	6	0.8	3	0.4	8	1.1	21	2.9	1	0.1		
20 - 24	45	7.3	43	7.0	1	0.2	3	0.5	1	0.2	9	1.5	5	0.8	6	1.0	18	2.9	2	0.3	
25 - 29	83	16.5	81	16.1		11	2.2	4	0.8	14	2.8	14	2.8	9	1.8	29	5.8	2	0.4		
30 - 34	121	25.8	120	25.6		14	3.0	15	3.2	25	5.3	17	3.6	15	3.2	34	7.2	1	0.2		
35 - 39	148	36.3	145	35.6	3	0.7	25	6.1	23	5.6	47	11.5	16	3.9	12	2.9	19	4.7	3	0.7	
40 - 44	312	75.0	310	74.5	6	1.4	55	13.2	65	15.6	69	16.6	48	11.5	30	7.2	37	8.9	2	0.5	
45 - 49	622	134.0	609	131.2	25	5.4	114	24.6	149	32.1	128	27.6	89	19.1	56	12.1	48	10.3	13	2.8	
50 - 54	1,127	239.2	1,111	235.8	37	7.9	264	56.0	289	61.3	194	41.2	129	27.4	101	21.4	97	20.6	16	3.4	
55 - 59	1,558	366.8	1,538	362.1	59	13.9	391	92.0	418	98.4	237	55.8	200	47.1	131	30.8	102	24.0	20	4.7	
60 - 64	1,973	550.6	1,948	543.6	51	14.2	563	157.1	582	162.4	190	53.0	270	75.3	167	46.6	125	34.9	25	7.0	
65+	8,429	1107.7	8,357	1098.2	172	22.6	2,893	380.2	1,784	234.4	742	97.5	1,520	199.8	656	86.2	590	77.5	72	9.5	
Sex																					
Male	7,712	216.1	7,630	213.8	258	7.2	2,255	63.2	2,528	70.8	194	5.4	1,179	33.0	594	16.6	622	17.4	82	2.3	
Female	6,828	176.6	6,747	174.6	96	2.5	2,081	53.8	1,803	20.8	1,471	38.1	1,134	29.3	625	16.2	537	13.9	81	2.1	

Note: Addition of individual cause group rates may not add to total rates due to rounding.

TABLE 22: RESIDENT DEATHS FROM SELECTED RESPIRATORY DISEASES: 1975

TABLE 22: RESIDENT DEATHS FROM SELECTED RESPIRATORY DISEASES: 1975

CAUSE OF DEATH Showing International List (8th Revision) Code Numbers	TOTAL	SEX	AGE GROUP								
			Male	Female	< 1	1-4	5-14	15-24	25-44	45-64	65+
TOTAL	6,524	4,509	2,015	71	25	18	35	246	2,137	3,992	
Tuberculosis of respiratory system (010-012)	94	69	25	1				7	35	51	
Malignant neoplasms of respiratory system not specified as secondary (160-163)	3,331	2,528	803				2	107	1,438	1,784	
Acute upper respiratory infections (460-465)	8	5	3	1					2	2	
Bronchitis (466)	28	17	11	2	4		4			7	11
Influenza (470-474)	49	20	29							7	42
Pneumonia, except of newborn (480-486)	1,567	819	748	57	14	12	18	80	275	1,111	
Chronic and unqualified bronchitis (490-491)	139	91	48	3	2	1		3	27	103	
Emphysema (492)	476	365	111					12	121	343	
Asthma (493)	49	26	23		1	4		9	19	16	
Other diseases of upper respiratory tract (500-514)	65	43	22	3	1	2	4	8	23	24	
Pneumoconiosis (515-516)	23	23						2	6	15	
Other chronic interstitial pneumonia (517)	97	67	30		1	1		1	25	69	
Bronchiectasis (518)	21	11	10				1	2	4	14	
Other diseases of respiratory system (519)	577	425	152	2	2	1	2	15	148	407	

68

TABLE 23: SERUM AND INFECTIOUS HEPATITIS RESIDENT CASES BY AGE, BY SEX,
NUMBERS, AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

TABLE 23: SERUM AND INFECTIOUS HEPATITIS RESIDENT CASES BY AGE, BY SEX,
NUMBERS, AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

AGE GROUP	SERUM HEPATITIS						INFECTIOUS HEPATITIS						HEPATITIS (Unspecified)					
	TOTAL No.	TOTAL Rate	MALE No.	MALE Rate	FEMALE No.	FEMALE Rate	TOTAL No.	TOTAL Rate	MALE No.	MALE Rate	FEMALE No.	FEMALE Rate	TOTAL No.	TOTAL Rate	MALE No.	MALE Rate	FEMALE No.	FEMALE Rate
ALL AGES	1235	16.6	765	21.4	470	12.2	952	12.8	507	14.2	445	11.5	375	5.0	231	6.5	144	3.7
Under 5	1	0.2	1	0.4			11	2.2	5	1.9	6	2.4	3	0.6	3	1.1		
5 - 9	5	0.8	3	1.0	2	0.7	17	2.8	9	2.9	8	2.7	8	1.3	6	2.0	2	0.7
10 - 14	10	1.4	6	1.7	4	1.2	45	6.4	16	4.4	29	8.4	7	1.0	7	1.9		
15 - 19	208	28.7	113	30.7	95	26.7	153	21.1	66	17.9	87	24.4	53	7.3	27	7.3	26	7.3
20 - 24	312	50.9	206	67.5	106	34.5	235	38.3	139	45.5	96	31.2	107	17.5	79	25.9	28	9.1
25 - 29	188	37.3	115	49.7	73	26.8	130	25.8	82	35.4	48	17.6	54	10.7	34	14.7	20	7.3
30 - 39	132	15.1	88	21.0	44	9.6	141	16.1	83	19.8	58	12.7	51	5.8	27	6.4	24	5.2
40 - 49	100	11.4	61	14.4	39	8.5	85	9.7	48	11.3	37	8.1	37	4.2	19	4.5	18	3.9
50 - 59	96	10.7	57	13.5	39	8.3	67	7.5	28	6.6	39	8.3	27	3.0	15	3.5	12	2.5
60 and over	97	8.7	64	13.7	33	5.1	66	5.9	29	6.2	37	5.7	24	2.1	11	2.4	13	2.0
Unstated	86		51		35		2		2		4		4		3		1	

**TABLE 24: RESIDENT CASES OF SYPHILIS BY STAGE, AND GONORRHEA (Including Military), BY AGE AND SEX,
(Including Military), BY AGE AND SEX, NUMBERS, AGE-SPECIFIC RATES AND
SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975**

**TABLE 24: RESIDENT CASES OF SYPHILIS BY STAGE, AND GONORRHEA (Including Military), BY AGE AND SEX,
NUMBERS, AGE-SPECIFIC RATES AND SEX-SPECIFIC RATES AND ESTIMATED POPULATION PER 100,000 ESTIMATED POPULATION: 1975**

SEX AND AGE	SYPHILIS CASES								GONORRHEA			OTHER VENEREAL DISEASES	
	TOTAL		PRIMARY AND SECONDARY		EARLY LATENT		LATE AND LATENT		CONGENITAL	Number	Rate	Number	Rate
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number
TOTAL	2,431	32.7	771	10.4	666	9.0	966	13.0	28	0.4	17,858	240.2	19
Under 5	8	1.6							8	1.6	36	7.0	
5 - 9									2	0.3	189	26.7	
10 - 14	20	2.8	11	1.6	7	1.0					4,935	680.7	2
15 - 19	255	35.2	121	16.7	108	14.9	26	3.6			6,380	1041.1	7
20 - 24	460	75.1	202	33.0	174	28.4	84	13.7			5,249	292.2	4
25 - 44	1,091	60.7	379	21.1	336	18.7	362	20.1	14	0.8	269	15.7	0.2
45 - 64	403	23.4	57	3.3	38	2.2	304	17.7	4	0.2			
65 and over	167	21.9	1	0.1	2	0.3	164	21.6			21	2.8	
Unstated	27				1		26				753		6
Male	1,440	40.4	534	15.0	381	10.7	514	14.4	11	0.3	11,662	326.8	12
Female	991	25.6	237	6.1	285	7.4	452	11.7	17	0.4	6,196	160.3	7

TABLE 25: RESIDENT TUBERCULOSIS MORBIDITY AND MORTALITY BY AGE, BY SEX,
NUMBERS AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

TABLE 25: RESIDENT TUBERCULOSIS MORBIDITY AND MORTALITY BY AGE, BY SEX,
NUMBERS AND AGE-SEX-SPECIFIC RATES PER 100,000 ESTIMATED POPULATION: 1975

AGE GROUP	CASES				DEATHS			
	Total Number	Total Rate	Male Number	Female Rate	Total Number	Total Rate	Male Number	Female Rate
ALL AGES	1,362	18.3	835	23.4	527	13.6	122	2.4
Under 5	48	9.4	21	8.0	27	10.8	1	0.4
5 - 14	49	3.7	21	3.1	28	4.4		
15 - 24	107	8.0	59	8.8	48	7.2		
25 - 44	452	25.2	239	28.1	213	22.5	8	0.4
45 - 64	462	26.9	326	40.1	136	15.0	46	2.7
65 & over	244	32.1	169	56.2	75	16.3	67	8.8
							50	16.6
							17	3.7

**TABLE 26: RESIDENT BIRTHS, MARRIAGES (by Occurrence) AND RESIDENT DEATHS,
NUMBERS AND RATES PER 1,000 ESTIMATED POPULATION
COUNTIES AND SELECTED PLACES; 1975**

PLACE OF RESIDENCE	BIRTHS		MARRIAGES		DEATHS	
	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	91,457	12.3	53,008	7.1	65,422	8.8
ATLANTIC COUNTY	2,544	14.2	1,312	7.3	2,613	14.5
Atlantic City	732	17.0	290	6.7	1,049	24.4
BERGEN COUNTY	8,371	9.2	6,062	6.6	7,476	8.2
BURLINGTON COUNTY	4,264	13.0	2,243	6.9	2,179	6.7
CAMDEN COUNTY	6,615	13.6	3,355	6.9	4,121	8.5
Camden City	1,944	18.4	713	6.8	1,058	10.0
Cherry Hill Township	517	7.7	462	6.9	427	6.3
CAPE MAY COUNTY	816	12.7	627	9.8	1,134	17.6
CUMBERLAND COUNTY	2,005	15.5	1,073	8.3	1,169	9.1
Vineland City	748	14.7	411	8.1	410	8.1
ESSEX COUNTY	12,130	13.0	6,969	7.5	8,729	9.4
Bloomfield	492	9.4	299	5.7	544	10.4
East Orange	1,144	15.0	559	7.3	773	10.2
Irvington	683	11.6	354	6.0	759	12.9
Newark	6,512	17.2	2,715	7.2	3,335	8.8
GLOUCESTER COUNTY	2,485	13.5	1,450	7.9	1,421	7.7
HUDSON COUNTY	8,038	13.2	4,547	7.4	6,270	10.3
Bayonne	786	10.7	500	6.8	812	11.0
Hoboken	721	15.5	353	7.6	397	8.5
Jersey City	3,861	14.9	1,814	7.0	2,677	10.3
North Bergen Township	551	11.4	201	4.1	539	11.1
Union City	692	12.0	623	10.8	573	9.9
HUNTERDON COUNTY	947	12.7	513	6.9	582	7.8
MERCER COUNTY	3,970	12.4	2,172	6.8	2,656	8.3
Hamilton Township	920	11.1	500	6.0	665	8.0
Trenton	1,703	16.0	762	7.1	1,139	10.7
MIDDLESEX COUNTY	6,848	11.2	4,102	6.7	4,047	6.6
Edison Township	724	10.3	410	5.8	403	5.7
Old Bridge Township	720	13.9	289	5.6	172	3.3
Woodbridge Township	826	8.1	545	5.4	635	6.2
MONMOUTH COUNTY	5,849	12.2	3,340	6.9	4,360	9.1
Middletown Township	630	11.0	280	4.9	374	6.5
MORRIS COUNTY	4,550	11.2	2,602	6.4	2,602	6.4
Parsippany-Troy Hills	683	11.8	200	3.4	214	3.7
OCEAN COUNTY	4,037	15.6	1,783	6.9	3,331	12.9
PASSAIC COUNTY	6,412	13.6	3,660	7.7	4,362	9.2
Clifton	711	8.6	569	6.9	879	10.7
Passaic City	957	17.1	566	10.1	624	11.1
Paterson	2,769	18.6	1,199	8.0	1,450	9.7
Wayne Township	409	8.1	326	6.5	327	6.5
SALEM COUNTY	871	13.7	431	6.8	578	9.1
SOMERSET COUNTY	2,015	9.8	1,356	6.6	1,341	6.5
SUSSEX COUNTY	1,493	17.3	648	7.5	683	7.9
UNION COUNTY	5,689	10.3	3,890	7.1	4,870	8.8
Elizabeth	1,553	13.5	967	8.4	1,163	10.1
Plainfield	757	15.7	431	8.9	445	9.2
Union Township	371	7.0	335	6.4	565	10.7
WARREN COUNTY	957	12.4	610	7.9	865	11.2
STATE INSTITUTIONS	6				15	
MILITARY POSTS	545		263		18	

Note: Rates for State Institutions and Military Posts are not computed due to lack of population base.

TABLE 27: RESIDENT BIRTHS BY SEX, BY RACE, COUNTIES AND SELECTED PLACES: 1975

PLACE OF RESIDENCE	BOTH SEXES			MALE			FEMALE					
	TOTAL	White	Non-White	Unk.	Total	White	Non-White	Unk.	Total	White	Non-White	Unk.
STATE TOTAL	91,457	71,579	18,248	1,630	47,155	37,023	9,298	834	44,302	34,556	8,950	796
ATLANTIC COUNTY	2,544	1,843	697	4	1,291	931	359	1	1,253	912	338	3
Atlantic City	732	282	447	3	382	154	228		350	128	219	3
BERGEN COUNTY	8,371	7,180	510	681	4,277	3,649	264	364	4,094	3,531	246	317
BURLINGTON COUNTY	4,264	3,684	577	3	2,187	1,888	297	2	2,077	1,796	280	1
CAMDEN COUNTY	6,615	5,324	1,282	9	3,449	2,798	647	4	3,166	2,526	635	5
Camden City	1,944	942	1,000	2	987	482	504	1	957	460	496	1
CHERRY HILL TOWNSHIP	517	496	19	2	265	252	13		252	244	6	2
CAPE MAY COUNTY	816	712	103	1	427	375	52		389	337	51	1
CUMBERLAND COUNTY	2,005	1,524	480	1	1,085	826	258	1	920	698	222	
Cumberland County	748	637	110	1	391	337	53	1	357	300	57	
VINELAND CITY	12,130	6,056	5,930	144	6,228	3,121	3,039	68	5,902	2,935	2,891	76
ESSEX COUNTY	492	494	27	11	246	223	17	6	246	231	10	5
BLOOMFIELD	1,144	113	1,012	19	604	61	533	10	540	52	479	9
East Orange	683	443	234	6	369	239	128	2	314	204	106	4
IRVINGTON	6,512	2,350	4,141	21	3,330	1,229	2,091	10	3,182	1,121	2,050	11
NEWARK	2,485	2,198	286	1	1,306	1,165	140	1	1,179	1,033	146	
GLOUCESTER COUNTY	8,038	5,668	1,817	253	4,263	3,200	948	115	3,775	2,768	869	138
HUDSON COUNTY	786	712	54	20	427	384	31	12	359	328	23	8
Bayonne	721	610	98	13	390	334	49	7	331	276	49	6
HOBOKEN	3,861	2,215	1,551	95	2,030	1,182	806	42	1,831	1,033	745	53
JERSEY CITY	551	498	15	38	306	280	7		245	218	8	19
NORTH BERGEN TOWNSHIP	692	611	49	32	355	317	25	13	337	294	24	19
UNION CITY	947	926	16	5	486	477	6	3	461	449	10	
HUNTERDON COUNTY	3,970	2,765	1,176	29	1,997	1,396	583	18	1,973	1,369	593	11
MERCER COUNTY	920	853	65	2	467	433	33	1	453	420	32	1
Hamilton Township	1,703	767	936		829	374	455		874	393	481	
TRENTON	6,848	5,899	840	109	3,522	3,043	419	60	3,326	2,856	421	49
MIDDLESEX COUNTY	724	655	59	10	361	334	21	6	363	321	38	4
Edison Township	720	671	42	7	375	350	22	3	345	321	20	4
OLD BRIDGE TOWNSHIP	826	778	37	11	456	429	23	4	370	349	14	7
WOODBRIDGE TOWNSHIP	5,849	4,867	874	108	2,989	2,491	442	56	2,860	2,376	432	52
MONMOUTH COUNTY	6,412	5,054	1,312	46	3,287	2,627	636	24	3,125	2,427	676	22
MIDDLETON TOWNSHIP	630	601	12	17	325	310	4	11	305	291	8	6
MORRIS COUNTY	4,550	4,318	179	53	2,380	2,271	82	27	2,170	2,047	97	26
Parsippany-Troy Hills	683	644	27	12	365	340	14	11	318	304	13	1
OCEAN COUNTY	4,037	3,725	250	62	2,016	1,862	123	31	2,021	1,863	127	31
PASSAIC COUNTY	2,015	1,813	183	19	1,054	938	103	13	961	875	80	6
Clifton	711	685	20	6	384	366	13	5	327	319	7	1
PASSAIC CITY	957	722	233	2	502	374	127	1	455	348	106	1
PATERSON	2,769	1,744	1,021	4	1,373	896	477		1,396	848	544	4
WAYNE TOWNSHIP	409	385	15	9	213	203	6		196	182	9	5
SALEM COUNTY	871	697	172	2	468	371	96	1	403	326	76	1
SOMERSET COUNTY	2,015	1,813	183	19	1,054	938	103	13	961	875	80	6
SUSSEX COUNTY	1,493	1,440	20	33	724	708	6		769	732	14	23
UNION COUNTY	5,689	4,240	1,384	65	2,948	2,194	719	35	2,741	2,046	665	30
ELIZABETH	1,553	1,097	444	12	797	565	226	6	756	532	218	6
PLAINFIELD	757	309	446	2	379	155	223	1	378	154	223	1
UNION TOWNSHIP	371	319	49	3	205	168	34	3	166	151	15	
WARREN COUNTY	957	941	16	485	476	9		472	465	465	7	
STATE INSTITUTIONS	6	3	3	2	1	1		3	1	1	2	
MILITARY POSTS	545	402	141	2	283	214	69		262	188	72	2

**TABLE 28: RESIDENT BIRTHS BY LEGITIMACY, BY RACE
COUNTIES AND SELECTED PLACES: 1975**

PLACE OF RESIDENCE	TOTAL	LEGITIMATE			ILLEGITIMATE		
		White	Nonwhite	Unknown	White	Nonwhite	Unknown
STATE TOTAL	91,457*	66,303	9,221	1,595	5,274	9,026	33
ATLANTIC COUNTY	2,544	1,609	276	3	234	421	1
Atlantic City	732	199	141	2	83	306	1
BERGEN COUNTY	8,371	6,992	379	675	188	131	6
BURLINGTON COUNTY	4,264	3,457	375	3	227	202	
CAMDEN COUNTY	6,615	4,830	559	7	494	723	2
Camden City	1,944	671	359	1	271	641	1
Cherry Hill Township	517	486	14	1	10	5	1
CAPE MAY COUNTY	816	653	50	1	59	53	
CUMBERLAND COUNTY	2,005	1,274	206	1	250	274	
Vineland City	748	519	58	1	118	52	
ESSEX COUNTY	12,130	5,323	2,639	135	732	3,290	9
Bloomfield	492	440	21	11	13	5	
East Orange	1,144	105	630	16	8	382	3
Irvington	683	404	149	5	39	85	1
Newark	6,512	1,738	1,501	18	612	2,640	3
GLOUCESTER COUNTY	2,485	2,062	160	1	136	126	
HUDSON COUNTY	8,038	5,278	1,051	247	690	766	6
Bayonne	786	681	32	19	31	22	1
Hoboken	721	485	73	13	125	25	
Jersey City	3,861	1,859	845	91	356	706	4
North Bergen Township	551	480	13	38	18	2	
Union City	692	536	40	32	75	9	
HUNTERDON COUNTY	947	875	11	5	51	5	
MERCER COUNTY	3,970	2,493	523	28	272	653	
Hamilton Township	920	774	39	1	79	26	
Trenton	1,703	598	352		169	584	
MIDDLESEX COUNTY	6,848	5,583	514	109	316	326	
Edison Township	724	634	36	10	21	23	
Old Bridge Township	720	651	38	7	20	4	
Woodbridge Township	826	752	29	11	26	8	
MONMOUTH COUNTY	5,849	4,573	453	106	294	421	2
Middletown Township	630	579	12	16	22		1
MORRIS COUNTY	4,550	4,165	126	53	152	53	
Parsippany-Troy Hills	683	625	22	12	18	5	
OCEAN COUNTY	4,037	3,522	127	62	203	123	
PASSAIC COUNTY	6,412	4,527	586	45	527	726	
Clifton	711	660	17	5	25	3	
Passaic City	957	574	119	2	148	114	
Paterson	2,769	1,445	424	4	299	597	
Wayne Township	409	372	13	9	13	2	
SALEM COUNTY	871	628	71	1	69	101	1
SOMERSET COUNTY	2,015	1,745	125	18	68	58	
SUSSEX COUNTY	1,493	1,364	17	31	76	3	2
UNION COUNTY	5,689	4,062	824	62	178	560	3
Elizabeth	1,553	1,009	224	12	88	220	
Plainfield	757	286	252	2	23	194	
Union Township	371	312	32	3	7	17	
WARREN COUNTY	957	892	14		49	2	
STATE INSTITUTIONS	6	1			2	3	
MILITARY POSTS	545	395	135	2	7	6	

*Total includes 5 births legitimacy unknown.

**TABLE 29: RESIDENT BIRTHS BY MATURITY
COUNTIES AND SELECTED PLACES: 1975**

PLACE OF RESIDENCE	TOTAL	2500 Grams or Less	2501 Grams or More	Weight Unknown
STATE TOTAL	91,457	6,973	82,751	1,733
ATLANTIC COUNTY	2,544	225	2,314	5
Atlantic City	732	92	639	1
BERGEN COUNTY	8,371	474	7,206	691
BURLINGTON COUNTY	4,264	280	3,973	11
CAMDEN COUNTY	6,615	560	6,039	16
Camden City	1,944	273	1,669	2
Cherry Hill Township	517	47	468	2
CAPE MAY COUNTY	816	47	767	2
CUMBERLAND COUNTY	2,005	166	1,838	1
Vineland City	748	55	693	
ESSEX COUNTY	12,130	1,233	10,746	151
Bloomfield	492	28	453	11
East Orange	1,144	118	1,006	20
Irvington	683	73	604	6
Newark	6,512	791	5,699	22
GLOUCESTER COUNTY	2,485	177	2,302	6
HUDSON COUNTY	8,038	668	7,110	260
Bayonne	786	66	699	21
Hoboken	721	57	648	16
Jersey City	3,861	377	3,387	97
North Bergen Township	551	33	481	37
Union City	692	55	605	32
HUNTERDON COUNTY	947	45	896	6
MERCER COUNTY	3,970	349	3,585	36
Hamilton Township	920	53	864	3
Trenton	1,703	215	1,488	
MIDDLESEX COUNTY	6,848	478	6,253	117
Edison Township	724	54	660	10
Old Bridge Township	720	48	662	10
Woodbridge Township	826	39	775	12
MONMOUTH COUNTY	5,849	382	5,358	109
Middletown Township	630	33	580	17
MORRIS COUNTY	4,550	262	4,223	65
Parsippany-Troy Hills	683	40	631	12
OCEAN COUNTY	4,037	277	3,694	66
PASSAIC COUNTY	6,412	530	5,829	53
Clifton	711	40	664	7
Passaic City	957	90	865	2
Paterson	2,769	285	2,475	9
Wayne Township	409	19	381	9
SALEM COUNTY	871	70	798	3
SOMERSET COUNTY	2,015	123	1,871	21
SUSSEX COUNTY	1,493	72	1,387	34
UNION COUNTY	5,689	458	5,156	75
Elizabeth	1,553	136	1,403	14
Plainfield	757	93	661	3
Union Township	371	27	340	4
WARREN COUNTY	957	69	887	1
STATE INSTITUTIONS	6	2	4	
MILITARY POSTS	545	26	515	4

**TABLE 30: RESIDENT BIRTHS IN 1975 BY MONTH OF PREGNANCY PRENATAL CARE BEGAN
COUNTIES AND SELECTED PLACES: 1975**

**TABLE 30: RESIDENT BIRTHS IN 1975 BY MONTH OF PREGNANCY PRENATAL CARE BEGAN
COUNTIES AND SELECTED PLACES: 1975**

PLACE OF RESIDENCE	TOTAL VISITS	NO. PRENATAL CARE	MONTH OF PREGNANCY						PRENATAL CARE BEGAN			UNKNOWN
			1	2	3	4	5	6	7	8	9	
STATE TOTAL	829,661	1,227	7,050	28,607	23,386	9,472	5,356	3,510	2,246	1,273	433	705
ATLANTIC COUNTY	22,723	36	136	561	687	426	158	127	50	15	9	7,992
Atlantic City	6,062	12	37	141	185	113	96	49	42	23	11	63
BERGEN COUNTY	82,154	24	719	3,213	2,976	615	231	154	102	66	17	22
BURLINGTON COUNTY	42,231	36	212	1,725	1,054	344	191	123	110	57	21	333
CAMDEN COUNTY	55,422	40	488	1,851	1,773	710	469	281	146	94	26	669
Camden City	13,991	24	120	327	490	312	241	167	91	57	19	3
Cherry Hill Township	3,927	1	25	170	121	30	13	12	3	1	1	139
CAFE MAY COUNTY	7,065	7	10	131	275	158	85	49	37	27	1	2
CUNNINGHAM COUNTY	15,397	35	20	316	683	366	214	150	99	59	14	17
Vineland City	6,086	14	9	129	265	117	83	59	35	20	7	32
ESSEX COUNTY	95,454	428	931	2,746	2,778	1,381	814	555	363	198	80	89
Bloomfield	5,195	3	38	158	191	64	44	4	4	18	10	3
East Orange	9,240	27	104	251	283	147	101	67	39	18	10	2
Irvington	5,557	9	68	184	144	62	32	18	14	5	3	138
Newark	41,473	375	322	965	1,175	781	574	409	272	151	57	58
GLOUCESTER COUNTY	20,466	27	130	662	111	280	164	110	81	37	27	1,373
Hudson County	72,363	267	813	2,242	1,751	834	693	514	348	177	78	178
Bayonne	8,359	11	102	366	166	46	33	16	9	8	1	4
Hoboken	6,892	14	26	227	133	92	50	39	21	127	13	24
Jersey City	31,677	207	319	874	678	480	440	364	243	127	13	6
North Bergen Township	5,240	3	83	207	114	31	22	20	14	3	3	51
North City	6,069	16	116	182	137	64	51	32	23	11	5	55
HUNTERDON COUNTY	8,956	8	24	193	242	158	114	52	46	19	4	11
MERCER COUNTY	38,803	27	272	1,346	1,046	436	227	176	83	59	15	101
Hamilton Township	9,722	4	68	311	269	91	46	31	17	23	10	20
Tracton	14,594	17	124	443	376	234	149	113	58	31	4	105
MIDDLESEX COUNTY	61,980	32	465	2,293	1,466	722	420	253	147	96	48	14
Edison Township	7,152	2	95	302	140	53	28	14	6	5	2	3
Old Bridge Township	7,131	50	300	175	193	73	38	16	5	8	2	52
Woodbridge Township	8,431	1	97	302	158	94	50	30	18	18	1	58
MONMOUTH COUNTY	58,992	45	462	1,951	1,821	690	290	172	112	68	35	25
Middletown Township	6,853	3	99	253	168	45	14	9	5	2	3	24
MORRIS COUNTY	50,045	11	626	2,276	1,042	244	100	58	22	13	4	24
PARSIPpany-Troy Hills	7,556	112	329	151	38	12	6	1	2	2	4	28
OCEAN COUNTY	39,352	38	241	1,400	1,271	491	210	131	66	43	8	113
PASSAIC COUNTY	58,170	86	643	2,030	1,542	732	446	316	221	123	39	65
Clifton	7,309	2	68	286	222	55	28	10	10	6	8	16
Passaic City	7,922	14	103	186	203	137	98	81	54	37	10	5
Paterson	22,169	59	238	672	583	415	279	198	144	76	29	43
Wayne Township	4,411	2	55	203	97	15	9	5	3	2	5	15
SALEM COUNTY	7,365	7	52	250	217	108	54	31	11	9	1	99
SOMERSET COUNTY	18,645	4	127	782	511	127	48	30	13	7	2	10
SUSSEX COUNTY	14,134	17	91	634	376	128	57	39	32	15	4	7
UNION COUNTY	47,016	42	523	1,621	1,472	377	164	113	55	35	40	28
Elizabeth	1,819	1	19	87	40	4	1	1	2	3	2	2
Plainfield	1,302	2	23	43	37	10	5	2	2	2	2	631
Union Township	4,037	1	51	157	108	20	7	4	2	1	2	16
WARREN COUNTY	8,369	9	45	224	298	76	44	27	12	16	13	24
STATE INSTITUTIONS	50	2	2	1	1	1	1	1	1	1	1	1
MILITARY POSTS	4,509	1	20	153	194	68	45	18	12	4	1	2

**TABLE 31: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
COUNTIES AND SELECTED PLACES: 1975**

ALL RACES

PLACE OF RESIDENCE	INFANT DEATHS		FETAL DEATHS		NEONATAL DEATHS		PERINATAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	1,434	15.7	941*	10.3	1,042	11.4	1,983*	21.5
ATLANTIC COUNTY	45	17.7	26	10.2	33	13.0	59	23.0
Atlantic City	16	21.9	11	15.0	11	15.0	22	29.6
BERGEN COUNTY	101	12.1	51	6.1	78	9.3	129	13.7
BURLINGTON COUNTY	54	12.7	50	11.7	43	10.1	93	21.6
CAMDEN COUNTY	136	20.6	44	6.7	109	16.5	153	23.0
Camden City	73	37.6	18	9.3	60	30.9	78	39.8
Cherry Hill Township	4	7.7	3	5.8	2	3.9	5	9.6
CAPE MAY COUNTY	8	9.8	13	15.9	5	6.1	18	21.7
CUMBERLAND COUNTY	42	20.9	26	13.0	29	14.5	55	27.1
Vineland City	12	16.0	8	10.7	9	12.0	17	22.5
ESSEX COUNTY	218	18.0	163	13.4	142	11.7	305	24.8
Bloomfield	4	8.1	2	4.1	3	6.1	5	10.1
East Orange	28	24.5	16	14.0	22	19.2	38	32.8
Irvington	13	19.0	13	19.0	8	11.7	21	30.2
Newark	120	18.4	94	14.4	68	10.4	162	24.5
GLOUCESTER COUNTY	39	15.7	23	9.3	27	10.9	50	19.9
HUDSON COUNTY	143	17.8	97	12.1	96	11.9	193	23.7
Bayonne	12	15.3	12	15.3	8	10.2	20	25.1
Hoboken	10	13.9	13	18.0	7	9.7	20	27.2
Jersey City	83	21.5	52	13.5	51	13.2	103	26.3
North Bergen Township	6	10.9	5	9.1	6	10.9	11	19.8
Union City	13	18.8	3	4.3	10	14.5	13	18.7
HUNTERDON COUNTY	9	9.5	10	10.6	6	6.3	16	16.7
MERCER COUNTY	74	18.6	38	9.6	58	14.6	96	24.0
Hamilton Township	5	5.4	10	10.9	5	5.4	15	16.1
Trenton	54	31.7	21	12.3	41	24.1	62	36.0
MIDDLESEX COUNTY	97	14.2	66	9.6	73	10.7	139	20.1
Edison Township	9	12.4	8	11.0	8	11.0	16	21.9
Old Bridge Township	12	16.7	2	2.8	7	9.7	9	12.5
Woodbridge Township	3	3.6	6	7.3	2	2.4	8	9.6
MONMOUTH COUNTY	82	14.0	70	12.0	52	8.9	122	20.6
Middletown Township	7	11.1	16	25.4	6	9.5	22	34.1
MORRIS COUNTY	67	14.7	47	10.3	58	12.7	105	22.8
Parsippany-Troy Hills	7	10.2	1	1.5	7	10.2	8	11.7
OCEAN COUNTY	52	12.9	37	9.2	35	8.7	72	17.7
PASSAIC COUNTY	103	16.1	64	10.0	74	11.5	138	21.3
Clifton	11	15.5	7	9.8	8	11.3	15	20.9
Passaic City	6	6.3	17	17.8	5	5.2	22	22.6
Paterson	64	23.1	31	11.2	41	14.8	72	25.7
Wayne Township	4	9.8	1	2.4	3	7.3	4	9.8
SALEM COUNTY	11	12.6	13	14.9	8	9.2	21	23.8
SOMERSET COUNTY	27	13.4	16	7.9	21	10.4	37	18.2
SUSSEX COUNTY	10	6.7	15	10.0	9	6.0	24	15.9
UNION COUNTY	88	15.5	55	9.7	62	10.9	117	20.4
Elizabeth	33	21.2	21	13.5	20	12.9	41	26.0
Plainfield	19	25.1	7	9.2	16	21.1	23	30.1
Union Township	6	16.2	2	5.4	3	8.1	5	13.4
WARREN COUNTY	24	25.1	12	12.5	22	23.0	34	35.1
STATE INSTITUTIONS			1				1	
MILITARY POSTS	4		4		2		6	

*Includes 1 death unknown as to race.

**TABLE 31: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
COUNTIES AND SELECTED PLACES: 1975 (Continued)**

WHITE

PLACE OF RESIDENCE	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	PERINATAL DEATHS
	Number	Number	Number	Number
STATE TOTAL	984	663	729	1,392
ATLANTIC COUNTY	27	14	20	34
Atlantic City	5	1	5	6
BERGEN COUNTY	86	46	67	113
BURLINGTON COUNTY	41	35	34	69
CAMDEN COUNTY	93	33	72	105
Camden City	39	8	31	39
Cherry Hill Township	4	3	2	5
CAPE MAY COUNTY	7	9	5	14
CUMBERLAND COUNTY	26	18	18	36
Vineland City	8	7	5	12
ESSEX COUNTY	89	78	59	137
Bloomfield	4	2	3	5
East Orange	3	1	1	2
Irvington	6	8	3	11
Newark	36	35	19	54
GLOUCESTER COUNTY	31	18	22	40
HUDSON COUNTY	97	67	69	136
Bayonne	9	12	5	17
Hoboken	10	12	7	19
Jersey City	41	25	27	52
North Bergen Township	6	4	6	10
Union City	13	3	10	13
HUNTERDON COUNTY	9	9	6	15
MERCER COUNTY	39	21	32	53
Hamilton Township	4	8	4	12
Trenton	21	7	17	24
MIDDLESEX COUNTY	73	50	52	102
Edison Township	8	5	7	12
Old Bridge Township	10	2	5	7
Woodbridge Township	2	6	1	7
MONMOUTH COUNTY	58	53	38	91
Middletown Township	6	16	5	21
MORRIS COUNTY	64	41	55	96
Parsippany-Troy Hills	7	1	7	8
OCEAN COUNTY	48	32	32	64
PASSAIC COUNTY	63	50	47	97
Clifton	11	7	8	15
Passaic City	4	16	3	19
Paterson	27	19	17	36
Wayne Township	3	1	2	3
SALEM COUNTY	9	9	6	15
SOMERSET COUNTY	24	12	18	30
SUSSEX COUNTY	10	15	9	24
UNION COUNTY	62	38	44	82
Elizabeth	27	13	18	31
Plainfield	4	3	3	6
Union Township	4	2	2	4
WARREN COUNTY	24	12	22	34
STATE INSTITUTIONS		1		1
MILITARY POSTS	4	2	2	4

**TABLE 31: RESIDENT INFANT, FETAL, NEONATAL AND PERINATAL DEATHS
COUNTIES AND SELECTED PLACES: 1975 (Continued)**

NONWHITE

PLACE OF RESIDENCE	INFANT DEATHS	FETAL DEATHS	NEONATAL DEATHS	PERINATAL DEATHS
	Number	Number	Number	Number
STATE TOTAL	450	277	313	590
ATLANTIC COUNTY	18	12	13	25
Atlantic City	11	10	6	16
BERGEN COUNTY	15	5	11	16
BURLINGTON COUNTY	13	15	9	24
CAMDEN COUNTY	43	11	37	48
Camden City	34	10	29	39
Cherry Hill Township				
CAPE MAY COUNTY	1	4		4
CUMBERLAND COUNTY	16	8	11	19
Vineland City	4	1	4	5
ESSEX COUNTY	129	85	83	168
Bloomfield				
East Orange	25	15	21	36
Irvington	7	5	5	10
Newark	84	59	49	108
GLOUCESTER COUNTY	8	5	5	10
HUDSON COUNTY	46	30	27	57
Bayonne	3		3	3
Hoboken		1		1
Jersey City	42	27	24	51
North Bergen Township		1		1
Union City				
HUNTERDON COUNTY		1		1
MERCER COUNTY	35	17	26	43
Hamilton Township	1	2	1	3
Trenton	33	14	24	38
MIDDLESEX COUNTY	24	16	21	37
Edison Township	1	3	1	4
Old Bridge Township	2		2	2
Woodbridge Township	1		1	1
MONMOUTH COUNTY	24	16	14	30
Middletown Township	1		1	1
MORRIS COUNTY	3	6	3	9
Parsippany-Troy Hills				
OCEAN COUNTY	4	5	3	8
PASSAIC COUNTY	40	14	27	41
Clifton				
Passaic City	2	1	2	3
Paterson	37	12	24	36
Wayne Township	1		1	1
SALEM COUNTY	2	4	2	6
SOMERSET COUNTY	3	4	3	7
SUSSEX COUNTY				
UNION COUNTY	26	17	18	35
Elizabeth	6	8	2	10
Plainfield	15	4	13	17
Union Township	2		1	1
WARREN COUNTY				
STATE INSTITUTIONS				
MILITARY POSTS		2		2

**TABLE 32: RESIDENT MATERNAL DEATHS BY RACE,
COUNTIES AND SELECTED PLACES: 1975**

PLACE OF RESIDENCE	TOTAL	RACE	
		WHITE	NONWHITE
STATE TOTAL	14	7	7
ATLANTIC COUNTY			
Atlantic City			
BERGEN COUNTY	1	1	
BURLINGTON COUNTY	1	1	
CAMDEN COUNTY	2	2	
Camden City	1	1	
Cherry Hill Township			
CAPE MAY COUNTY			
CUMBERLAND COUNTY	1		1
Vineland City			
ESSEX COUNTY	3	1	2
Bloomfield			
East Orange			
Irvington			
Newark	2	1	1
GLOUCESTER COUNTY			
HUDSON COUNTY			
Bayonne			
Hoboken			
Jersey City			
North Bergen Township			
Union City			
HUNTERDON COUNTY	1	1	
MERCER COUNTY			
Hamilton Township			
Trenton			
MIDDLESEX COUNTY	1		1
Edison Township			
Old Bridge Township			
Woodbridge Township			
MONMOUTH COUNTY	1		1
Middletown Township			
MORRIS COUNTY	1	1	
Parsippany-Troy Hills	1	1	
OCEAN COUNTY			
PASSAIC COUNTY			
Clifton			
Passaic City			
Paterson			
Wayne Township			
SALEM COUNTY			
SOMERSET COUNTY	1		1
SUSSEX COUNTY			
UNION COUNTY	1		1
Elizabeth			
Plainfield	1		1
Union Township			
WARREN COUNTY			
STATE INSTITUTIONS			
MILITARY POSTS			

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975
ALL RACES, BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	65,422	1,434	241	381	1,256	3,176	16,288	42,646
ATLANTIC COUNTY	2,613	45	13	16	42	110	467	1,920
Atlantic City	1,049	16	7	5	14	45	188	774
BERGEN COUNTY	7,476	101	16	34	119	277	1,901	5,028
BURLINGTON COUNTY	2,179	54	10	14	59	136	583	1,323
CAMDEN COUNTY	4,121	136	14	32	81	227	1,087	2,544
Camden City	1,058	73	9	20	33	72	285	566
Cherry Hill Township	427	4		1	8	28	126	260
CAPE MAY COUNTY	1,134	8	3	3	11	36	212	861
CUMBERLAND COUNTY	1,169	42	5	12	38	63	277	732
Vineland City	410	12		3	11	17	101	266
ESSEX COUNTY	8,729	218	50	67	189	571	2,266	5,368
Bloomfield	544	4		1	9	15	130	385
East Orange	773	28	4	3	16	54	181	487
Irvington	759	13	1	1	6	21	168	549
Newark	3,335	120	38	38	105	369	981	1,684
GLOUCESTER COUNTY	1,421	39	9	7	43	79	359	885
HUDSON COUNTY	6,270	143	23	32	94	296	1,749	3,933
Bayonne	812	12	1	3	3	28	239	526
Hoboken	397	10	4		5	28	103	247
Jersey City	2,677	83	14	22	56	155	768	1,579
North Bergen Township	539	6			3	19	149	362
Union City	573	13	1	4	9	26	138	382
HUNTERDON COUNTY	582	9	4	7	18	24	130	390
MERCER COUNTY	2,656	74	9	16	40	120	662	1,735
Hamilton Township	665	5	3	2	6	17	187	445
Trenton	1,139	54	5	8	16	73	276	707
MIDDLESEX COUNTY	4,047	97	13	25	89	246	1,169	2,408
Edison Township	403	9	1	7	12	32	129	213
Old Bridge Township	172	12	1	3	5	16	40	95
Woodbridge Township	635	3	3	2	14	38	207	368
MONMOUTH COUNTY	4,360	82	19	25	85	188	1,007	2,954
Middletown Township	374	7	2	3	12	11	103	236
MORRIS COUNTY	2,602	67	8	16	63	140	633	1,675
Parsippany-Troy Hills	214	7	1		6	18	65	117
OCEAN COUNTY	3,331	52	10	10	50	95	652	2,462
PASSAIC COUNTY	4,362	103	21	26	86	217	1,032	2,877
Clifton	879	11	1	3	19	27	208	610
Passaic City	624	6	6	3	11	34	155	409
Paterson	1,450	64	10	10	26	107	314	919
Wayne Township	327	4	2		7	11	92	211
SALEM COUNTY	578	11		1	9	25	136	396
SOMERSET COUNTY	1,341	27		6	29	62	385	832
SUSSEX COUNTY	683	10	1	7	19	37	178	431
UNION COUNTY	4,870	88	11	20	79	194	1,207	3,271
Elizabeth	1,163	33	2	6	16	55	280	771
Plainfield	445	19	1	3	13	32	9	278
Union Township	565	6	1	3	6	17	135	397
WARREN COUNTY	865	24	1	4	12	30	190	604
STATE INSTITUTIONS	15						3	12
MILITARY POSTS	18	4	1	1	1	3	3	5

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

ALL RACES, MALE

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	35,104	794	125	238	928	2,053	10,213	20,753
ATLANTIC COUNTY	1,392	22	8	14	31	73	285	959
Atlantic City	556	8	5	4	8	29	117	385
BERGEN COUNTY	3,966	65	11	26	86	174	1,232	2,372
BURLINGTON COUNTY	1,149	29	5	7	43	76	356	633
CAMDEN COUNTY	2,238	76	7	18	53	147	694	1,243
Camden City	596	44	3	10	22	47	193	277
Cherry Hill Township	237	3		1	8	22	79	124
CAPE MAY COUNTY	609	4	2	2	7	17	127	450
CUMBERLAND COUNTY	682	30	2	7	26	40	196	381
Vineland City	250	10		2	8	10	72	148
ESSEX COUNTY	4,572	116	24	40	144	401	1,363	2,484
Bloomfield	250	2		1	8	9	69	161
East Orange	376	15	1	2	11	34	101	212
Irvington	398	11		1	5	14	98	269
Newark	1,902	65	21	22	77	276	617	824
GLOUCESTER COUNTY	783	28	7	6	33	55	215	439
HUDSON COUNTY	3,367	88	9	22	77	188	1,111	1,872
Bayonne	446	10		2	3	15	163	253
Hoboken	232	6	4		5	22	72	123
Jersey City	1,444	49	4	14	43	99	503	732
North Bergen Township	272	6			2	11	83	170
Union City	270	4		3	7	12	73	171
HUNTERDON COUNTY	344	3	2	6	15	16	93	209
MERCER COUNTY	1,382	39	4	8	23	78	414	816
Hamilton Township	367	4	2		4	10	113	234
Trenton	580	29	2	6	8	45	178	312
MIDDLESEX COUNTY	2,182	49	5	20	66	162	749	1,131
Edison Township	226	3	1	6	9	22	83	102
Old Bridge Township	95	9		3	5	9	26	43
Woodbridge Township	350	1	2	2	13	24	136	172
MONMOUTH COUNTY	2,230	41	12	11	62	122	606	1,376
Middletown Township	173	4		1	11	5	57	95
MORRIS COUNTY	1,376	32	4	9	48	87	407	789
Parsippany-Troy Hills	129	2	1		3	14	45	64
OCEAN COUNTY	1,941	34	4	9	38	63	397	1,396
PASSAIC COUNTY	2,408	56	11	15	59	143	655	1,469
Clifton	456	5		1	11	20	126	293
Passaic City	362	3	3	3	8	23	106	216
Paterson	799	34	6	5	21	67	200	466
Wayne Township	165	3	1		4	6	55	96
SALEM COUNTY	324	4		1	6	17	80	216
SOMERSET COUNTY	748	14			27	40	251	416
SUSSEX COUNTY	384	6	1	4	14	21	109	229
UNION COUNTY	2,543	45	5	10	59	117	745	1,562
Elizabeth	570	18	1	3	11	29	170	338
Plainfield	233	8		1	9	23	59	133
Union Township	295	2			3	9	81	200
WARREN COUNTY	462	11	1	3	10	16	123	298
STATE INSTITUTIONS	11						2	9
MILITARY POSTS	11	2	1		1		3	4

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

ALL RACES, FEMALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	30,318	640	116	143	328	1,123	6,075	21,893
ATLANTIC COUNTY	1,221	23	5	2	11	37	182	961
Atlantic City	493	8	2	1	6	16	71	389
BERGEN COUNTY	3,510	36	5	8	33	103	669	2,656
BURLINGTON COUNTY	1,030	25	5	7	16	60	227	690
CAMDEN COUNTY	1,883	60	7	14	28	80	393	1,301
Camden City	462	29	6	10	11	25	92	289
Cherry Hill Township	190	1				6	47	136
CAPE MAY COUNTY	525	4	1	1	4	19	85	411
CUMBERLAND COUNTY	487	12	3	5	12	23	81	351
Vineland City	160	2		1	3	7	29	118
ESSEX COUNTY	4,157	102	26	27	45	170	903	2,884
Bloomfield	294	2			1	6	61	224
East Orange	397	13	3	1	5	20	80	275
Irvington	361	2	1		1	7	70	280
Newark	1,433	55	17	16	28	93	364	860
GLOUCESTER COUNTY	638	11	2	1	10	24	144	446
HUDSON COUNTY	2,903	55	14	10	17	108	638	2,061
Bayonne	366	2	1	1		13	76	273
Hoboken	165	4				6	31	124
Jersey City	1,233	34	10	8	13	56	265	847
North Bergen Township	267				1	8	66	192
Union City	303	9	1	1	2	14	65	211
HUNTERDON COUNTY	238	6	2	1	3	8	37	181
MERCER COUNTY	1,274	35	5	8	17	42	248	919
Hamilton Township	298	1	1	2	2	7	74	211
Trenton	559	25	3	2	8	28	98	395
MIDDLESEX COUNTY	1,865	48	8	5	23	84	420	1,277
Edison Township	177	6		1	3	10	46	111
Old Bridge Township	77	3	1			7	14	52
Woodbridge Township	285	2	1		1	14	71	196
MONMOUTH COUNTY	2,130	41	7	14	23	66	401	1,578
Middletown Township	201	3	2	2	1	6	46	141
MORRIS COUNTY	1,226	35	4	7	15	53	226	886
Parsippany-Troy Hills	85	5			3	4	20	53
OCEAN COUNTY	1,390	18	6	1	12	32	255	1,066
PASSAIC COUNTY	1,954	47	10	11	27	74	377	1,408
Clifton	423	6	1	2	8	7	82	317
Passaic City	262	3	3		3	11	49	193
Paterson	651	30	4	5	5	40	114	453
Wayne Township	162	1	1		3	5	37	115
SALEM COUNTY	254	7			3	8	56	180
SOMERSET COUNTY	593	13		6	2	22	134	416
SUSSEX COUNTY	299	4		3	5	16	69	202
UNION COUNTY	2,327	43	6	10	20	77	462	1,709
Elizabeth	593	15	1	3	5	26	110	433
Plainfield	212	11	1	2	4	9	40	145
Union Township	270	4	1	3	3	8	54	197
WARREN COUNTY	403	13		1	2	14	67	306
STATE INSTITUTIONS	4						1	3
MILITARY POSTS	7	2		1		3		1

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

WHITE, BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	58,775	984	155	267	978	2,241	14,145	40,005
ATLANTIC COUNTY	2,177	27	7	11	27	75	364	1,666
Atlantic City	726	5	4	2	3	13	111	588
BERGEN COUNTY	7,219	86	14	29	113	252	1,811	4,914
BURLINGTON COUNTY	2,006	41	10	13	55	113	533	1,241
CAMDEN COUNTY	3,652	93	10	22	59	169	950	2,349
Camden City	717	39	5	10	14	33	176	440
Cherry Hill Township	409	4		1	7	27	120	250
CAPE MAY COUNTY	1,076	7	2	3	11	32	193	828
CUMBERLAND COUNTY	1,006	26	2	6	30	47	227	668
Vineland City	382	8		2	10	12	95	255
ESSEX COUNTY	6,465	89	16	32	83	201	1,498	4,546
Bloomfield	534	4		1	8	15	129	377
East Orange	418	3			2	5	75	333
Irvington	719	6			3	16	153	541
Newark	1,765	36	11	12	23	84	414	1,185
GLOUCESTER COUNTY	1,273	31	9	7	39	69	309	809
HUDSON COUNTY	5,752	97	14	22	73	209	1,547	3,790
Bayonne	784	9	1	3	3	27	228	513
Hoboken	390	10	4		5	24	101	246
Jersey City	2,210	41	5	12	35	75	583	1,459
North Bergen Township	539	6			3	19	149	362
Union City	569	13	1	4	9	25	137	380
HUNTERDON COUNTY	577	9	4	7	18	24	129	386
MERCER COUNTY	2,253	39	4	9	32	62	534	1,573
Hamilton Township	640	4	2	2	6	15	177	434
Trenton	823	21	1	2	9	25	176	589
MIDDLESEX COUNTY	3,865	73	11	23	76	219	1,116	2,347
Edison Township	391	8	1	7	11	30	127	207
Old Bridge Township	167	10	1	2	5	16	39	94
Woodbridge Township	622	2	3	2	10	38	204	363
MONMOUTH COUNTY	3,957	58	15	16	65	144	891	2,768
Middletown Township	359	6	2	2	11	10	100	228
MORRIS COUNTY	2,539	64	6	16	61	133	615	1,644
Parsippany-Troy Hills	212	7			6	18	64	117
OCEAN COUNTY	3,260	48	8	9	49	87	629	2,430
PASSAIC COUNTY	3,979	63	13	11	67	141	910	2,774
Clifton	878	11	1	3	19	27	207	610
Passaic City	555	4	4	1	8	20	132	386
Paterson	1,151	27	4	3	10	45	219	843
Wayne Township	324	3	2		7	11	91	210
SALEM COUNTY	482	9		1	8	21	105	338
SOMERSET COUNTY	1,298	24		6	28	56	365	819
SUSSEX COUNTY	680	10	1	7	19	37	177	429
UNION COUNTY	4,371	62	7	13	52	118	1,049	3,070
Elizabeth	1,026	27	2	3	8	27	242	717
Plainfield	296	4			4	10	53	225
Union Township	525	4	1	3	5	14	117	381
WARREN COUNTY	857	24	1	3	12	30	187	600
STATE INSTITUTIONS	14		1	1	1		3	11
MILITARY POSTS	17	4	1	1	1	2	3	5

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

WHITE, MALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	31,340	552	82	177	738	1,440	8,922	19,429
ATLANTIC COUNTY	1,165	15	5	9	22	50	229	835
Atlantic City	384	2	3	1	2	7	74	295
BERGEN COUNTY	3,824	58	9	24	82	157	1,176	2,318
BURLINGTON COUNTY	1,053	23	5	7	39	66	325	588
CAMDEN COUNTY	1,975	52	7	13	39	109	605	1,150
Camden City	410	26	3	5	11	21	122	222
Cherry Hill Township	228	3		1	7	22	75	120
CAPE MAY COUNTY	578	4		1	2	7	17	429
CUMBERLAND COUNTY	584	20		4	22	32	162	344
Vineland City	234	8		2	8	8	67	141
ESSEX COUNTY	3,274	52	8	22	66	139	906	2,081
Bloomfield	245	2		1	7	9	68	158
East Orange	186	3			1	4	43	135
Irvington	374	6			2	11	90	265
Newark	956	22	6	9	18	64	263	574
GLOUCESTER COUNTY	697	22	7	6	30	48	183	401
HUDSON COUNTY	3,070	63	6	18	61	126	982	1,814
Bayonne	427	7		2	3	14	152	249
Hoboken	227	6	4		5	18	71	123
Jersey City	1,179	27	1	10	27	44	387	683
North Bergen Township	272	6			2	11	83	170
Union City	269	4		3	7	11	73	171
HUNTERDON COUNTY	340	3	2	6	15	16	92	206
MERCER COUNTY	1,159	17	2	2	20	44	331	743
Hamilton Township	355	3	2		4	9	108	229
Trenton	406	9		1	6	17	114	259
MIDDLESEX COUNTY	2,076	36	5	18	56	144	718	1,099
Edison Township	220	3	1	6	8	21	82	99
Old Bridge Township	92	8		2	5	9	25	43
Woodbridge Township	340	1	2	2	10	24	133	168
MONMOUTH COUNTY	2,010	27	8	5	48	95	546	1,281
Middletown Township	167	3			10	5	57	92
MORRIS COUNTY	1,337	30	3	9	47	82	396	770
Parsippany-Troy Hills	127	2			3	14	44	64
OCEAN COUNTY	1,902	30	4	8	37	59	384	1,380
PASSAIC COUNTY	2,174	33	4	7	47	96	576	1,411
Clifton	455	5		1	11	20	125	293
Passaic City	316	3	1	1	8	12	92	199
Paterson	618	12	1	1	9	31	137	427
Wayne Township	164	2	1		4	6	55	96
SALEM COUNTY	269	2		1	6	16	67	177
SOMERSET COUNTY	724	12			27	36	239	410
SUSSEX COUNTY	382	6	1	4	14	21	108	228
UNION COUNTY	2,267	34	3	9	42	71	652	1,456
Elizabeth	500	14	1	3	6	15	149	312
Plainfield	149	3			4	9	33	100
Union Township	276	1			3	8	71	193
WARREN COUNTY	459	11	1	3	10	16	122	296
STATE INSTITUTIONS	10						2	8
MILITARY POSTS	11	2	1		1		3	4

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

WHITE, FEMALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	27,435	432	73	90	240	801	5,223	20,576
ATLANTIC COUNTY	1,012	12	2	2	5	25	135	831
Atlantic City	342	3	1	1	1	6	37	293
BERGEN COUNTY	3,395	28	5	5	31	95	635	2,596
BURLINGTON COUNTY	953	18	5	6	16	47	208	653
CAMDEN COUNTY	1,677	41	3	9	20	60	345	1,199
Camden City	307	13	2	5	3	12	54	218
Cherry Hill Township	181	1				5	45	130
CAPE MAY COUNTY	498	3	1	1	4	15	75	399
CUMBERLAND COUNTY	422	6	2	2	8	15	65	324
Vineland City	148				2	4	28	114
ESSEX COUNTY	3,191	37	8	10	17	62	592	2,465
Bloomfield	289	2			1	6	61	219
East Orange	232				1	1	32	198
Irvington	345				1	5	63	276
Newark	809	14	5	3	5	20	151	611
GLOUCESTER COUNTY	576	9	2	1	9	21	126	408
HUDSON COUNTY	2,682	34	8	4	12	83	565	1,976
Bayonne	357	2	1	1		13	76	264
Hoboken	163	4				6	30	123
Jersey City	1,031	14	4	2	8	31	196	776
North Bergen Township	267				1	8	66	192
Union City	300	9	1	1	2	14	64	209
HUNTERDON COUNTY	237	6	2	1	3	8	37	180
MERCER COUNTY	1,094	22	2	7	12	18	203	830
Hamilton Township	285	1		2	2	6	69	205
Trenton	417	12	1	1	3	8	62	330
MIDDLESEX COUNTY	1,789	37	6	5	20	75	398	1,248
Edison Township	171	5		1	3	9	45	108
Old Bridge Township	75	2	1			7	14	51
Woodbridge Township	282	1	1			14	71	195
MONMOUTH COUNTY	1,947	31	7	11	17	49	345	1,487
Middletown Township	192	3	2	2	1	5	43	136
MORRIS COUNTY	1,202	34	3	7	14	51	219	874
Parsippany-Troy Hills	85	5			3	4	20	53
OCEAN COUNTY	1,358	18	4	1	12	28	245	1,050
PASSAIC COUNTY	1,805	30	9	4	20	45	334	1,363
Clifton	423	6	1	2	8	7	82	317
Passaic City	239	1	3			8	40	187
Paterson	533	15	3	2	1	14	82	416
Wayne Township	160	1	1		3	5	36	114
SALEM COUNTY	213	7			2	5	38	161
SOMERSET COUNTY	574	12		6	1	20	126	409
SUSSEX COUNTY	298	4		3	5	16	69	201
UNION COUNTY	2,104	28	4	4	10	47	397	1,614
Elizabeth	526	13	1		2	12	93	405
Plainfield	147	1				1	20	125
Union Township	249	3	1	3	2	6	46	188
WARREN COUNTY	398	13			2	14	65	304
STATE INSTITUTIONS	4			1			1	3
MILITARY POSTS	6	2				2		1

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)
NONWHITE, BOTH SEXES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	6,647	450	86	114	278	935	2,143	2,641
ATLANTIC COUNTY	436	18	6	5	15	35	103	254
Atlantic City	323	11	3	3	11	32	77	186
BERGEN COUNTY	257	15	2	5	6	25	90	114
BURLINGTON COUNTY	173	13		1	4	23	50	82
CAMDEN COUNTY	469	43	4	10	22	58	137	195
Camden City	341	34	4	10	19	39	109	126
Cherry Hill Township	18				1	1	6	10
CAPE MAY COUNTY	58	1	1			4	19	33
CUMBERLAND COUNTY	163	16	3	6	8	16	50	64
Vineland City	28	4		1	1	5	6	11
ESSEX COUNTY	2,264	129	34	35	106	370	768	822
Bloomfield	10				1		1	8
East Orange	355	25	4	3	14	49	106	154
Irvington	40	7	1	1	3	5	15	8
Newark	1,570	84	27	26	82	285	567	499
GLOUCESTER COUNTY	148	8			4	10	50	76
HUDSON COUNTY	518	46	9	10	21	87	202	143
Bayonne	28	3				1	11	13
Hoboken	7					4	2	1
Jersey City	467	42	9	10	21	80	185	120
North Bergen Township								
Union City	4					1	1	2
HUNTERDON COUNTY	5						1	4
MERCER COUNTY	403	35	5	7	8	58	128	162
Hamilton Township	25	1	1			2	10	11
Trenton	316	33	4	6	7	48	100	118
MIDDLESEX COUNTY	182	24	2	2	13	27	53	61
Edison Township	12	1			1	2	2	6
Old Bridge Township	5	2		1			1	1
Woodbridge Township	13	1			4		3	5
MONMOUTH COUNTY	403	24	4	9	20	44	116	186
Middletown Township	15	1		1	1	1	3	8
MORRIS COUNTY	63	3	2		2	7	18	31
Parsippany-Troy Hills	2		1				1	
OCEAN COUNTY	71	4	2	1	1	8	23	32
PASSAIC COUNTY	383	40	8	15	19	76	122	103
Clifton	1						1	
Passaic City	69	2	2	2	3	14	23	23
Paterson	299	37	6	7	16	62	95	76
Wayne Township	3	1					1	1
SALEM COUNTY	96	2			1	4	31	58
SOMERSET COUNTY	43	3			1	6	20	13
SUSSEX COUNTY	3						1	2
UNION COUNTY	499	26	4	7	27	76	158	201
Elizabeth	137	6		3	8	28	38	54
Plainfield	149	15	1	3	9	22	46	53
Union Township	40	2			1	3	18	16
WARREN COUNTY	8			1			3	4
STATE INSTITUTIONS	1							1
MILITARY POSTS	1					1		

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)
NONWHITE, MALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	3,764	242	43	61	190	613	1,291	1,324
ATLANTIC COUNTY	227	7	3	5	9	23	56	124
Atlantic City	172	6	2	3	6	22	43	90
BERGEN COUNTY	142	7	2	2	4	17	56	54
BURLINGTON COUNTY	96	6			4	10	31	45
CAMDEN COUNTY	263	24		5	14	38	89	93
Camden City	186	18		5	11	26	71	55
Cherry Hill Township	9				1		4	4
CAPE MAY COUNTY	31			1			9	21
CUMBERLAND COUNTY	98	10	2	3	4	8	34	37
Vineland	16	2				2	5	7
ESSEX COUNTY	1,298	64	16	18	78	262	457	403
Bloomfield	5				1		1	3
East Orange	190	12	1	2	10	30	58	77
Irvington	24	5		1	3	3	8	4
Newark	946	43	15	13	59	212	354	250
GLOUCESTER COUNTY	86	6			3	7	32	38
HUDSON COUNTY	297	25	3	4	16	62	129	58
Bayonne	19	3				1	11	4
Hoboken	5					4	1	
Jersey City	265	22	3	4	16	55	116	49
North Bergen Township								
Union City	1						1	
HUNTERDON COUNTY	4						1	3
MERCER COUNTY	233	22	2	6	3	34	83	73
Hamilton Township	12	1				1	5	5
Trenton	174	20	2	5	2	28	64	53
MIDDLESEX COUNTY	106	13		2	10	18	31	32
Edison Township	6				1	1	1	3
Old Bridge Township	3	1		1			1	
Woodbridge Township	10				3		3	4
MONMOUTH COUNTY	220	14	4	6	14	27	60	95
Middletown Township	6	1		1	1			3
MORRIS COUNTY	39	2	1		1	5	11	19
Parsippany-Troy Hills	2		1				1	
OCEAN COUNTY	39	4		1	1	4	13	16
PASSAIC COUNTY	234	23	7	8	12	47	79	58
Clifton	1						1	
Passaic City	46			2	2		14	17
Paterson	181	22	5	4	12	36	63	39
Wayne Township	1	1						
SALEM COUNTY	55	2					13	39
SOMERSET COUNTY	24	2				4	12	6
SUSSEX COUNTY	2						1	1
UNION COUNTY	276	11	2	1	17	46	93	106
Elizabeth	70	4			5	14	21	26
Plainfield	84	5		1	5	14	26	33
Union Township	19	1				1	10	7
WARREN COUNTY	3							2
STATE INSTITUTIONS	1						1	
MILITARY POSTS								1

TABLE 33: RESIDENT DEATHS BY AGE, COUNTIES AND SELECTED PLACES: 1975 (Continued)

NONWHITE, FEMALES

PLACE OF RESIDENCE	TOTAL	AGE GROUP						
		Under 1	1-4	5-14	15-24	25-44	45-64	65+
STATE TOTAL	2,883	208	43	53	88	322	852	1,317
ATLANTIC COUNTY	209	11	3		6	12	47	130
Atlantic City	151	5	1		5	10	34	96
BERGEN COUNTY	115	8		3	2	8	34	60
BURLINGTON COUNTY	77	7		1		13	19	37
CAMDEN COUNTY	206	19	4	5	8	20	48	102
Camden City	155	16	4	5	8	13	38	71
Cherry Hill Township	9					1	2	6
CAPE MAY COUNTY	27	1				4	10	12
CUMBERLAND COUNTY	65	6		1	3	4	8	16
Vineland City	12	2		1	1	3	1	4
ESSEX COUNTY	966	65	18	17	28	108	311	419
Bloomfield	5							5
East Orange	165	13	3	1	4	19	48	77
Irvington	16	2	1			2	7	4
Newark	624	41	12	13	23	73	213	249
GLOUCESTER COUNTY	62	2			1	3	18	38
HUDSON COUNTY	221	21	6	6	5	25	73	85
Bayonne	9						1	9
Hoboken	2						1	1
Jersey City	202	20	6	6	5	25	69	71
North Bergen Township								
Union City	3						1	2
HUNTERDON COUNTY	1							1
MERCER COUNTY	180	13	3	1	5	24	45	89
Hamilton Township	13		1			1	5	6
Trenton	142	13	2	1	5	20	36	65
MIDDLESEX COUNTY	76	11	2		3	9	22	29
Edison Township	6	1				1	1	3
Old Bridge Township	2	1						1
Woodbridge Township	3	1			1			1
MONMOUTH COUNTY	183	10		3	6	17	56	91
Middletown Township	9					1	3	5
MORRIS COUNTY	24	1	1		1	2	7	12
Parsippany-Troy Hills								
OCEAN COUNTY	32		2			4	10	16
PASSAIC COUNTY	149	17	1	7	7	29	43	45
Clifton								
Passaic City	23	2			3	3	9	6
Paterson	118	15	1	3	4	26	32	37
Wayne Township	2						1	1
SALEM COUNTY	41				1	3	18	19
SOMERSET COUNTY	19	1			1	2	8	7
SUSSEX COUNTY	1							1
UNION COUNTY	223	15	2	6	10	30	65	95
Elizabeth	67	2	3	3	14	17	28	
Plainfield	65	10	1	2	4	8	20	20
Union Township	21	1			1	2	8	9
WARREN COUNTY	5			1			2	2
STATE INSTITUTIONS								
MILITARY POSTS	1					1		

TABLE 34: DEATHS FROM ALL ACCIDENTS, CANCER, HEART DISEASES, DIABETES AND CEREBROVASCULAR DISEASES, COUNTIES AND SELECTED PLACES (Numbers and Rates per 100,000 Estimated Population): 1975

PLACE OF RESIDENCE	ALL ACCIDENTS		CANCER		HEART DISEASES		DIABETES		CEREBROVASCULAR DISEASES	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	2,602	35.0	14,377	193.4	27,378	368.3	1,416	19.0	5,831	78.4
ATLANTIC COUNTY	78	43.4	494	274.9	1,260	701.1	53	29.5	217	120.8
Atlantic City	20	46.5	181	420.6	528	1227.1	16	37.2	83	192.9
BERGEN COUNTY	255	28.0	1,842	202.0	3,100	340.0	138	15.1	667	73.2
CAMDEN COUNTY	100	30.6	441	135.0	897	274.5	31	9.5	203	62.1
Camden City	163	33.4	851	174.6	1,720	353.0	65	13.3	367	75.3
ESSEX COUNTY	56	53.0	195	184.7	381	360.8	20	18.9	82	77.7
Bloomfield	17	25.2	103	152.8	180	267.0	4	5.9	41	60.8
CAPE MAY COUNTY	30	46.7	238	370.2	533	829.0	16	24.9	103	160.2
CUMBERLAND COUNTY	69	53.5	223	172.8	510	395.1	22	17.0	90	69.7
Vineland City	19	37.3	75	147.3	192	377.0	10	19.6	38	74.6
GLOUCESTER COUNTY	439	47.1	1,785	191.6	3,578	384.1	222	23.8	716	76.9
HUDSON COUNTY	18	34.4	122	233.2	235	449.2	19	36.3	66	126.2
Bayonne	30	39.4	151	198.4	306	402.2	15	19.7	59	77.5
East Orange	21	35.8	172	293.0	334	568.9	27	46.0	61	103.9
Irvington	218	57.6	600	158.4	1,282	338.6	90	23.8	238	62.9
Newark	84	45.7	283	154.0	566	307.9	37	20.1	123	66.9
HUNTERDON COUNTY	194	31.7	1,341	219.4	2,815 ¹	460.6	189	30.9	458	74.9
MERCER COUNTY	16	21.7	185	251.2	406	551.4	23	31.2	52	70.6
Hoboken	14	30.1	71	152.5	178	387.4	8	17.2	32	68.8
Jersey City	104	40.0	556	214.0	1,157	445.4	84	32.3	177	68.1
North Bergen Township	10	20.6	106	218.5	274	564.8	15	30.9	39	80.4
Union City	13	22.5	126	217.8	252	435.7	23	39.8	51	88.2
HUNTERDON COUNTY	35	47.0	111	149.0	264	354.5	7	9.4	37	49.7
MIDDLESEX COUNTY	84	26.2	567	176.7	1,013	315.7	49	15.3	280	87.3
Edison Township	18	21.7	155	187.0	257	310.1	14	16.9	78	94.1
Trenton	32	30.0	209	196.0	428	401.4	21	19.7	116	108.8
MIDDLESEX COUNTY	163	26.7	942	154.4	1,627	266.6	92	15.1	336	104.0
Middletown Township	27	38.4	97	137.8	160	227.3	6	8.5	26	36.9
Old Bridge Township	9	17.4	36	69.7	61	118.0	4	7.7	14	27.1
Woodbridge Township	28	27.5	154	151.4	272	267.4	11	10.8	61	60.0
MONMOUTH COUNTY	178	37.0	954	198.5	1,692	357.1	108	22.5	500	104.0
MIDDLESEX COUNTY	16	27.9	94	163.6	141	245.4	11	19.1	38	66.1
MORRIS COUNTY	113	27.9	626	154.4	1,039	256.3	38	9.4	236	58.2
Parsippany-Troy Hills	5	8.6	53	91.4	89	153.4	3	5.2	17	29.3
OCEAN COUNTY	104	40.1	791	305.3	1,414	545.7	72	27.8	317	122.3
PASSAIC COUNTY	182	38.5	950	200.9	1,833	387.7	94	19.9	408	86.3
Clifton	38	46.1	211	256.1	374	453.9	17	20.6	99	120.2
Passaic City	16	28.6	115	205.3	290	517.8	22	39.3	69	123.2
Paterson	66	44.3	293	196.5	589	395.1	28	18.8	117	78.5
Wayne Township	13	25.9	76	151.3	148	294.6	4	8.0	19	37.8
SALEM COUNTY	23	36.1	120	188.3	237	371.9	15	23.5	61	95.7
SOMERSET COUNTY	61	29.5	323	156.4	536	259.6	27	13.1	134	64.9
SUSSEX COUNTY	35	40.5	163	188.6	278	321.7	11	12.7	65	75.2
Union County	173	31.4	1,151	208.8	2,058	373.4	105	19.1	453	82.2
ELIZABETH	39	34.0	253	220.4	496	432.1	28	24.4	111	96.7
Plainfield	21	43.6	94	195.1	162	336.2	10	20.8	35	72.6
Union Township	19	36.0	121	229.4	270	511.8	13	24.6	52	98.6
WARREN COUNTY	39	50.4	178	230.2	396	512.2	25	32.3	58	75.0
MILITARY POSTS		2			6		1			2

Note: Rates not computed for State Institutions and Military Posts due to lack of population base.

TABLE 35: ACCIDENTAL RESIDENT DEATHS BY SELECTED CAUSE GROUPS,
NUMBERS AND RATES PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1975

PLACE OF RESIDENCE	TOTAL (E800-E949)		MOTOR VEHICLE (E810-E923, E940)		POISONINGS (E850-E877, E942)		FALLS (E880-E887, E943)		FIRES (E890-E899, E944)		ALL OTHER CAUSES (E800-E807, E822-E825, E941-E945, E946-E949)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	2,602	35.0	1,111	14.9	236	3.2	554	7.5	204	2.7	497	6.7
ATLANTIC COUNTY	78	43.4	45	25.0	3	1.7	12	6.7	6	3.3	12	6.7
Atlantic City	20	46.5	8	18.6	5	1.6	5	11.6	2	4.6	5	11.6
BERGEN COUNTY	255	28.0	118	12.9	20	2.2	58	6.4	10	1.1	49	5.4
BURLINGTON COUNTY	100	30.6	53	16.2	2	0.6	12	3.7	7	2.1	26	8.0
CAMDEN COUNTY	163	33.4	63	12.9	14	2.9	30	6.2	25	5.1	31	6.4
Camden City	56	53.0	13	12.3	3	2.8	14	13.3	18	17.0	8	7.6
CHERRY HILL TOWNSHIP	17	25.2	8	11.9	1	1.5	3	4.5			5	7.4
CAPE MAY COUNTY	30	46.7	15	23.3	1	1.6	7	10.9	2	3.1	5	7.8
CUMBERLAND COUNTY	69	53.5	33	25.6	1	0.8	7	5.4	7	5.4	21	16.3
Vineland City	19	37.3	10	19.9			1	2.0	2	3.9	6	11.8
ESSEX COUNTY	439	47.1	114	12.2	63	6.8	146	15.7	41	4.4	75	8.1
Bloomfield	18	34.4	6	11.5	3	5.7	5	9.6	1	1.9	3	5.7
East Orange	30	39.4	3	3.9	9	11.8	12	15.8	1	1.3	5	6.6
Irvington	21	35.8	7	11.9	1	1.7	9	15.3	1	1.7	3	5.1
Newark	218	57.6	57	15.1	40	10.6	57	15.1	34	9.0	30	7.9
GLOUCESTER COUNTY	84	45.7	44	23.9	2	1.1	14	7.6	4	2.2	20	10.9
HUDSON COUNTY	194	31.7	63	10.3	37	6.1	33	5.4	19	3.1	42	6.9
Bayonne	16	21.7	6	8.1	1	1.4	2	2.7	4	5.4	3	4.1
Roboken	14	30.1	9	19.3	3	6.4	2	4.3				
Jersey City	104	40.0	23	8.9	18	6.9	22	8.5	13	5.0	28	10.8
North Bergen Township	10	20.6	5	10.3	1	2.1	3	6.2			1	2.1
Union City	13	22.5	8	13.8	1	1.7	2	3.5	1	1.7	1	1.7
HUNTERDON COUNTY	35	47.0	15	20.1	3	4.0	2	2.7	2	2.7	13	17.5
MERCER COUNTY	84	26.2	40	12.5	6	1.9	16	5.0	4	1.2	18	5.6
Hamilton Township	18	21.7	9	110.9	1	1.2	3	3.6	2	2.4	3	3.6
Trenton	32	30.0	12	11.3	3	2.8	7	6.6	2	1.9	8	7.5
MIDDLESEX COUNTY	163	26.7	80	13.1	15	2.5	24	3.9	13	2.1	31	5.1
Edison Township	27	38.4	17	24.2	2	2.8	3	4.3	4	5.7	1	1.4
Old Bridge Township	9	17.4	6	11.6			1	1.9			2	3.9
Woodbridge Township	28	27.5	11	10.8	3	2.9	6	5.9	1	1.0	7	6.9
MONMOUTH COUNTY	178	37.0	97	20.2	10	2.1	32	6.7	12	2.5	27	5.6
Middleletown Township	16	27.9	9	15.7	1	1.7	3	5.2			3	5.2
MORRIS COUNTY	113	27.9	54	13.3	8	2.0	27	6.7	8	2.0	16	3.9
Parisippany-Troy Hills	5	8.6	3	5.2	1	1.7	1	1.7			4	7.1
OCEAN COUNTY	104	40.1	54	20.8	2	0.8	17	6.6	8	3.1	23	8.9
PASSAIC COUNTY	182	38.5	66	14.0	23	4.9	46	9.7	23	4.9	24	5.1
Clifton	38	46.1	18	21.8	5	6.1	8	9.7	3	3.6	4	4.9
Passaic City	16	28.6	5	8.9	2	3.6	4	7.1	1	1.8	4	7.1
Paterson	66	44.3	18	12.1	10	6.7	17	11.4	12	8.0	9	6.0
Wayne Township	13	25.9	7	13.9			4	8.0	1	2.0	1	2.0
SALEM COUNTY	23	36.1	12	18.8			4	6.3			7	11.0
SOMERSET COUNTY	61	29.5	32	15.5	2	1.0	11	5.3	2	1.0	14	6.8
SUSSEX COUNTY	35	40.5	17	19.7	1	1.2	5	5.8	2	2.3	10	11.6
UNION COUNTY	173	31.4	71	12.9	23	4.2	42	7.6	8	1.5	29	5.3
Elizabeth	39	34.0	14	12.2	7	6.1	8	7.0	3	2.6	7	6.1
Plainfield	21	43.6	10	20.8	3	6.2	4	8.3	4	4.9	4	8.3
Union Township	19	36.0	10	19.0	2	3.8	5	9.5	2	3.8	2	3.8
WARREN COUNTY	39	50.4	25	32.3			9	11.6	1	1.3	4	5.2
STATE INSTITUTIONS												
MILITARY POSTS												

TABLE 36: RESIDENT MOTOR VEHICLE DEATHS BY CAUSE GROUP, COUNTIES AND SELECTED PLACES: 1975

TABLE 36: RESIDENT MOTOR VEHICLE DEATHS BY CAUSE GROUP,
COUNTIES AND SELECTED PLACES: 1975

PLACE OF RESIDENCE	INJURY TO			COLLISION WITH			Non-Collision	Other and Unspecified Accidents	Late Effects
	Pedestrian	Cyclist	Railroad Train	Other Motor Vehicle	Fixed Object				
TOTAL	1,111	276	25	7	386	116	255	42	4
STATE TOTAL									
ATLANTIC COUNTY	45	9			25	1	9		
Atlantic City	8	2			4	1	1		
BERGEN COUNTY	118	32	5		28	14	29	9	1
Burlington County	53	14	1		21	6	11		
CAMDEN COUNTY	63	16	2		26	6	13		
Camden City	13	3	2		3	2	3		
Cherry Hill Township	8	2			3	1	2		
CAPE MAY COUNTY	15	1	2		4	4	7	1	
CUMBERLAND COUNTY	33	7			8	2	16		
Vineyard City	10	1			4	1	4		
ESSEX COUNTY	114	44	1		31	18	17	3	
Bloomfield	6	3	1		1	1	1		
East Orange	3				1		1		
Irvington	7	3			2	1	1		
Newark	57	24	8	1	18	5	8	2	
Gloucester County	44	30	30	2	17	2	12	2	
Hudson County	63	4			10	5	13	5	
Bayonne	6				1		1		
Hoboken	9	5			2	1	1		
Jersey City	23	9			4	2	5	3	
North Bergen Township	5	3							
Union City	8				1		4		
HUNTERDON COUNTY	15	4			4	2	2		
MERCER COUNTY	40	10	1		12	4	3	4	
Hamilton Township	9	4			2	1	2		
Trenton	12	4	1		4	1	1	2	
MIDDLESEX COUNTY	80	18	2	1	34	8	16	1	
Edison Township	17	4			10	1	2		
Old Bridge Township	6	4			1	1	1		
Woodbridge Township	11	3			5	2	2		
MONMOUTH COUNTY	97	15	1	1	37	14	23	5	
Middletown Township	9	2			2	2	1	1	
MORRIS COUNTY	54	12	1	2	19	6	11	3	
Parsippany-Troy Hills	3				1		2		
OCEAN COUNTY	54	13			22	4	13	2	
Passaic County	66	12	3		30	6	14	1	
Clifton	18	3			11	4	4		
Passaic City	5				2		1		
Paterson	18	7			8	1	2		
Wayne Township	7	2			4		1		
SALEM COUNTY	12				1		1	3	
Somerset County	32	6			1		12	7	1
SUSSEX COUNTY	17	3			8	2	4	1	
UNION COUNTY	71	19	1		27	7	15	1	
Elizabeth	14	5			5	3	3		
Plainfield	10	2	1		2	1	2	1	
Union Township	10	2			6	1	1		
WARREN COUNTY	25	3					11	1	
STATE INSTITUTIONS									
MILITARY POSTS									

TABLE 37: TUBERCULOSIS MORBIDITY AND MORTALITY, NUMBERS AND RATES PER
100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1975

PLACE OF RESIDENCE	CLINICALLY ACTIVE CASES		ALL CASES		DEATHS	
	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	1,271	17.1	1,362	18.3	122	1.6
ATLANTIC COUNTY	39	21.7	40	22.3	8	4.5
Atlantic City	22	51.1	23	53.5	3	7.0
BERGEN COUNTY	59	6.5	60	6.6	14	1.5
BURLINGTON COUNTY	27	8.3	29	8.9	3	0.9
CAMDEN COUNTY	61	12.5	68	14.0	7	1.4
Camden City	29	27.5	33	31.3	2	1.9
Cherry Hill Township	5	7.4	5	7.4	1	1.5
CAPE MAY COUNTY	10	15.6	10	15.6	1	1.6
CUMBERLAND COUNTY	27	20.9	31	24.0	4	3.1
Vineland City	10	19.6	13	25.5	3	5.9
ESSEX COUNTY	342	36.7	357	38.3	21	2.3
Bloomfield	5	9.6	5	9.6	1	1.9
East Orange	24	31.5	26	34.2	1	1.3
Irvington	15	25.5	16	27.3	2	3.4
Newark	251	66.3	258	68.1	13	3.4
GLOUCESTER COUNTY	21	11.4	22	12.0	1	0.5
HUDSON COUNTY	175	28.6	188	30.8	18	2.9
Bayonne	8	10.9	8	10.9		
Hoboken	22	47.3	25	53.7	2	4.3
Jersey City	116	44.7	121	46.6	13	5.0
North Bergen Township	3	6.2	5	10.3	3	6.2
Union City	8	13.8	11	19.0		
HUNTERDON COUNTY	6	8.1	6	8.1	1	1.3
MERCER COUNTY	51	15.9	58	18.1	4	1.2
Hamilton Township					1	1.2
Trenton	46	43.1	53	49.7	3	2.8
MIDDLESEX COUNTY	64	10.5	65	10.7	8	1.3
Edison Township	9	12.8	9	12.8		
Old Bridge Township						
Woodbridge Township	8	7.9	8	7.9		
MONMOUTH COUNTY	55	11.4	67	13.9	5	1.0
Middletown Township	8	13.9	9	15.7	1	1.7
MORRIS COUNTY	41	10.1	43	10.6		
Parsippany-Troy Hills	2	3.4	3	5.2		
OCEAN COUNTY	31	12.0	34	13.1	4	1.5
PASSAIC COUNTY	129	27.3	133	28.1	7	1.5
Clifton	3	3.6	5	6.1		
Passaic City	18	32.1	19	33.9	1	1.8
Paterson	96	64.4	97	65.1	4	2.7
Wayne Township	3	6.0	3	6.0		
SALEM COUNTY	11	17.3	12	18.8	2	3.1
SOMERSET COUNTY	18	8.7	20	9.7	1	0.5
SUSSEX COUNTY	1	1.2	2	2.3	2	2.3
UNION COUNTY	92	16.7	105	19.1	10	1.8
Elizabeth	32	27.9	37	32.2	4	3.5
Plainfield	13	27.0	15	31.1		
Union Township	8	15.2	9	17.1		
WARREN COUNTY	1	1.3	1	1.3	1	1.3
STATE INSTITUTIONS	9		10			
MILITARY POSTS	1		1			

Note: Rates for State Institutions and Military Posts are not computed due to lack of population base.

**TABLE 38: RESIDENT CIRCULATORY DISEASE DEATHS BY CAUSE GROUP, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1975**

PLACE OF RESIDENCE	TOTAL (390,458)		Active Rheumatic Fever (390,392)		Chronic Rheumatic Heart (393,398)		Hypertensive Diseases (400,404)		Ischemic Heart (410,414)		Other Diseases of Heart (420,429)		Cerebro- vascular Diseases (430,438)		Other Diseases of Arteries, Etc. (440,448)		Dis. of Veins, Lymphatic & Other Diseases (450,458)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	35,602	478.9	9	0.1	547	7.4	547	7.4	25,440	342.2	1,036	13.9	5,831	78.4	1,568	21.1	624	8.4
ATLANTIC COUNTY	1,580	879.2			12	6.7	18	10.0	1,201	668.3	36	20.0	217	120.8	69	38.4	27	15.0
ATLANTIC COUNTY	650	1510.6	1	0.1	7	16.3	8	18.6	1,166.6	14	32.5	83	19.9	23	53.5	13	30.2	
BERGEN COUNTY	4,036	442.6			68	7.5	60	6.6	2,914	319.6	80	8.8	667	73.2	182	20.0	64	7.0
BURLINGTON COUNTY	1,206	369.1			18	5.5	14	4.3	819	250.6	52	15.9	203	62.1	74	22.6	26	8.0
CAMDEN COUNTY	2,230	457.6			33	6.8	21	4.3	1,549	317.9	124	25.4	367	75.3	97	19.9	39	8.0
Camden City	498	471.6			13	12.3	10	9.5	334	316.3	27	25.6	82	77.7	23	21.8	9	8.5
Cherry Hill Township	243	360.5			2	3.0	1	1.6	163	241.8	15	22.3	41	60.8	19	28.2	3	4.5
CAPE MAY COUNTY	704	1095.0			8	12.4	10	15.6	509	791.7	10	15.6	103	160.2	62	96.4	2	3.1
CUMBERLAND COUNTY	640	495.9			3	2.3	10	7.7	466	361.0	33	25.6	90	69.7	28	21.7	10	7.7
Vineland City	243	477.2			2	3.9	3	5.9	182	357.4	6	11.8	38	74.6	7	13.7	5	9.8
ESSEX COUNTY	4,575	491.1			75	8.1	99	10.6	3,238	347.6	191	20.5	716	76.9	160	17.2	96	10.3
Bloomsfield	315	602.1			4	7.6	7	13.4	219	418.6	7	13.4	66	126.2	7	13.4	5	9.6
East Orange	397	521.8			5	6.6	11	14.5	279	366.7	12	15.8	59	77.5	19	25.0	12	15.8
Irvington	412	701.8			10	17.0	2	3.4	303	516.1	20	34.1	61	103.9	10	17.0	6	10.2
Newark	1,627	429.7			16	4.2	55	14.5	1,126	29.4	59	22.7	238	62.9	54	14.3	41	10.8
GLoucester County	766	416.7			13	7.1	15	8.2	533	290.0	17	9.2	123	66.9	50	27.2	15	8.2
HUDSON COUNTY	3,451	564.7	1	0.2	48	7.9	73	11.9	2,609	426.9	107	17.5	458	74.9	103	16.9	52	8.5
Bayonne	4,477	647.8			5	6.8	7	9.5	386	524.2	8	10.9	52	70.6	16	21.7	3	4.1
Hoboken	221	474.8			3	6.4	4	8.6	163	350.2	8	17.2	32	68.8	7	15.0	4	8.6
Jersey City	1,440	541.6			29	11.2	33	12.7	1,047	403.0	59	22.7	177	68.1	38	14.6	24	9.2
North Bergen Township	332	684.3	1	2.1	3	6.2	6	12.4	255	525.6	11	22.7	39	80.4	13	26.8	4	8.2
Union City	320	553.3					6	10.4	238	411.5	9	15.6	51	88.2	10	17.3	6	10.4
HUNTERDON COUNTY	325	436.4			2	2.7	2	2.7	257	345.1	4	5.4	37	49.7	17	22.8	6	8.1
MERCER COUNTY	1,413	440.3			13	4.1	29	9.0	961	295.9	24	7.5	280	87.3	83	25.9	23	7.2
Hamilton Township	366	441.6			3	3.6	8	9.7	246	296.8	4	4.8	78	94.1	21	25.3	6	7.2
Trenton	595	518.0			5	4.7	16	15.0	401	376.1	14	13.1	116	108.8	32	30.0	11	10.3
MIDDLESEX COUNTY	2,122	347.7	1	0.2	36	5.9	31	5.1	1,529	250.6	41	6.7	336	55.1	114	18.7	34	5.6
Edison Township	201	285.6			5	7.1	1	1.4	149	211.7	5	7.1	26	36.9	9	12.8	6	8.5
Old Bridge Township	82	158.7			1	1.9	3	5.8	58	112.2	1	1.9	14	27.1	5	9.7		
Woodbridge Township	358	352.0			7	6.9	4	3.9	260	255.6	3	9.9	61	60.0	19	18.7	4	3.9
MONMOUTH COUNTY	2,375	494.2	3	0.6	32	6.7	32	6.7	1,574	327.5	66	13.7	500	104.0	132	27.5	36	7.5
Middletown Township	195	339.4			1	1.7	1	1.7	132	229.8	8	13.9	38	66.1	14	24.4	2	3.5
MORRIS COUNTY	3,368	337.5	1	0.2	35	8.6	18	4.4	958	236.3	35	8.6	236	58.2	54	13.3	31	7.6
Parsonsbury-Troy Hills	1,115	198.3	1	1.7	46	9.3	3	5.2	79	136.2	3	5.2	17	29.3	5	8.6	3	5.2
OCEAN COUNTY	1,853	715.1			28	10.8	20	7.7	1,337	516.0	38	14.7	317	122.3	76	29.3	37	14.3
PASSAIC COUNTY	2,370	501.3	1	0.2	39	8.2	40	8.5	1,723	364.5	44	9.3	408	85.3	76	16.1	39	8.2
Clifton	497	603.2			5	6.1	9	10.9	355	430.9	6	7.3	99	120.2	17	20.6	6	7.3
Passaic City	377	673.1			3	5.4	6	10.7	281	501.7	3	5.4	69	123.2	9	16.1	6	10.7
Paterson	748	501.7			10	6.7	15	10.1	551	369.6	18	12.1	117	78.5	26	17.4	11	7.4
Wayne Township	1,78	354.3			8	15.9	4	8.0	135	268.7	4	8.0	19	37.8	5	10.0	3	6.0
SALEM COUNTY	327	513.1	4	0.6	6.3	4	6.3	4	218	342.1	13	20.4	61	95.7	19	29.8	8	12.6
SOMERSET COUNTY	720	348.7			8	3.9	9	4.4	505	244.6	19	9.2	134	64.9	36	17.4	9	4.4
SUSSEX COUNTY	361	417.7			7	8.1	4	4.6	264	305.5	5	5.8	65	75.2	11	12.7	6	5.8
UNION COUNTY	2,688	487.7	1	0.2	56	10.2	37	6.7	1,888	342.6	18	15.8	453	82.2	107	19.4	59	10.7
Elizabeth	653	568.8	1	0.9	17	14.8	7	6.1	453	394.6	19	16.6	111	96.7	30	26.1	15	13.1
Plainfield	215	446.2			4	8.3	3	6.2	147	305.1	8	16.6	35	72.6	10	20.8	8	16.6
Union Township	340	644.5			7	13.3	6	11.4	248	470.1	11	20.9	52	98.6	12	22.7	4	7.6
WARREN COUNTY	478	618.3			9	11.6	1	1.3	377	487.6	9	11.6	58	75.0	18	23.3	6	7.8
STATE INSTITUTIONS	8										6		5		1			
MILITARY POSTS	6																	

Note: Addition of individual cause group rates may not add to total rates due to rounding.

TABLE 39: CASES OF SYPHILIS BY STAGE, AND GONORRHEA, NUMBERS AND RATES
PER 100,000 ESTIMATED POPULATION, COUNTIES AND SELECTED PLACES: 1975

PLACE OF RESIDENCE	SYPHILIS						GONORRHEA	
	ALL STAGES		PRIMARY AND SECONDARY		EARLY LATENT			
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE TOTAL	2,431	32.7	771	10.4	666	9.0	17,858	240.2
ATLANTIC COUNTY	117	65.1	29	16.1	42	23.4	499	277.7
Atlantic City	83	192.9	26	60.4	32	74.4	360	836.6
BERGEN COUNTY	121	13.3	29	3.2	31	3.4	569	62.4
BURLINGTON COUNTY	29	8.9	10	3.1	7	2.1	288	88.1
CAMDEN COUNTY	77	15.8	22	4.5	24	4.9	774	158.8
Camden City	52	49.2	17	16.1	16	15.2	588	556.8
Cherry Hill Township	6	8.9	1	1.5	2	3.0	20	29.7
CAPE MAY COUNTY	11	17.1	2	3.1	2	3.1	100	155.5
CUMBERLAND COUNTY	34	26.3	12	9.3	5	3.9	455	352.5
Vineland City	10	19.6	4	7.9			72	141.4
ESSEX COUNTY	870	93.4	305	32.7	260	27.9	6,209	666.5
Bloomfield	9	17.2	4	7.6	2	3.8	17	32.5
East Orange	100	131.4	30	39.4	31	40.7	628	825.3
Irvington	21	35.8	8	13.6	7	11.9	115	195.9
Newark	678	179.0	249	65.8	209	55.2	5,131	1355.0
GLOUCESTER COUNTY	17	9.2	3	1.6	4	2.2	161	87.6
HUDSON COUNTY	238	38.9	80	13.1	95	15.5	1,098	179.7
Bayonne	8	10.9	4	5.4			49	66.5
Hoboken	19	40.8	3	6.4	5	10.7	34	73.0
Jersey City	161	62.0	62	23.9	74	28.5	903	347.6
North Bergen Township	11	22.7	2	4.1	8	16.5	26	53.6
Union City	17	29.4	6	10.4	4	6.9	35	60.5
HUNTERDON COUNTY							69	92.6
MERCER COUNTY	204	63.6	52	16.2	30	9.3	1,710	532.9
Hamilton Township	8	9.7	2	2.4			40	48.3
Trenton	188	176.3	48	45.0	29	27.2	1,600	1500.6
MIDDLESEX COUNTY	121	19.8	27	4.4	17	2.8	1,154	189.1
Edison Township	18	25.6	3	4.3	3	4.3	154	218.8
Old Bridge Township							3	5.8
Woodbridge Township	8	7.9	1	1.0	1	1.0	41	40.3
MONMOUTH COUNTY	90	18.7	39	8.1	20	4.2	840	174.8
Middletown Township	2	3.5	1	1.7			12	20.9
MORRIS COUNTY	45	11.1	23	5.7	13	3.2	191	47.1
Parsippany-Troy Hills	3	5.2	3	5.2			15	25.9
OCEAN COUNTY	28	10.8	7	2.7	9	3.5	200	77.2
PASSAIC COUNTY	156	33.0	44	9.3	48	10.2	1,439	304.4
Clifton	14	17.0	4	4.9	5	6.1	28	34.0
Passaic City	37	66.1	9	16.1	13	23.2	121	216.0
Paterson	93	62.4	29	19.5	27	18.1	1,215	814.9
Wayne Township	5	10.0			1	2.0	19	37.8
SALEM COUNTY	8	12.6			1	1.6	142	222.8
SOMERSET COUNTY	22	10.7	4	1.9	2	1.0	194	93.9
SUSSEX COUNTY	4	4.6	3	3.5			19	22.0
UNION COUNTY	173	31.4	62	11.2	46	8.3	1,077	195.4
Elizabeth	50	43.6	19	16.6	9	7.8	498	433.8
Plainfield	52	107.9	19	39.4	19	39.4	355	736.7
Union Township	9	17.1	4	7.6	3	5.7	29	55.0
WARREN COUNTY	8	10.3	3	3.9	2	2.6	31	40.1
STATE INSTITUTIONS	37		2		3		42	
MILITARY POSTS	21		13		5		597	

Note: Rates not computed for State Institutions and Military Posts due to lack of population base.

TABLE 40: ANNUAL SUMMARY OF NOTIFIABLE DISEASE CASES BY COUNTY OF RESIDENCE: 1975

TABLE 40: ANNUAL SUMMARY OF NOTIFIABLE DISEASE CASES BY COUNTY OF RESIDENCE: 1975

COUNTY	AMEBIASIS		ASPERGILLITIS		MENINGITIS		BRUGELLOSIIS		MASTITIS		MEASLES		PERTUSSIS (WHOOPING COUGH)		KUBELLA (GERMAN MEASLES)		SALMONELLOSIS (EXCLUDING TYPHOID FEVER)		SHIGELLOSIS (BACILLARY DYSENTERY)		TETANUS		TRICHIOSIS		TULAREMIA		TYPHOID FEVER		TYPHUS (ROCKY MOUNTAIN SPOTTED FEVER)	
	HEPATITIS	UNSPECIFIED	TYPE A INFECTIONS	TYPE B SERUM	MALARIA	TOTAL	CIVILIAN	MILITARY	MUMPS	MUMPS	MENINGOCOCAL INFECTIONS	MEASLES (RUBEOLA)	MILITARY	CIVILIAN	MILITARY	CIVILIAN	MILITARY	CIVILIAN	MILITARY	TETANUS	TRICHIOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS	ROCKY MOUNTAIN SPOTTED FEVER)					
TOTAL	81	345	1	952	1235	375	15	477	24	3	21	465	8	1021	1118	255	2	47	2	15	10									
Atlantic		29		8	41	6					1	12	1	202	36	8		1												
Bergen		37		76	117	55	3	31	1	1	1	61	1	327	80	13														
Burlington		19		45	39	20		206	1	1	1	28		62	93	3														
Camden		17		69	80	17	2	28	2	2	2	57		59	77	18														
Cape May		3		5	13	1								1	1	3		1												
Cumberland		68		4	7	20	5		1	1	1	1		1	23	14		1												
Essex		51		128	227	74	3	24	3	3	3	34	3	84	177	70														
Gloucester		5		18	26	6		2			1	12	1	17	1															
Hudson		12		104	137	11	3	5			1	13	9	53	14															
Hunterdon		1		4	4	9	4		50	1	1	2	2	2	11	1														
Mercer		1		14	61	66	26		52	2	2	8	2	8	81	2														
Middlesex		17		59	103	15	1	6	3	2	2	3	3	37	17	127														
Monmouth		24		61	59	31		11	4	3	1	70	1	106	15	41	7	1												
Morris		1		17	71	43	13	6						1	106	15	41	7	1											
Ocean		15		32	40	25		7	2	2	2	8	2	23	1	57	45	3	1	1										
Passaic		21		1	71	82	22	2	32	1	1	1	1	1	24	42	31	1	1											
Salem		1		6	7	1		2		1	1	1	1	1	113	11	1													
Somerset		8		16	25	29	10	1	3					1	1	1	1	1												
Sussex		8		12	3	3		2	1	1	1	1	1	1	3	11	3	1												
Union		27		84	88	29	9	9	2	2	2	9	1	10	87	11														
Warren		4		6	6	1								1	2	5	2	5												
Unknown																														

Note: There were no cases of Diphtheria.
Cases occurring in State Institutions or Military Posts are included in county totals.

**TABLE 41: ESTIMATED POPULATION, BIRTHS, MARRIAGES, DEATHS, INFANT DEATHS
FETAL DEATHS AND NEONATAL DEATHS BY COUNTIES AND MUNICIPALITIES: 1975**
(Marriage data by place of occurrence, all other by place of residence)

ATLANTIC COUNTY

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	179,705	2,544	1,312	2,613	45	26	33
Absecon City	6,600	118	54	82	4		4
Atlantic City	43,030	732	290	1,049	16	11	11
Brigantine City	7,420	66	52	89	1		
Buena Borough	3,455	52	47	37		1	
Buena Vista Township	4,745	76	25	33	2	1	1
Corbin City	260		2	2			
Egg Harbor City	4,455	71	41	54	1		
Egg Harbor Township	12,470	241	73	100	4	4	4
Estell Manor City	580	9	3	5			
Folsom Borough	1,995	31	7	17			
Galloway Township	8,720	88	78	62	1		1
Hamilton Township	7,740	120	49	97	2	2	1
Hammonton Town	12,310	224	122	101	1	2	1
Linwood City	6,430	59	72	57	1		1
Longport Borough	1,210	6	18	24			
Margate City	10,485	60	73	139			
Mullica Township	3,555	33	28	34	1		1
Northfield City	9,055	60	71	67			
Pleasantville City	14,200	237	103	223	7	3	6
Port Republic City	645	14	1	8			
Somers Point City	8,855	143	52	125		1	
Ventnor City	10,435	83	48	202	4	1	2
Weymouth Township	1,055	21	3	6			

BERGEN COUNTY

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	911,795	8,371	6,062	7,476	101	51	78
Allendale Borough	6,390	67	21	34	1		1
Alpine Borough	1,390	12	17	11			
Bergenfield Borough	29,200	246	176	217	1	1	1
Bogota Borough	9,075	94	83	78	2		1
Carlstadt Borough	6,870	64	20	68	2		2
Cliffside Park Borough	19,495	218	116	231	1	1	1
Closter Borough	8,695	75	47	64	1		1
Cresskill Borough	8,290	54	128	57			
Demarest Borough	5,195	44	36	36		1	
Dumont Borough	20,420	196	97	165	1	2	1
East Rutherford Borough	8,715	107	94	68	1		1
Edgewater Borough	5,125	53	19	41		1	
Elmwood Park Borough	20,900	188	85	153	2	1	1
Emerson Borough	8,550	65	48	69	1		1
Englewood City	24,565	260	232	295	6	7	4
Englewood Cliffs Borough	5,950	20	29	51	1		1
Fair Lawn Borough	37,850	244	246	298	5	2	5
Fairview Borough	10,835	130	84	103	2		2
Fort Lee Borough	31,925	323	143	302	5	2	

BERGEN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Franklin Lakes Borough	7,910	58	43	50			
Garfield City	31,470	384	234	333	5	3	3
Glen Rock Borough	13,055	112	95	108			
Hackensack City	37,065	464	384	376	6	3	4
Harrington Park Borough	4,970	37	32	39	1		1
Hasbrouck Heights Borough	13,615	104	128	107			
Haworth Borough	3,780	23	33	26	1		1
Hillsdale Borough	11,990	99	66	62	2	1	2
Hohokus Borough	4,370	38	59	40	1		1
Leonia Borough	8,915	71	52	80			
Little Ferry Borough	9,650	123	62	71		1	
Lodi Borough	26,180	392	130	211	2	2	1
Lyndhurst Township	23,050	227	162	204	2	1	1
Mahwah Township	11,345	123	54	63	1		1
Maywood Borough	11,095	91	84	97	2		2
Midland Park Borough	8,290	86	75	60	1		1
Montvale Borough	7,610	81	26	37			
Moonachie Borough	3,035	41	18	23	2	1	2
New Milford Borough	19,275	150	139	139	1		1
North Arlington Borough	18,165	168	108	197	1	1	
Northvale Borough	5,385	52	34	31			
Norwood Borough	4,530	28	40	20			
Oakland Borough	15,095	126	54	66	4	1	4
Old Tappan Borough	4,080	40	41	22		1	
Oradell Borough	8,900	45	18	61			
Palisades Interstate Park				1			
Palisades Park Borough	13,560	143	79	165	6	1	6
Paramus Borough	28,905	195	252	170	1		
Park Ridge Borough	9,135	89	75	51		1	
Ramsey Borough	13,010	141	87	92	1	1	
Ridgefield Borough	11,265	80	94	115	3		1
Ridgefield Park Township	14,075	133	95	121	2	1	1
Ridgewood Village	27,535	192	211	207			
River Edge Borough	12,740	99	89	113		1	
River Vale Township	9,115	68	21	45	1		1
Rochelle Park Township	6,365	48	27	50			
Rockleigh Borough	305		5	4			
Rutherford Borough	20,740	181	159	217	2	1	2
Saddle Brook Township	16,365	137	84	102	1	2	1
Saddle River Borough	2,470	8	29	25			
South Hackensack Township	2,480	26	7	18			
Teaneck Township	42,255	400	201	345	10	2	6
Tenafly Borough	14,530	91	120	144	3	1	2
Teterboro Borough	20	1					
Upper Saddle River Borough	8,155	44	57	49			
Waldwick Borough	12,725	128	17	67	1		1
Wallington Borough	10,880	135	83	118		1	
Washington Township	10,870	69	50	45	2	1	1
Westwood Borough	11,430	113	99	110	1	2	1
Woodcliff Lake Borough	5,620	36	33	32	1		1
Wood-Ridge Borough	8,510	72	51	90		1	
Wyckoff Township	16,475	119	145	116	2	1	1

BURLINGTON COUNTY 1975

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	326,770	4,264	2,243	2,179	54	50	43
Bass River Township	920	10	6	13			
Beverly City	3,255	60	54	45	1	4	1
Bordentown City	4,600	35	70	72	3		3
Bordentown Township	7,805	124	18	47	2		2
Burlington City	11,730	48	108	149	6	3	5
Burlington Township	12,290	347	53	55	1	2	
Chesterfield Township	3,220	24	11	16			
Cinnaminson Township	17,520	141	142	75	1	1	1
Delanco Township	4,220	40	14	39			
Delran Township	11,570	225	30	60	2	2	2
Eastampton Township	2,925	67	9	16		1	
Edgewater Park Township	8,545	134	60	47	3		3
Evesham Township	16,100	275	67	76	1	1	1
Fieldsboro Borough	620	1	5	3		1	
Florence Township	8,900	110	60	92	1	1	1
Hainesport Township	3,005	29	33	31	1		1
Lumberton Township	4,610	99	21	26			
Mansfield Township	2,710	31	29	27			
Maple Shade Township	18,295	303	161	165	1	6	
Medford Township	9,905	127	80	76	4	2	4
Medford Lakes Borough	4,990	27	82	25			
Moorestown Township	15,945	121	147	149	1	3	1
Mount Holly Township	13,155	189	160	112	4	2	3
Mount Laurel Township	12,455	142	40	65	1		1
New Hanover Township	10,990	28	6	10		1	
North Hanover Township	8,730	43	14	13		1	
Palmyra Borough	7,180	84	37	69	3		2
Pemberton Borough	1,440	41	87	20	1	1	1
Pemberton Township	21,285	464	79	116	6	9	4
Riverside Township	8,740	95	105	86		1	
Riverton Borough	3,440	26	73	41	1		1
Shamong Township	1,595	21	9	16			
Southampton Township	6,280	80	24	93		1	
Springfield Township	2,435	35	12	16		1	
Tabernacle Township	2,470	38	12	10			
Washington Township	690	5	8	9			
Westampton Township	2,810	15	5	10			
Willingboro Township	45,650	520	224	167	8	6	5
Woodland Township	2,115	20	5	6			
Wrightstown Borough	1,630	40	83	16	1		1

CAMDEN COUNTY

TOTAL	487,310	6,615	3,355	4,121	136	44	109
Audubon Borough	10,775	109	77	141	1		1
Audubon Park Borough	1,455	7	3	13			
Barrington Borough	8,755	98	63	59	6	2	4

CAMDEN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Bellmawr Borough	16,295	176	87	92	7	2	5
Berlin Borough	5,530	103	79	48		2	
Berlin Township	5,975	68	19	27	2	1	2
Brooklawn Borough	2,915	22	10	21	1		
Camden City	105,600	1,944	713	1,058	73	18	60
Cherry Hill Township	67,405	517	462	427	4	3	2
Chesilhurst Borough	900	17	5	11			
Clementon Borough	5,140	103	40	67	3	1	2
Collingswood Borough	17,445	216	131	220	3		3
Gibbsboro Borough	2,700	38	41	10			
Gloucester City	14,915	190	105	185	6		4
Gloucester Township	35,930	541	183	185	7	6	7
Haddon Township	18,075	111	65	143			
Haddonfield Borough	12,970	135	163	143	1		
Haddon Heights Borough	9,340	82	128	93		1	
Hi-Nella Borough	1,385	30	3	5		1	
Laurel Springs Borough	2,920	62	29	28	1		
Lawnside Borough	2,870	34	14	30			1
Lindenwold Borough	17,855	455	98	95	3	1	3
Magnolia Borough	6,230	90	67	36			
Merchantville Borough	4,355	39	136	57	1		1
Mount Ephraim Borough	5,590	53	64	56			
Oaklyn Borough	4,610	49	24	77			
Pennsauken Township	36,955	322	145	334	1		1
Pine Hill Borough	6,135	171	28	56	3	1	2
Pine Valley Borough	25			1			
Runnemede Borough	10,835	110	125	76	2		1
Somerdale Borough	6,940	115	75	58	3		3
Stratford Borough	10,240	106	44	54		1	
Tavistock Borough	15		2				
Voorhees Township	7,235	91	30	32	2	3	2
Waterford Township	4,470	92	32	67	2		2
Winslow Township	13,390	280	46	77	4	1	3
Wood-Lynne Borough	3,135	39	19	39			

CAPE MAY COUNTY

TOTAL	64,295	816	627	1,134	8	13	5
Avalon Borough	1,880	14	22	22			
Cape May City	3,980	52	71	92	3	1	2
Cape May Point Borough	215		5	8			
Dennis Township	2,795	40	19	48		1	
Lower Township	11,275	203	82	231	1	2	1
Middle Township	9,350	144	67	146	1	6	
North Wildwood City	4,185	44	23	67			
Ocean City	11,850	76	94	209	1		1
Sea Isle City	2,595	27	41	26			
Stone Harbor Borough	1,280	7	29	27			
Upper Township	3,880	59	26	61		1	

CAPE MAY COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
West Cape May Borough	1,030	11	4	17			
West Wildwood Borough	260	2	1	4			
Wildwood City	3,330	60	87	103	2	1	1
Wildwood Crest Borough	3,610	29	40	58			
Woodbine Borough	2,780	48	16	15		1	

CUMBERLAND COUNTY

TOTAL	129,070	2,005	1,073	1,169	42	26	29
Bridgeton City	21,540	410	239	246	11	7	9
Commercial Township	3,875	93	17	37		1	
Deerfield Township	2,685	33	17	21		1	
Downe Township	1,895	20	14	22			
Fairfield Township	5,350	82	14	45	5	1	3
Greenwich Township	960	6	8	5			
Hopewell Township	4,150	35	20	21	1		
Lawrence Township	2,435	34	19	17		1	
Maurice River Township	4,130	50	34	40	3		2
Millville City	22,695	386	230	245	9	4	5
Shiloh Borough	595	10	7	7			
Stow Creek Township	1,120	21		10		1	
Upper Deerfield Township	6,805	77	43	43	1	2	1
Vineland City	50,925	748	411	410	12	8	9

ESSEX COUNTY

TOTAL	931,525	12,130	6,969	8,729	218	163	142
Belleville Town	38,815	504	252	355	9	5	9
Bloomfield Town	52,315	492	299	544	4	2	3
Caldwell Borough	8,710	78	70	86	1		1
Cedar Grove Township	14,790	95	83	83	2	1	2
East Orange City	76,090	1,144	559	773	28	16	22
Essex Fells Borough	2,545	7	45	19			
Fairfield Borough	7,160	59	36	33			
Glen Ridge Borough	8,540	69	38	78	1		1
Irvington Town	58,710	683	354	759	13	13	8
Livingston Township	30,830	203	326	190	3	1	3
Maplewood Township	24,580	197	189	247	3	2	3
Millburn Township	20,995	114	251	204	1	2	1
Montclair Town	43,565	381	323	475	11	7	8
Newark City	378,670	6,512	2,715	3,335	120	94	68
North Caldwell Borough	6,780	43	45	37	1	1	
Nutley Town	32,325	261	254	282	1	3	1
Orange City	33,365	504	261	371	10	6	5
Roseland Borough	4,605	43	33	36		1	
South Orange Village	16,740	118	222	186	2	1	1
Verona Borough	15,375	143	185	136	4	1	2
West Caldwell Borough	12,320	119	20	82	2	1	2
West Orange Town	43,700	361	409	418	2	6	2

GLOUCESTER COUNTY : 1975

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	183,810	2,485	1,450	1,421	39	23	27
Clayton Borough	5,725	108	41	47	5	1	5
Deptford Township	25,075	249	125	140	1	1	1
East Greenwich Township	3,490	28	8	19			
Elk Township	2,900	29	14	13		1	
Franklin Township	9,635	167	84	67	2	3	2
Glassboro Borough	13,800	175	95	117	4	3	1
Greenwich Township	5,880	55	27	50			
Harrison Township	2,845	48	17	23	2		2
Logan Township	1,820	17	8	16	1		
Mantua Township	10,230	148	96	79		1	
Monroe Township	16,215	300	134	150	7	1	5
National Park Borough	3,870	47	44	22	1		1
Newfield Borough	1,595	23	20	20			
Paulsboro Borough	8,360	126	44	78	1	4	1
Pitman Borough	10,500	142	81	106	1	1	1
South Harrison Township	1,285	5	6	4			
Swedesboro Borough	2,385	55	23	29	1		
Washington Township	17,600	235	104	101	4	4	3
Wenonah Borough	2,465	18	15	26		1	
West Deptford Township	15,105	187	222	83	2		
Westville Borough	5,370	94	44	64	2		2
Woodbury City	12,740	184	170	139	5	2	3
Woodbury Heights Borough	3,770	33	27	19			
Woolwich Township	1,150	12	1	9			

HUDSON COUNTY : 1975

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	611,105	8,038	4,547	6,270	143	97	96
Bayonne City	73,635	786	500	812	12	12	8
East Newark Borough	1,985	25	18	21			
Guttenberg Town	5,880	70	38	75	2	1	1
Harrison Town	12,155	146	96	158	2		2
Hoboken City	46,545	721	353	397	10	13	7
Jersey City	259,790	3,861	1,814	2,677	83	52	51
Kearny Town	38,195	465	291	389	4	3	3
North Bergen Township	48,515	551	201	539	6	5	6
Secaucus Town	12,200	128	96	130	6	4	4
Union City	57,840	692	623	573	13	3	10
Weehawken Township	13,305	140	84	138	2		2
West New York Town	41,060	453	433	361	3	4	2

HUNTERDON COUNTY

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
TOTAL	74,475	947	513	582	9	10	6
Alexandria Township	2,310	31	4	20			
Bethlehem Township	1,605	28	1	7			

HUNTERDON COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Bloomsbury Borough	890	17	26	13			
Califon Borough	1,040	27	20	10	1		1
Clinton Town	1,720	18	22	15			
Clinton Township	5,820	79	23	37			
Delaware Township	3,435	36	26	17		3	
East Amwell Township	2,750	32	12	23			
Flemington Borough	4,035	74	79	63	1		
Franklin Township	2,260	31	13	16	1		
Frenchtown Borough	1,525	25	16	17	1		
Glen Gardner Borough	810	17	4	11	1		1
Hampton Borough	1,450	27	16	17			
High Bridge Borough	2,835	64	19	19	3	3	3
Holland Township	3,885	38	7	21			
Kingwood Township	2,425	33	22	23			
Lambertville City	4,390	46	38	55		1	
Lebanon Borough	905	12	6	13			
Lebanon Township	4,640	59	17	26			
Milford Borough	1,305	19	29	12			
Raritan Township	7,600	68	20	38			
Readington Township	8,180	104	56	48			
Stockton Borough	620	4	4	8		1	
Tewksbury Township	3,230	24	15	26			
Union Township	2,530	17	10	13		2	
West Amwell Township	2,280	17	8	14	1		1

MERCER COUNTY 1975

TOTAL	320,900	3,970	2,172	2,656	74	38	58
East Windsor Township	20,115	408	18	81	5	2	4
Ewing Township	33,460	273	277	266	2		1
Hamilton Township	82,880	920	500	665	5	10	5
Hightstown Borough	5,610	89	98	65	1	1	1
Hopewell Borough	2,295	23	29	24			
Hopewell Township	10,540	73	28	72		2	
Lawrence Township	20,025	149	104	122	1	1	1
Pennington Borough	2,165	21	43	17			
Princeton Borough	12,245	74	213	78		1	
Princeton Township	14,065	108	59	63	3		3
Trenton City	106,625	1,703	762	1,139	54	21	41
Washington Township	3,500	35	20	28	2		2
West Windsor Township	7,375	94	21	36			

MIDDLESEX COUNTY

TOTAL	610,255	6,848	4,102	4,047	97	66	73
Carteret Borough	22,910	243	170	182	6	1	6
Cranbury Township	2,315	46	31	24	1		1

MIDDLESEX COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Dunellen Borough	7,185	77	89	88	1		
East Brunswick Township	36,790	382	184	180	11	3	6
Edison Township	70,390	724	410	403	9	8	8
Helmetta Borough	985	18	16	10			
Highland Park Borough	14,815	138	82	99	1	1	1
Jamesburg Borough	4,805	87	55	85	1	6	1
Metuchen Borough	16,250	146	180	132	2	2	2
Middlesex Borough	15,570	145	69	96	1	1	1
Milltown Borough	6,825	79	37	61			
Monroe Township	10,610	112	26	76	1	1	
New Brunswick City	42,785	541	603	352	13	7	10
North Brunswick Township	17,860	221	47	108	2	4	1
*Old Bridge Township	51,680	720	289	172	12	2	7
Perth Amboy City	39,760	607	445	416	12	4	10
Piscataway Township	39,800	538	149	180	9	4	8
Plainsboro Township	2,005	42	9	17		1	
Sayreville Borough	33,910	288	137	215	3	5	2
South Amboy City	9,715	142	158	116	1	3	1
South Brunswick Township	15,300	196	71	71	2	2	2
South Plainfield Borough	22,000	228	127	129	2	3	2
South River Borough	15,825	174	110	149	2	1	1
Spotswood Borough	8,460	128	63	51	2	1	1
Woodbridge Township	101,705	826	545	635	3	6	2

MONMOUTH COUNTY

TOTAL	480,600	5,849	3,340	4,360	82	70	52
Allenhurst Borough	980	7	5	12			
Allentown Borough	1,775	24	20	11	1		1
Asbury Park City	16,775	314	228	323	9	3	6
Atlantic Highlands Borough	5,255	76	63	68			
Avon-by-the-Sea Borough	2,175	26	29	37			
Belmar Borough	5,870	74	65	91	1	1	
Bradley Beach Borough	4,235	58	47	52			
Brielle Borough	3,580	32	30	56		1	
Colts Neck Township	6,295	48	35	23		1	
Deal Borough	2,440	12	40	27			
Eatontown Borough	12,660	310	87	89	3		1
Englishtown Borough	1,190	61	32	46	2	1	1
Fair Haven Borough	6,205	62	38	42	2		
Farmingdale Borough	1,375	20	34	14			
Freehold Borough	10,995	180	118	134	5		3
Freehold Township	15,145	204	45	84	2	5	1
Hazlet Township	23,000	185	65	125	4	4	4
Highlands Borough	4,170	79	32	64	1	1	
Holmdel Township	6,615	55	100	38	2		1
Howell Township	23,910	278	144	146	2	2	2
Interlaken Borough	1,195	7	3	11			
Keansburg Borough	10,170	189	111	115	2	2	1

*Name officially changed from Madison Township - November 4, 1975.

MONMOUTH COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Keyport Borough	7,400	109	69	96		1	
Little Silver Borough	6,125	60	22	33	1		1
Loch Arbour Village	395	1		3			
Long Branch City	33,375	480	262	301	6	9	2
Manalapan Township	15,690	156	46	68	5		5
Manasquan Borough	4,970	70	84	89		1	
Marlboro Township	13,580	151	58	65		1	
Matawan Borough	9,670	159	93	104	1		1
Matawan Township	18,970	226	57	97		3	
Middletown Township	57,450	630	280	374	7	16	6
Millstone Township	2,705	30	11	26	1		
Monmouth Beach Borough	2,305	23	11	21			
Neptune Township	28,430	338	156	343	7	2	3
Neptune City Borough	5,645	80	23	83	1	4	
Ocean Township	20,590	285	75	157	3	6	3
Oceanport Borough	6,115	42	28	34			
Red Bank Borough	12,605	121	226	197	3	2	2
Roosevelt Borough	850	5	2	6			
Rumson Borough	7,410	43	67	69	1		
Sea Bright Borough	1,440	20	11	29	2		2
Sea Girt Borough	2,120	9	22	33			
Shrewsbury Borough	3,330	30	53	18			
Shrewsbury Township	1,250	33	2	7		1	
South Belmar Borough	1,480	13	6	32			
Spring Lake Borough	3,795	21	51	63			
Spring Lake Heights Boro.	4,715	39	40	71	2		1
Tinton Falls Borough	8,550	63	58	46			
Union Beach Borough	6,670	73	21	59	1		1
Upper Freehold Township	2,725	28	20	17	1		1
Wall Township	17,205	165	64	167	4		3
West Long Branch Borough	7,030	45	51	44		2	

MORRIS COUNTY

TOTAL	405,345	4,550	2,602	2,602	67	47	58
Boonton Town	9,345	73	65	96	1		
Boonton Township	3,230	55	14	33	1		1
Butler Borough	7,665	130	94	57		1	
Chatham Borough	9,705	97	65	69	1		1
Chatham Township	8,485	53	40	54	1		1
Chester Borough	1,380	23	32	19			
Chester Township	4,530	36	6	13			
Denville Township	14,540	137	103	95	1	2	1
Dover Town	15,585	274	197	160	14	5	11
East Hanover Township	8,140	77	47	47			
Florham Park Borough	8,230	73	50	52			
Hanover Township	11,435	116	90	76	2	1	2
Harding Township	3,335	19	72	19	5	1	5
Jefferson Township	15,440	230	63	81	2		
Kinnelon Borough	7,940	56	61	33	2	2	2
Lincoln Park Borough	9,480	120	56	54		2	

*Name officially changed from New Shrewsbury Borough - November 4, 1975.

MORRIS COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Madison Borough	16,980	156	96	129		3	
Mendham Borough	4,065	33	54	25			
Mendham Township	4,020	26	13	26	2	1	
Mine Hill Township	3,680	37	6	25	1		1
Montville Township	12,785	112	63	77	1	1	1
Morris Township	20,175	140	119	114	2	1	2
Morris Plains Borough	5,660	82	43	63	1		1
Morristown Town	17,600	220	234	224	2	7	
Mountain Lakes Borough	4,790	44	61	26	1	1	1
Mount Arlington Borough	3,955	58	16	20	2	1	2
Mount Olive Township	13,755	287	46	66	4	1	4
Netcong Borough	3,105	51	77	30			
Parsippany-Troy Hills Twp.	58,000	683	200	214	7	1	7
Passaic Township	7,730	67	49	30		1	
Pequannock Township	14,710	115	65	99	1	7	1
Randolph Township	14,910	196	66	76	5		3
Riverdale Borough	2,820	30	8	23			
Rockaway Borough	6,605	70	58	59			
Rockaway Township	19,875	202	74	83		3	
Roxbury Township	17,160	224	88	106	4	3	4
Victory Gardens Borough	1,115	9	4	5		1	
Washington Township	7,680	74	50	58	3		2
Wharton Borough	5,705	65	57	66	1	1	1

OCEAN COUNTY 1975

TOTAL	259,120	4,037	1,783	3,331	52	37	35
Barnegat Light Borough	625	10	6	6			
Bay Head Borough	1,090	18	47	17			
Beach Haven Borough	1,605	11	24	32			
Beachwood Borough	5,290	117	27	54	2	2	2
Berkeley Township	12,465	181	67	200	3	1	2
Brick Township	45,300	643	217	408	6	6	3
Dover Township	50,435	714	392	587	14	5	11
Eagleswood Township	870	20	9	12		1	
Harvey Cedars Borough	490	4	5	6			
Island Heights Borough	1,450	16	22	12			
Jackson Township	21,190	331	90	166	6	4	3
Lacey Township	7,705	170	69	129		2	
Lakehurst Borough	2,955	53	30	62	1		
Lakewood Township	32,790	692	272	485	6	9	5
Lavallette Borough	1,520	13	21	36	1		1
Little Egg Harbor Township	4,750	66	3	39	1		
Long Beach Township	3,620	18	31	58			
Manchester Township	12,770	102	40	274	1		
Mantoloking Borough	315	4	7	15			
Ocean Township	2,680	38	17	56		1	
Ocean Gate Borough	1,125	15	6	23		2	
Pine Beach Borough	1,480	16	2	23			

OCEAN COUNTY (Continued) 1975

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Plumsted Township	4,575	89	41	39	4	1	2
Point Pleasant Borough	16,790	198	83	222	4		2
Point Pleasant Beach Boro	4,890	36	75	88			2
Seaside Heights Borough	1,375	27	15	21			
Seaside Park Borough	1,505	20	22	26			
Ship Bottom Borough	1,195	12	12	16		1	
South Toms River Borough	4,275	75	13	21		1	
Stafford Township	4,765	104	41	64	1		1
Surf City Borough	1,275	9	17	15	1		1
Tuckerton Borough	2,260	67	35	79	1		1
Union Township	3,695	148	25	40		1	

PASSAIC COUNTY

TOTAL	472,760	6,412	3,660	4,362	103	64	74
Bloomingdale Borough	8,240	102	18	61	1	2	1
Clifton City	82,390	711	569	879	11	7	8
Haledon Borough	6,735	66	53	106	1		1
Hawthorne Borough	19,255	199	102	195	2	1	1
Little Falls Township	12,020	111	81	105	2	2	2
North Haledon Borough	7,715	60	148	63			
Passaic City	56,010	957	566	624	6	17	5
Paterson City	149,095	2,769	1,199	1,450	64	31	41
Pompton Lakes Borough	11,715	112	143	86			
Prospect Park Borough	5,295	59	43	71	2		2
Ringwood Borough	11,475	162	91	45	2		
Totowa Borough	11,720	94	72	86			2
Wanaque Borough	9,605	183	60	65	3		3
Wayne Township	50,245	409	326	327	4	1	3
West Milford Township	18,825	280	107	115	3	2	3
West Paterson Borough	12,420	138	82	84	2	1	2

SALEM COUNTY

TOTAL	63,730	871	431	578	11	13	8
Alloway Township	2,635	30	19	18			
Elmer Borough	1,670	38	17	15	1	2	
Elsinboro Township	1,215	9	7	10			
Lower Alloway Creek Twp.	1,400	10	5	14			
Mannington Township	1,895	11	8	19	1		1
Oldmans Township	2,140	17	17	15		1	
Penns Grove Borough	6,205	159	54	78		2	
Pennsville Township	14,375	182	86	101	3	1	1
Pilesgrove Township	2,735	19	11	30			
Pittsgrove Township	4,935	66	43	35	1	2	1
Quinton Township	2,675	24	12	18			
Salem City	7,970	148	55	105	4	4	4

SALEM COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Upper Penns Neck Township	7,570	68	32	54	1		
Upper Pittsgrove Township	3,050	38	19	25		1	1
Woodstown Borough	3,260	52	46	41			

SOMERSET COUNTY

TOTAL	206,495	2,015	1,356	1,341	27	16	21
Bedminster Township	2,650	21	31	21			
Bernards Township	13,725	68	76	59			
Bernardsville Borough	6,730	44	49	58	2		
Bound Brook Borough	10,675	129	124	113	4		2
Branchburg Township	6,350	61	11	38	1		3
Bridgewater Township	31,350	216	132	151	2	1	
Far Hills Borough	785	6	14	13		1	1
Franklin Township	32,185	334	146	163	6	1	
Green Brook Township	4,520	47	6	22	1		5
Hillsborough Township	12,265	172	56	70	3		1
Manville Borough	13,495	121	94	77	2	1	2
Millstone Borough	650	11	9	3		2	2
Montgomery Township	6,590	57	45	35		1	
North Plainfield Borough	22,485	286	101	165	4	3	4
Peapack-Gladstone Borough	1,970	22	28	14			
Raritan Borough	6,750	67	57	53			
Rocky Hill Borough	920	4	9	7			
Somerville Borough	13,515	162	187	156		2	
South Bound Brook Borough	4,840	79	27	42	2	1	
Warren Township	9,120	81	77	51		2	
Watchung Borough	4,925	27	77	30			1

SUSSEX COUNTY

TOTAL	86,425	1,493	648	683	10	15	9
Andover Borough	840	12	4	6			
Andover Township	3,345	57	27	28			
Branchville Borough	885	12	11	18			
Byram Township	5,265	97	22	22			
Frankford Township	3,070	34	31	28			
Franklin Borough	4,400	48	36	42			
Fredon Township	1,570	22	4	14			
Green Township	1,630	29	8	14	1		
Hamburg Borough	1,855	36		13			1
Hampton Township	2,310	28	14	15		1	
Hardyston Township	3,830	64	26	34	1		1
Hopatcong Borough	10,680	275	48	69	1	6	1
Lafayette Township	1,380	26	22	14			
Montague Township	1,335	13	11	12			
Newton Town	7,520	105	78	84	1		
Ogdensburg Borough	2,540	55	8	16	1	1	1

SUSSEX COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Sandyston Township	1,360	16	7	5			
Sparta Township	11,475	136	124	80	1	1	1
Stanhope Borough	3,325	48	29	18		1	
Stillwater Township	2,400	52	21	26	1		1
Sussex Borough	2,110	51	50	34	1	1	1
Vernon Township	7,965	187	46	48		2	
Walpack Township	390	1	4	1			
Wantage Township	4,945	89	17	42	2	2	2

UNION COUNTY

TOTAL	551,120	5,689	3,890	4,870	88	55	62
Berkeley Heights Township	13,550	96	37	53		1	
Clark Township	19,125	116	152	117	1	1	1
Cranford Township	27,685	235	129	211	1	4	1
Elizabeth City	114,795	1,553	967	1,163	33	21	20
Fanwood Borough	9,250	105	29	51	4		3
Garwood Borough	5,325	46	42	41	1		1
Hillside Township	21,500	223	126	244	1	1	1
Kenilworth Borough	9,330	73	72	71	3	1	1
Linden City	42,150	424	246	401	7	4	5
Mountainside Borough	7,500	39	50	62			
New Providence Borough	14,260	102	85	78	3	1	3
Plainfield City	48,185	757	431	445	19	7	16
Rahway City	29,805	320	227	253	2	1	1
Roselle Borough	23,115	244	149	216	1	2	1
Roselle Park Borough	14,585	158	93	138	1	1	1
Scotch Plains Township	22,980	211	163	158	1	2	1
Springfield Township	15,460	99	104	134			
Summit City	23,430	200	182	204	1	2	1
Union Township	52,755	371	335	565	6	2	3
Westfield Town	34,070	289	271	245	2	3	2
Winfield Township	2,265	28		20	1	1	

WARREN COUNTY

TOTAL	77,310	957	610	865	24	12	22
Allamuchy Township	1,195	7	7	9	1		1
Alpha Borough	2,870	24	27	28		2	
Belvidere Town	2,760	34	33	43		2	
Blairstown Township	2,515	34	22	36	1		1
Franklin Township	2,040	20	10	17		2	
Frelinghuysen Township	1,170	6	6	8			
Greenwich Township	1,560	22	26	14	2		2
Hackettstown Town	9,975	141	89	108		1	
Hardwick Township	615	13	5	6			
Harmony Township	2,050	28	15	16			
Hope Township	1,190	6	15	8		1	
Independence Township	2,230	26	15	18	1		1

WARREN COUNTY (Continued)

MUNICIPALITY	Estimated Population	Births	Marriages	Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths
Knowlton Township	1,770	24	15	17	1		
Liberty Township	1,280	17	4	11			2
Lopatcong Township	3,665	54	5	32	2		2
Mansfield Township	4,065	63	21	31	2		
Oxford Township	1,905	30	25	30		1	
Pahaquarry Township	50		2				8
Phillipsburg Town	17,845	190	155	263	9	2	1
Pohatcong Township	3,985	29	18	29	1		1
Washington Borough	6,275	105	64	66	2	1	2
Washington Township	3,820	60	16	48	1		1
White Township	2,480	24	15	27	1		1
STATE INSTITUTIONS		6		15		1	
MILITARY POSTS		545	263	18	4	4	2
STATE TOTAL	7,433,920	91,457	53,008	65,422	1,434	941	1,042

Note: Population not available for State Institutions and Military Posts.

APPENDIX A

Glossary of Terms

AGE-SPECIFIC MORTALITY RATE - the number of deaths of persons of a given age group per 100,000 estimated persons in that age group usually expressed as an annual rate.

CAUSE GROUP - a summary of deaths resulting from, or cases of, related diseases as defined by the International Classification of Diseases Adapted For Use in the United States, published by the U. S. Department of Health, Education, and Welfare; usually specified by a series of 3-digit codes i.e. 140-209 - malignant neoplasms.

CAUSE-3 DIGIT - the cause of death or morbidity as defined by a 3-digit code in the International List. Disease conditions are also further classified and so specified, by the addition of a decimal point and a fourth digit. For example, the three digit code "140" refers to a malignant neoplasm of the lip, and the four digit code "140.1" refers to a malignant neoplasm of the lower lip.

ESTIMATED POPULATION - the estimated number of persons in a given group based on the latest census data and adjusted for annual births, annual deaths and net migration.

FETAL DEATH - a death prior to complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy also known as a stillbirth. The death of an infant that has breathed or shown other evidence of life, no matter for how short a period, should be reported as a live birth and an infant death.

FETAL DEATH RATES - the number of fetal deaths occurring in the twentieth week of gestation or later (required by law to be registered as fetal deaths) per 1,000 live births, usually expressed as an annual rate.

FERTILITY RATE - the number of live births to women aged 15-44 per 1,000 women in this age group, usually expressed as an annual rate.

ILLEGITIMATE BIRTH - a birth to an unwed mother, or to a mother whose husband did not father the infant.

ILLEGITIMATE FETAL DEATH - a fetal death occurring to an unwed mother, or a mother whose husband did not father the fetus.

INFANT DEATH - the death of a baby under one year of age, no matter how short a period a time the baby breathed or shown other evidence of life.

INFANT MORTALITY RATE - the number of infant deaths per 1,000 live births, usually expressed as an annual rate.

INTERNATIONAL LIST - a listing of disease classifications known as the "International Classification of Diseases Adapted For Use in the United States", published by the United States Department of Health, Education, and Welfare, used in the statistical coding and tabulation of specific disease morbidity and mortality.

LEGITIMATE BIRTH - a birth to a married woman whose husband fathered the infant.

LEGITIMATE FETAL DEATH - a fetal death occurring to a married woman whose husband fathered the fetus.

MATERNAL DEATH - a death of a woman occurring during the period of pregnancy or following delivery of the infant and related to the pregnancy or delivery of the infant.

MATERNAL MORTALITY RATE - the number of maternal deaths per 10,000 live births, usually expressed as an annual rate.

MORBIDITY - the relative incidence (number of cases) of disease, usually used with respect to specific disease conditions i.e. tuberculosis morbidity refers to the number of cases of tuberculosis.

MORTALITY - the number of deaths.

NEONATAL - of, relating to, or affecting the newborn and especially the human infant during the first month of life.

NEONATAL MORTALITY RATE - as used in this text, the number of deaths of infants under 28 days of age per 1,000 live births, per year.

NET MIGRATION - the difference in population resulting from persons attaining residency status, and persons dropping residency status, often referred to as in-migration and out-migration, respectively.

PERINATAL - of, relating to, or affecting the fetus and the newborn, especially the human infant during the first month of life.

PERINATAL MORTALITY RATE - the number of deaths of infants less than 28 days of age, and registered fetal deaths per 1,000 live births plus registered fetal deaths.

RACE-SPECIFIC MORTALITY RATE - the number of deaths in a given ethnic group per 100,000 estimated population in that ethnic group.

SELECTED PLACES - as used in this report, cities, townships and municipalities with a population of 45,000 or more as of the 1970 census.

SEX-SPECIFIC MORTALITY RATE - the number of deaths of males/females per 100,000 estimated males/females in the population.

APPENDIX B
Selected Vital Events by Primary Service Area, 1975

VITAL EVENTS	STATE TOTAL	AREA I	AREA II	AREA III	AREA IV	AREA V
Estimated Population	7,433,920	1,384,555	2,051,725	611,105	1,951,845	1,434,690
Resident Births	91,457	14,783	24,819	8,038	23,666	19,600
Rate per 1,000 Est. Pop.	12.3	10.7	12.1	13.2	12.1	13.7
Marriages (by occurrence)	53,008	9,722	14,719	4,547	13,266	10,491
Rate per 1,000 Est. Pop.	7.1	7.0	7.2	7.4	6.8	7.3
Resident Deaths	65,391	11,838	17,718	6,270	16,317	13,215
Rate per 1,000 Est. Pop.	8.8	8.6	8.6	10.3	8.4	9.2
Infant Deaths	1,434	204	407	143	341	335
Rate per 1,000 Live Births	15.7	13.8	16.4	17.8	14.4	17.1
Fetal Deaths	941	115	292	97	237	195
Rate per 1,000 Live Births	10.3	7.8	11.8	12.1	10.0	9.9
Neonatal Deaths	1,042	152	293	96	245	254
Rate per 1,000 Live Births	11.4	10.3	11.8	11.9	10.4	13.0
Perinatal Deaths	1,983	267	585	193	482	449
Rate per 1,000 Live Births and Fetal Deaths	21.5	17.9	23.3	23.7	20.2	23.9
Principal Causes of Death						
Diseases of the Heart	27,378	4,933	7,349	2,815	6,546	5,723
Rate per 100,000 Est. Pop.	368.3	356.3	358.2	460.6	335.4	398.9
Malignant Neoplasms	14,377	2,792	3,903	1,341	3,688	2,650
Rate per 100,000 Est. Pop.	193.4	201.7	190.2	219.4	188.9	184.7
Cerebrovascular Diseases	5,831	1,075	1,528	458	1,604	1,164
Rate per 100,000 Est. Pop.	78.4	77.6	74.5	74.9	82.2	81.1
Accidents	2,602	437	799	194	625	547
Rate per 100,000 Est. Pop.	35.0	31.6	38.9	31.7	32.0	38.1
Diabetes	1,416	232	401	189	355	239
Rate per 100,000 Est. Pop.	19.0	16.8	19.5	30.9	18.2	16.7
Tuberculosis						
Cases	1,362	193	508	188	250	212
Rate per 100,000 Est. Pop.	18.3	13.9	24.8	30.8	12.8	14.8
Deaths	122	21	34	18	23	26
Rate per 100,000 Est. Pop.	1.6	1.5	1.7	2.9	1.2	1.8
Syphilis - All Stages	2,431	277	1,100	238	465	293
Rate per 100,000 Est. Pop.	32.7	20.0	53.6	38.9	23.8	20.4
Gonorrhea - Cases	17,858	2,008	7,527	1,098	4,167	2,419
Rate per 100,000 Est. Pop.	240.2	145.0	366.9	179.7	213.5	168.6

Note: State Vital Events Totals include events in State Institutions and Military Posts (not included in each area total).

APPENDIX C

**AGE - SPECIFIC AND AGE ADJUSTED DEATH RATES FOR SPECIFIED CAUSES: UNITED STATES,
1974 and 1975 (For 1975, Based on a 10-percent sample of deaths; and for 1974, Based on final data. Rates
per 100,000 population in specified group)**

CAUSE OF DEATH AND YEAR	ALL AGES	Under 1 Year	1-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85 Years and Over	Age-Adjusted Rate												
												1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	1975	1974	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209):	174.4	3.9	4.8	6.7	15.5	52.0	182.8	434.8	798.0	1,243.9	1,431.0	132.7												
1975-----	170.5	3.8	5.4	6.9	15.0	55.1	183.8	437.0	774.5	1,213.7	1,414.7	131.8												
Malignant neoplasms of digestive organs and peritoneum (150-159):	47.8	0.3	0.0	0.3	1.8	8.6	36.5	107.5	227.8	424.1	499.2	34.2												
1975-----	46.8	0.3	0.1	0.3	1.9	9.4	37.8	108.3	224.2	405.0	519.2	34.2												
Malignant neoplasms of respiratory system (160-163):	41.5	0.3	0.1	0.1	1.0	11.7	53.5	135.2	211.6	205.0	155.6	32.2												
1975-----	40.1	0.0	0.1	0.9	11.0	51.6	130.5	198.5	206.9	141.1	141.1	31.8												
Malignant neoplasms of breast (174):	39.5	-	-	0.0	1.7	9.7	24.7	41.5	58.8	80.8	118.3	12.4												
1975-----	35.3	-	-	0.1	1.8	9.5	26.9	43.2	55.7	81.3	114.6	12.7												
Malignant neoplasms of genital organs (180-187):	20.2	-	0.0	0.7	2.1	5.4	-	17.6	37.2	87.8	189.5	246.7	14.5											
1975-----	19.7	0.0	0.1	0.8	2.2	6.9	17.6	41.3	90.4	182.1	237.3	15.1												
Diabetes mellitus (250):	17.8	0.3	0.1	0.4	1.8	3.9	11.6	30.4	76.6	159.2	226.4	11.8												
1975-----	17.0	0.5	0.1	0.5	1.9	4.3	11.4	31.7	81.6	172.0	248.4	12.5												
Major cardiovascular diseases (390-448):	459.4	19.1	1.4	3.8	12.3	70.3	241.8	691.2	1,731.4	4,744.8	10,996.8	293.5												
1975-----	478.2	28.4	2.0	4.5	14.0	72.0	259.8	720.9	1,834.3	4,955.3	12,154.2	310.8												
Diseases of heart (390-398,402-404,410-429):	339.0	16.2	0.9	2.1	8.1	55.8	201.8	574.8	1,339.9	3,333.8	7,258.4	222.5												
1975-----	349.2	22.0	1.2	2.8	9.4	55.7	215.5	580.8	1,400.5	3,440.8	7,983.1	232.7												
Cerebrovascular diseases (430-438):	91.8	2.9	0.5	1.4	3.2	12.3	31.6	91.0	300.8	1,096.5	2,701.1	54.7												
1975-----	98.1	5.1	0.7	1.4	3.6	13.3	35.3	99.6	334.4	1,176.6	2,996.8	59.9												
Cerebral hemorrhage (431):	12.6	1.0	0.2	0.4	0.8	4.1	9.6	21.2	46.5	124.5	227.5	8.7												
1975-----	14.4	2.4	0.2	0.4	0.9	4.3	11.4	25.0	56.7	139.3	263.2	10.1												
Cerebral thrombosis (433):	23.2	-	0.0	0.2	1.0	3.5	18.6	72.9	302.7	770.4	13.0													
1975-----	25.3	0.2	0.0	0.1	0.8	3.9	18.7	84.0	335.0	882.9	14.4													
Arteriosclerosis (440):	13.7	-	-	-	0.1	0.1	1.2	4.9	25.2	159.5	736.3	6.6												
1975-----	15.3	0.0	0.0	0.0	0.2	1.0	5.9	31.6	77.5	180.6	750.6	7.6												
Influenza and pneumonia (470-474,480-486):	27.0	68.5	1.9	2.5	5.5	11.8	27.7	70.6	273.8	818.9	17.1													
1975-----	25.9	86.9	2.1	1.7	2.5	5.7	11.7	26.6	68.7	259.3	806.9	16.9												
Bronchitis, emphysema, and asthma (490-493):	11.9	2.6	0.2	0.3	0.6	1.2	6.3	25.5	64.4	107.1	101.2	8.4												
1975-----	12.7	2.8	0.2	0.4	0.4	1.7	7.0	27.3	71.0	114.9	108.4	9.2												
Cirrhosis of liver (571):	15.1	1.3	0.1	0.4	3.1	17.9	35.3	50.9	43.4	49.4	29.6	20.2												
1975-----	15.8	1.1	0.1	0.4	4.2	18.6	38.7	50.9	45.9	52.5	18.5													
Accidents (E800-E949):	47.6	39.3	20.6	58.7	44.2	39.0	47.8	63.8	140.6	318.6	43.9													
1975-----	49.5	48.3	21.2	61.6	45.4	40.0	43.5	51.2	68.9	145.1	46.0													
Motor vehicle accidents (E810-E823):	20.9	7.8	8.2	37.1	23.9	19.1	17.7	18.0	23.1	32.3	24.0													
1975-----	22.0	7.5	9.0	40.5	25.3	19.0	18.3	19.5	22.7	31.6	26.8	21.8												
All other accidents (E800-E807,E825-E949):	26.7	31.5	12.3	21.6	20.3	19.9	23.6	29.8	42.7	108.3	294.6													
1975-----	27.5	40.9	12.1	21.1	20.0	21.0	25.2	31.7	46.2	113.5	333.5													
Suicide (E950-E959):	12.6	...	0.2	12.2	16.6	16.8	20.8	17.5	22.4	19.7	12.6													
1975-----	12.1	0.4	10.9	15.7	16.8	19.6	19.6	19.7	20.9	17.5	12.2													
Homicide (E960-E978):	10.2	4.5	1.3	13.3	18.9	17.0	12.5	8.6	6.0	3.8	3.7	10.8												
1974-----	10.2	5.5	1.3	14.2	19.3	16.4	11.7	8.0	5.9	5.3	4.2	10.8												

The age-adjusted rates were computed by the direct method; age-specific death rates for a particular cause were applied to the standard population. The total population as enumerated in 1940, distributed by the same age group shown in this table, was selected as the standard for 1975; for 1974 the same standard population and age distribution was used, except that the age group 1-4 years was divided into 1-4 and 5-14 years.

Source: United States Department of Health, Education, and Welfare, Public Health Service, Health Resources Administration, National Center for Health Statistics, Vol. 24, No. 13. June 30, 1976.